

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155219	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 03/07/2013
NAME OF PROVIDER OR SUPPLIER KINDRED TRANSITIONAL CARE AND REHAB-SOUTH BEND			STREET ADDRESS, CITY, STATE, ZIP CODE 52654 N IRONWOOD RD SOUTH BEND, IN 46635		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00124209.</p> <p>Complaint IN00124209 - Substantiated. No deficiencies related to the allegations are cited.</p> <p>Survey dates: March 6 and 7, 2013</p> <p>Facility number: 000124 Provider number: 155219 AIM number: 100266730</p> <p>Survey team: Honey Kuhn, RN</p> <p>Census bed type: SNF/NF: 98 Total: 98</p> <p>Census payor type: Medicare: 11 Medicaid: 73 Other: 14 Total: 98</p> <p>Sample: 3</p> <p>Kindred Transitional Care and Rehab - South Bend was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2 in regard to the Investigation of Complaint IN00124209.</p> <p>Quality Review completed on March 08, 2013; by Kimberly Perigo, RN.</p>	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.