

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/10/2022
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155740	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/09/2022
NAME OF PROVIDER OR SUPPLIER TIMBERCREST CHURCH OF THE BROTHERS HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2201 EAST ST NORTH MANCHESTER, IN 46962		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00394161.</p> <p>Complaint IN00394161 - Unsubstantiated due to lack of evidence.</p> <p>Survey dates: November 9, 2022.</p> <p>Facility number: 000448 Provider number: 155740 AIM number: 100275140</p> <p>Census Bed Type: SNF/NF: 53 Total: 53</p> <p>Census Payor Type: Medicare: 6 Medicaid: 21 Other: 26 Total: 53</p> <p>Timbercrest Church of the Brethren Home was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regard to the Investigation of Complaint IN00394161.</p> <p>Quality review completed November 9, 2022</p>	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.