

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>155355</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>01</b> B. WING _____		(X3) DATE SURVEY COMPLETED  <b>02/21/2012</b>
NAME OF PROVIDER OR SUPPLIER  <b>WEST BEND NURSING AND REHABILITATION</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>4600 W WASHINGTON AVE SOUTH BEND, IN 46619</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p><b>INITIAL COMMENTS</b></p> <p>A Life Safety Code Walk-Thru Survey was conducted by the Indiana State Department of Health in accordance with 42 CFR 483.70(a).</p> <p>Survey Date: 02/21/12</p> <p>Facility Number: 000246 Provider Number: 155355 AIM Number: 100275420</p> <p>Surveyor: Dennis Austill, Life Safety Code Survey Supervisor</p> <p>At this Life Safety Code Walk-Thru survey, West Bend Nursing and Rehabilitation was found in compliance with Requirements for Participation in Medicare/Medicaid, 42 CFR Subpart 483.70(a), Life Safety from Fire and the 2000 edition of the National Fire Protection Association (NFPA) 101, Life Safety Code (LSC), Chapter 19, Existing Health Care Occupancies and 410 IAC 16.2.</p> <p>This facility consists of two connected buildings: the original building built in 1967, a one story building with a partial basement and the 1976 building, a two story building, both buildings are determined to be of Type II (222) construction and fully sprinklered. The facility has a fire alarm system with smoke detection on all levels including the corridors, spaces open to the corridors and resident sleeping rooms. The facility has a capacity of 177 and had a census of 87 at the time of this survey.</p> <p>Quality Review by Robert Booher, Life Safety Code Specialist-Medical Surveyor on 02/23/12.</p>	K 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.