



## Pipeline Safety Division Investigation Report

### Investigation regarding: City Of Jeffersonville

UPPAC Database Record ID: 1369

Investigator: Howard Friend

Report Date: 04/27/2012

Damage Date: 10/21/2010 3:03:24 PM

Damage Address: W Market St

City: Jeffersonville

County: Clark

### The Parties

Excavator: **City Of Jeffersonville**

Contact: Doug Hayden

Address: 2003 Renfroe Way, Suite 100, Jeffersonville, In 47130

Telephone:

Facility Owner: Vectren

Contact: Darlene Kulhanek

Address: 1 N Main Street, Evansville, IN 47702

### Pipeline Facility

Facility Type: Natural Gas

Facility Function: Service/Drop

**Investigation regarding: City Of Jeffersonville**

UPPAC Database Record ID: 1369

**Damage Impact**

Product release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 1

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$377

**Excavator Activities/Cause of damage information:**

Excavator request locates: Yes Indiana 811 ticket Number: 1010180300

Type of Equipment: Backhoe/Trackhoe

Type of work performed: Drainage

**Synopsis:** A natural gas service was damaged during excavation for drainage.

**Findings:** Reported by Indiana 811; excavator responded to initial notice on 01/25/2012. Excavator had valid locates but failed to maintain two (2) feet clearance.

**Conclusion:** Excavator failed to maintain two (2) feet clearance with mechanized equipment.

**Violation: IC 8-1-26-20(b) Failure to maintain two (2) feet clearance with mechanized equipment.**

**City Of Jeffersonville** currently has three (3) other reports of damages in the record, between 10/21/2010 3:03:24 PM and 4/25/2012 10:58:35 AM.

NO

LOCATE


TICKET

PROVIDED



# DAMAGE INFORMATION REPORT – PIPELINE SAFETY DIVISION

State Form 54122 (R2 / 7-11)  
INDIANA UTILITY REGULATORY COMMISSION



Submitted to IURC-Pipeline Safety on: 02-17-2012

## Who is submitting this information?

Name of person providing this information: Darlene Kulhanek

Business address (*number and street*): 1 Main Street

City, State, and ZIP code: Evansville, IN 47711

Telephone number (*area code*): 812-491-4227

Fax number (*area code*): 812-491-4504

E-mail address: dkulhanek@vectren.com

## Excavator Information, if known

Full name: City of Jeffersonville

Business address (*number and street*): 2003 Renfroe Way, Suite 100

City, State, and ZIP code: Jeffersonville, IN 47130

Telephone number (*area code*): 502-639-0730

Fax number (*area code*): 812-285-6454

E-mail address: Unknown

## Excavation or Demolition Information

Excavator type: Contractor

Excavation or demolition equipment: Backhoe/Trackhoe

Type of work performed: Drainage

**Date and Location of Damage**

Date of damage (month, day, year): 10-21-2010

County: Clark

City: Jeffersonville

Street address (number and street, city, state, and ZIP code):  
332 W. Market Street, Jeffersonville, IN

Nearest intersection: Unknown

Right of way where damage occurred: Public - City Street

Was there a release of product? Yes

If yes, was there an ignition of product? No

Were evacuations necessary as a result of release? No

If yes, how many evacuated? 0

Was there a customer service interruption? Yes

If yes, how many affected? 1

Time to restore service (in hours): 1.25

Enter number of injuries, if applicable and known: 0

Enter number of fatalities, if applicable and known: 0

Property damage, Estimate \$ 377.22

**Affected Facility Information**

What type of pipeline was damaged? Natural Gas

What was the affected facility? Service/Drop

What was the depth of the facility, in inches? \_\_\_\_\_

**Notification, Locating, Marking**

Did excavator request locates prior to commencing work? Yes

Enter Indiana 811 ticket number, if known: 1010180300

Was the locate request completed within two working days? Yes

If locates were performed, were they done so by a contractor or pipeline employee? Contract Locator

If a contractor locator, enter the company name, if known: USIC

Were facility marks visible in the area of excavation? Yes

Were facilities marked correctly? Yes

Type of markings used: Paint and Flags

If other, please specify:

Was site marked by "White Lining"? No

Were special instructions part of the locate request? Unknown/Other

Were maps used to complete the locate request? Unknown/Other

Were pipeline company representatives on site during excavation? No

Did the excavator notify the operator in the event of this damage? Yes

Did the excavator notify Indiana 811 in the event of this damage? Yes


Did the excavator notify 911 in the event of a release of product? Unknown/Other

### **Description of Cause**

Select from the list the most accurate cause for the damage: --Failure to use hand tools where required

### **Additional Comments**

1/2" plastic service damaged by trackhoe. Not hand exposed.



2 VECTREN ENERGY DELIVERY OF INDIANA - NORTH

NOW DUE

\$377.22

JEFFERSONVILLE, CITY OF  
500 QUARTERMASTER CT,  
JEFFERSONVILLE, IN 47130

Type: GAS

Invoice: FDS0013489


BillToID: 29457

Billing Date: 11/24/2010

Date of Loss: 10/21/2010

5920 103

Please return this portion with your remittance.



Mail Payment To: VECTREN ENERGY DELIVERY OF INDIANA - NORTH  
Vectren Utilities Holding Group, Inc.  
1239 Reliable Parkway  
Chicago, IL 60686-0012  
Inquiries: 1-877-902-2934, Mon.-Fri., 8-5  
Risk Management/Claims Department

NOW DUE

\$377.22

JEFFERSONVILLE, CITY OF  
500 QUARTERMASTER CT,  
JEFFERSONVILLE, IN 47130

Type: GAS

Invoice: FDS0013489

BillToID: 29457

Billing Date: 11/24/2010

Date of Loss: 10/21/2010

Invoice For Costs to Repair and Reconstruct Damaged Property

Address: 332 W MARKET, JEFFERSONVILLE

1/2" PLASTIC SERVICE SEVERED BY TRACKHOE. NOT HAND EXPOSED.

Material:	\$81.70
Company Labor:	\$40.46
Contract Labor:	\$240.63
Transportation/Equipment:	\$7.45
Misc:	\$0.00
Gas Loss:	\$6.98
Adjustments:	\$0.00
Payments:	\$0.00
<b>Total:</b>	<b>\$377.22</b>

5920 103

Remember, call two (2) working days before digging. Contact I.U.P.P.S. at 1-800-382-5544.

FACILITIES DAMAGE REPORT GAS

Task No.: 00103

Capital / O&M (circle one) FDS 0013489

Vectren Corporation Form 3112 (Rev. 10/04)

- Indiana Gas
Sigeco
Vectren Energy Delivery of Ohio

TIME: 330 AM/PM

DATE OF DAMAGE: 10/21/10

Cost Center No.: 5921

DAMAGE SITE ADDRESS: 332 w market

LOT #: CITY: Jeffersonville

FACILITIES DAMAGED

- MAIN
SERVICE
REGULATOR STATION
FARM TAP
RESIDENTIAL METER
METER INDUSTRIAL/COMMERCIAL
OTHER

- SIZE(S)
0.50 INCH
0.75 INCH
1.00 INCH
2.00 INCH
4.00 INCH
6.00 INCH
OTHER

TYPE OF MATERIAL

- PLASTIC
STEEL
CAST IRON
OTHER

DAMAGE TYPE

- SEVERED
NOT CUT
PUNCTURE
SIZE 1/2" X 1/2"

PRESSURE

- 25 PSIG
40 PSIG
50 PSIG
60 PSIG
6 WC
OTHER

VISUAL OBSERVATION AT DAMAGE SITE

- LOCATE NOT APPLICABLE
FACILITIES PROPERLY MARKED
MARKING METHODS: CONVENTIONAL, OFFSET, FLAGS, PAINT, STAKES, WHISKERS
LOCATE MARKINGS FADED: YES, NO
WRONG ADDRESS REQUESTED
FACILITIES IMPROPERLY LOCATED
QUALIFIED LOCATOR COULD NOT HAVE ACCURATELY LOCATED
INACCURATE MAPS/CARDS
BROKEN OR NO TRACER WIRE
INSULATION PREVENTING ACCURATE LOCATE
LOCATOR ERROR
QUALIFIED LOCATOR COULD HAVE ACCURATELY LOCATED
INCOMPLETE LOCATE
MARKINGS OFF BY (FEET/INCHES)
INAPPROPRIATE SITE MARKINGS
NO LOCATE PERFORMED
FAILURE TO FOLLOW POLICY
WRONG ADDRESS LOCATED

PROTECTION IN PLACE

- RAIL
POST
NONE
N/A

LEAK REPORT

# 612890

DURATION OF ESCAPING GAS

MINUTES 15

- ONE-WAY FEED
TWO-WAY FEED

EFV ACTIVATED YES NO

DAMAGED BY

- CONTRACTOR
MUNICIPALITY/UTILITY
VEHICULAR ACCIDENT
COMPANY CREW
UNKNOWN
PROPERTY OWNER/TENANT
OTHER

TYPE OF CONSTRUCTION

- SEWER/DRAIN
WATER
ELECTRIC
TELEPHONE
CEMENT/PAVING
TV CABLE
FENCING
FOOTERS
OTHER

WORKING FOR

- CITY
STATE
PROPERTY OWNER
OTHER

NAME

TYPE OF EQUIPMENT

- BACKHOE
TRACKHOE
PLOW
TRENCHER
BULLDOZER
POSTHOLE DIGGERS
BORE
AUGER
STAKE/SHOVEL
OTHER

DAMAGING PARTY

- DID NOT REQUEST LOCATES
DID NOT HAND DIG
USED EXPIRED LOCATES
OTHER

NUMBER OF CUSTOMERS AFFECTED: one

TOTAL HOURS SERVICE WAS OFF: 1.25 hours

INVOICE: YES NO

DAMAGING PARTY

NAME: Jeff City Engineering

ADDRESS: 500 Quartermaster Ct

CITY/STATE/ZIP: Jeffersonville, IN 47130

PREPARED BY: Kevin Vissing DATE: 10-21-10

OBSERVATION BY: K Vissing

NAME OF LOCATOR:

- COPY OF MARKOUT REQUEST PROVIDED WITHIN 2 WORKING DAYS

NOTIFICATION AND OTHER DETAILS OF LOCATE

LOCATE TICKET #: 1010186300

DATE: TIME: AM/PM

- REGULAR REQUEST
EMERGENCY REQUEST

- LOCATE COMPANY NOTIFIED

CONTACT NAME: TIME CALLED: AM/PM

TIME LOCATOR ARRIVED AT SITE: AM/PM

COMPANY NOTIFIED OF LOCATE NEAR CRITICAL FACILITIES:

- YES NO

CONTRACTOR REPAIRS

- CONTRACTOR WORKING FOR VECTREN MADE REPAIRS AT OWN EXPENSE
CONTRACTOR REPAIRED DAMAGE

NAME OF CONTRACTOR:

# OF REGULAR HOURS

# OF OVERTIME HOURS

CREW TYPE

MATERIALS OR ROAD WORK

- METER WAS REPLACED (STORES CODE)
REGULATOR WAS REPLACED (STORES CODE)
TEMPORARY ASPHALT REPAIR (SQ. FT.)
PERMANENT ASPHALT REPAIR (SQ. FT.)

PARTY TO INVOICE

NAME:

ADDRESS:

CITY/STATE/ZIP:

REVIEWED BY FIELD SUPERVISOR DATE

NORMAL NOTICE REMARK

Ticket : 1010180300 Date: 10/18/2010 Time: 08:20 Oper: AOWENS Chan:041

State: IN Cnty: CLARK Twp: JEFFERSONVILLE  
 Cityname: JEFFERSONVILLE Inside: Y Near: N  
 Subdivision:

Address :  
 Street : W MARKET ST  
 Cross 1 : CLARK ST Within 1/4 mile: Y  
 Location: FROM THE ABOVE INTERSECTION LOCATE GOING EAST ON BOTH SIDES OF WEST  
 MARKET STREET FOR APPROX 415 FEET TO MULBERRY STREET

Grids : 3816D8544C 3816D8544B

Work type : REPAVING / INSTALL CURBS AND RAIN GUARDS  
 Done for : CITY OF JEFFERSONVILLE  
 Start date: 10/20/2010 Time: 08:30 Hours notice: 48/048 Priority: NORM  
 Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N  
 Duration : 3 MONTHS Depth: 4 FEET

Company : CITY OF JEFFERSONVILLE Type: MEMB  
 Co addr : 2003 RENFROE WAY SUITE 100  
 City : JEFFERSONVILLE State: IN Zip: 47130  
 Caller : DOUG HAYDEN Phone: (502)639-0730  
 Contact : MARION SHEPHARD--CELL Phone:  
 BestTime:  
 Mobile : (812)670-7098  
 Fax : (812)285-6454  
 Email : DHAYDEN@CITYOFJEFF.NET

Remarks : All tickets are taken and processed on Eastern Daylight Time  
 PER DOUG HAYDEN--REMARK DUE TO CONSTRUCTION--NEEDS ALL UTILITIES TO RETURN AND  
 REMARK THE SITE--PREVIOUS TICKET NUMBER IS DUE TO CONSTRUCTION--THANK YOU  
 Will you be white-lining the dig site area? NO

Submitted date: 10/18/2010 Time: 08:20  
 Members: ID0002 ID0340 ID2708 ID6451 ID8203 ID8401 SBCIN SM

Member Name	Facility Types
AT&T - DISTRIBUTION	COMMUNICATIONS
DUKE ENERGY / FORMERLY CINERGY	ELECTRIC
IN AMERICAN WATER SOUTHERN INDIANA	
INSIGHT COMMUNICATIONS - NEW ALBANY	CABLE TV
JEFFERSONVILLE WASTEWATER AND SEWER	
MCI	FIBER OPTIC
VECTREN - CLARKSVILLE	GAS

[View Map](#) [Close Map](#)

Friday, November 5, 2010

# Service Order Status

**Enter Service Order Number:**

4599561



**Banner Instance:**  CS03PROD  CS01PROD  CS02PROD

**Order Number:** N4599561

**Order Type:** INVE

**Order Status:** Completed

**Customer:** 620218102 - NGUYEN DATHAO

**Prem:** 5313713 - 332 W MARKET ST

**Technician:** 2722 - Vissing, Kevin

**Order Dates and Times**

**Need Date:** 10/21/2010 3:20:00 PM  
**Time Created:** 10/21/2010 3:16:31 PM  
**Time Dispatched:** 10/21/2010 3:16:31 PM  
**Time In Route:** 10/21/2010 3:17:55 PM  
**Time On-Site:** 10/21/2010 3:20:27 PM  
**Tech Complete:** 10/21/2010 4:14:22 PM  
**Time Closed:** 10/21/2010 4:14:22 PM

**Events Performed/Completion Code**

IVEG - CMP

**Meter Information**

**Current ReadStatus**

**Old Meter:**

**New Meter:**

**Completion Notes**

hit line in roadway by city installing drains... i relit pilots ok. cust home. i squeezed off ok and mr with miller pipeline repaired cut.

**Request Notes**

10/21/10 DOUG HAYDEN # 502-639-0730 WITH THE CITY OF JEFFERSONVILLE CALLED AND ADV THEY STRUCK A 1 IN CH SVC LINE. GAS IS BLOWING AND CREWS ARE ONSITE. MTR # N1170570 XST-- CLARK

**MDSI Event Dates and Times**

Event	Date/Time	User
AsnAssignmentManualAck_evt	10/21/2010 3:17:00 PM	Vissing, Kevin
AsnAssignmentEnRoute_evt	10/21/2010 3:17:55 PM	Vissing, Kevin
AsnAssignmentOnSite_evt	10/21/2010 3:20:27 PM	Vissing, Kevin
OrdOrderComplete_evt	10/21/2010 4:14:22 PM	Vissing, Kevin

NOTE: The Reporting database replicates in near real-time; it has been approximately 0 minute(s) since the last transaction replicated.

SECOND NOTICE 2ND NOTICE

Ticket : 1010180300 Date: 10/21/2010 Time: 15:06 Oper: ABOND Chan:007  
 Old Tkt: 1010180300 Date: 10/18/2010 Time: 08:20 Oper: AOWENS Rev: 00A

State: IN Cnty: CLARK Twp: JEFFERSONVILLE  
 Cityname: JEFFERSONVILLE Inside: Y Near: N  
 Subdivision:

Address :  
 Street : W MARKET ST  
 Cross 1 : CLARK ST Within 1/4 mile: Y  
 Location: FROM THE ABOVE INTERSECTION LOCATE GOING EAST ON BOTH SIDES OF WEST  
 MARKET STREET FOR APPROX 415 FEET TO MULBERRY STREET  
 :  
 Grids : 3816D8544C 3816D8544B

Work type : REPAVING / INSTALL CURBS AND RAIN GUARDS  
 Done for : CITY OF JEFFERSONVILLE  
 Start date: 10/20/2010 Time: 08:30 Hours notice: 0/000 Priority: NORM  
 Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N  
 Duration : 3 MONTHS Depth: 4 FEET

Company : CITY OF JEFFERSONVILLE Type: MEMB  
 Co addr : 2003 RENFROE WAY SUITE 100  
 City : JEFFERSONVILLE State: IN Zip: 47130  
 Caller : DOUG HAYDEN Phone: (502)639-0730  
 Contact : MARION SHEPHARD--CELL Phone:  
 BestTime:  
 Mobile : (812)670-7098  
 Fax : (812)285-6454  
 Email : DHAYDEN@CITYOFJEFF.NET

Remarks : All tickets are taken and processed on Eastern Daylight Time  
 PER DOUG: STILL NEEDS VECTREN TO RETURN AND REMARK AS REQUESTED - THANKS  
 Will you be white-lining the dig site area? NO  
 :

Submitted date: 10/21/2010 Time: 15:06  
 Members: ID0002 ID0340 ID2708 ID6451 ID8203 ID8401 SBCIN SM

Member Name	Facility Types
AT&T - DISTRIBUTION	COMMUNICATIONS
DUKE ENERGY / FORMERLY CINERGY	ELECTRIC
IN AMERICAN WATER SOUTHERN INDIANA	
INSIGHT COMMUNICATIONS - NEW ALBANY	CABLE TV
JEFFERSONVILLE WASTEWATER AND SEWER	
MCI	FIBER OPTIC
VECTREN - CLARKSVILLE	GAS

[View Map](#) [Close Map](#)













**CHECK ALL THAT APPLY TO METHOD OF INVESTIGATION (at least one must be checked):**

Visual, Facility Exposed At Time Of Investigation,  
Investigation Results Verified By Utility Representative

---

**INVESTIGATOR STATEMENT/CAUSAL FACTORS:**

Flags and faint present. Crew on site backfilled gravel and destroyed marks, could not see service line crossing road.

**NAMES OF UTILITY REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:**

Vectren on site, said flags and paint are right above damage.

**NAMES OF EXCAVATOR'S REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:**

Remark request called in and due 10-20-10 @ 8:30. Spoke with contractor Marion Shephard, and was told to not mark site, that they would call when locates were needed. Crew on site agreed, and did not think they had to dig much.

**LIST ANY OTHER INDIVIDUALS ON SITE:**

n/a

---

**WERE ANY MARKINGS VISIBLE ON THE DAMAGE SITE UPON ARRIVAL?** Yes

**WERE ANY OTHER INDICATORS OF FACILITY PRESENT IN THE AREA?** Yes

**WAS THE EXCAVATION WITHIN THE TOLERANCE ZONE OF MARKS?** Yes

**EXTENT OF FACILITY DAMAGE** Service cut in two

**REPLACEMENT FOOTAGE** 4'

**WAS CONTRACTOR ASSISTANCE REQUIRED? IF YES, WHO?** Yes Miller pipeline

**WHAT CONTRACTOR EQUIPMENT WAS USED?** Backhoe

**IS THE FACILITY SHOWN ON THE UTILITY RECORDS?** Yes

**IF YES, PLEASE LIST RECORD #(S)** Vectren service records

## MISCELLANEOUS CASH RECEIPT

(PLEASE ATTACH A COPY OF ALL CHECKS TO THIS FORM AND  
USE PAPER CLIPS/DO NOT STAPLE CHECKS TO FORM)

PROCESS ROUTING FOR ALL VECTREN COMPANIES INCLUDING UTILITIES  
AND NON REGULATED SUBSIDIARIES: SEND COMPLETED FORM,  
ORIGINAL CHECK AND COPY OF CHECK TO REBECCA MINEAR IN  
FINANCIAL ACCOUNTING, BRAUN BUILDING, EVANSVILLE. RETAIN COPY  
OF CHECK AND FORM FOR YOUR RECORDS. PLEASE INCLUDE PROPER  
ACCOUNTING SO RECEIPT MAY BE CREDITED ACCURATELY. PLEASE  
INCLUDE YOUR PHONE NUMBER SO THE RECEIPT MAY BE EASILY  
RESEARCHED BY THE FINANCIAL ACCOUNTING GROUP.

Activity Date: **12/13/2010  
12:00:00 AM**

Your Name, not your initials (employee): **Pam Barber**

Your Phone Number (employee): **812-491-4734**

Party Check Received From (Check Payor):

Address of Check Writer (Check Payor):

**BATCH2-CITY OF JEFFERSONVILLE**

Check Number **14397**

Amount of Check **\$377.22**

Utility/Company Name **VECTREN ENERGY DELIVERY OF INDIANA - NORTH**

Task Number **103**

Job Number **FDS0013489**

Date Printed: 12/14/2010

# Transaction Information G-5635467 CHI-861239 2010/12/13

[Back to Table of Contents](#)

## Transaction Level Details

Env Num	6	Envelope	G-5635467
Transaction	G-5635467	Lockbox	CHI-861239
Date	2010/12/13	Time	09:30
Batch	2	Batch Item	4
Check	6	Amount	\$795.74
ABA/RT	283071827	Account Num	597006254
Check Num	014397		

## Envelope and Check Image

THIS DOCUMENT CONTAINS AN ARTIFICIAL WATERMARK ON REVERSE SIDE AND MICRO PRINTING IN THE SIGNATURE LINE


<p>FORM APPROVED BY STATE BOARD OF ACCOUNTS FOR CITY OF JEFFERSONVILLE - 1993</p> <p><b>WASTEWATER DISPOSAL FUND</b></p> <p>COMMUNITY BANK OF SOUTHERN INDIANA JEFFERSONVILLE, INDIANA</p>		<p>CLERK AND TREASURER OF <b>CITY OF JEFFERSONVILLE</b> JEFFERSONVILLE, INDIANA 47130</p>	<p><b>014397</b></p> <p style="font-size: x-small;">THIS WARRANT VOID TWO (2) YEARS AFTER DEC. 31 OF THE YEAR OF ISSUE</p>
--	--	---	--

DATE	CHECK NUMBER	FUND	PAY EXACTLY
12/06/2010	14397	SEWAGE O	\$795.74*

\*\* SEVEN HUNDRED NINETY FIVE AND 74/100 \*\*


PAY TO THE ORDER OF	<p>VECTREN UTILITIES HOLDING GRP 1239 RELIABLE PARKWAY CHICAGO IL 60686-0012</p>	<p><i>Peggy Wilder</i></p> <hr style="width: 100%;"/> <p style="font-size: x-small;">CLERK-TREASURER MP</p>
---------------------	--	---

⑈014397⑈ ⑆283071827⑆ 597006254⑈

<p>YOUR ADDRESS</p> <p><del>CITY CLERK-TREASURER</del> <del>500 Quartermaster Court, Suite 300</del> <del>Jeffersonville, IN 47130</del></p>		<p>Postage Required 010-12651468 not deliver unless proper postage.</p> <p><b>\$00.47</b></p> <p>12/08/2010</p> <p>Serialized From 47130 <b>US POSTAGE</b></p>
--	--	--

  
**Vectren Utilities Holding Group, Inc.**  
 1239 Reliable Parkway  
 Chicago, IL 60686-0012





2 VECTREN ENERGY DELIVERY OF INDIANA - NORTH

NOW DUE

\$418.52

JEFFERSONVILLE, CITY OF  
500 QUARTERMASTER CT,  
JEFFERSONVILLE, IN 47130

Type: GAS  
Invoice: FDS0013367  
BillToID: 29371  
Billing Date: 11/24/2010  
Date of Loss: 10/8/2010  
5920 103.0510

Please return this portion with your remittance.

RECEIVED

JAN 25 2012

**Information Request**

**Pipeline Safety Division  
Indiana Utility Regulatory Commission**

INDIANA UTILITY REGULATORY COMMISSION

Case No. 1369

The Pipeline Safety Division of the Indiana Utility Regulatory Commission requests any and all information you can provide regarding the following criteria:

**The Parties:**

**Excavator Information:**

Business Name: *City of Jeffersonville*

Responsible Party Personal Name:

Title (if any):

Address:

City, State Zip:

Preferred Telephone:

Cell Phone Number:

Email Address:

**Facility Information:**

Business Name:

Responsible Party Personal Name:

Title (if any):

Address:

City, State, Zip:

Preferred Telephone:

Cell Phone Number:

Email Address:

**Locator Service Information:**

Business Name: *811 IN.*

Responsible Party Personal Name:

Title (if any):

Address:

City, State Zip:

Preferred Telephone:

Cell Phone Number:

Email Address:

**Other (Witness, Police, Fire, Other) Information:**

Personal Contact:

Business/Organization Name:

Title (if any)

Address:

City, State, Zip:

Preferred Telephone:

Cell Phone Number:

Email Address:

**Utility Line Impact:**

**Location of Damage:**

Address:

City, State Zip:

Nearest Intersection:

**Product Type (circle one):**

Natural Gas

Liquid Pipeline

Unknown/Other

**Facility Type (circle one):**

Distribution

Gathering

Service/Drop

Transmission

Unknown/Other

Size (Diameter/etc.): 6" /

Pressure (PSIG/Inches): \_\_\_\_\_

Interruption in Service: Yes / No

Number of Customers Affected: \_\_\_\_\_

Evacuation: Yes  No  If yes, How Many Evacuated? \_\_\_\_\_

Repair Cost (if known): \$ \_\_\_\_\_

**Cause of Damage Information:**

**Type of Equipment (circle one):**

- Auger
- Backhoe/Trackhoe
- Boring /Drilling
- Directional Drilling
- Explosives
- Farm Equipment
- Grader/Scraper
- Hand Tools
- Milling Equipment
- Probing Device
- Trencher
- Vacuum Equipment
- Unknown/Other

**Type of Work Performed (circle one):**

- Agriculture
- Cable TV
- Curb/Sidewalk
- Bldg. Construction
- Bldg. Demolition
- Drainage
- Driveway
- Electric
- Engineering/Surveying
- Fencing
- Grading
- Irrigation
- Landscaping
- Liquid Pipeline
- Milling
- Natural Gas
- Pole
- Public Transit Authority
- Railroad Maintenance
- Road Work
- Sewer (Sanitary/Storm)
- Site Development
- Steam
- Storm Drain/Culvert
- Street Light
- Telecommunications
- Traffic Signal
- Traffic Sign
- Water
- Waterway Improvement
- Unknown/Other

Release of Product: Yes / No

Ignition and/or Fire: Yes  No

Excavator Notify 811: Yes / No

*There were 4 incidents  
to found only two*

**Locate Information:**

Excavator Request Locate: Yes  No

Indiana 811 Locate Ticket Number: 1010180300

*10/20/10 11/2/10  
10/20/10 11/2/10  
1010180300*

*HIT GAS LINE LOC#s  
{ 1009090337  
{ 1010212295*

Locate Marks Visible: Yes  No

Locate Marks Correct: Yes  No

Excavator "White Lined": Yes  No

Maps Used to Mark Facilities: Yes  No

Was Locate Provided within Two (2) Working Days: Yes  No

Operator Employees On-site during Excavation: Yes  No

**Incident Impact Information:**

Number of Outpatient Treated: NONE

Number of Inpatient Treated: NONE

Number of Fatalities: NONE

Fire Department Response: Yes  No

Police Department Response: Yes  No

Ambulance Response: Yes  No

**Additional Information/Comments:** *This job was located on W. Market St. between cross streets of Fort St. & Mulberry. New lighting for the streets was on both side the entire length of the project along with Drainage lines, all lines on the North side ran with a 4" plastic gas line (the gas company was on hand most of the time.)*

*The construction dept. Knows the dangers associated with natural Gas. Our Operators & laborers abide by all safety measures and always work closely with all associated utilities*

YOUR PIPELINE SAFETY DIVISION CASE NO. 1369

YOUR FULL NAME: JAMES M Schindler

FULL NAME OF BUSINESS/ENTITY (if applicable): City of Jeffersonville, IN.

YOUR BUSINESS TITLE (if applicable): Locator / and Safety for Dept.

ADDRESS: 2003 Renfroe Way

CITY: Jeffersonville STATE: IN ZIP CODE: 47130

YOUR TELEPHONE NUMBER: (502) 210-2847 SECOND NO. ( ) -

YOUR EMAIL ADDRESS: \_\_\_\_\_

TODAY'S DATE: 1/24/12

YOUR SIGNATURE: J. Schindler TITLE (if any) \_\_\_\_\_

Please return your Narrative Statement and Answers to the above questions to:

**Pipeline Safety Division – Case No. 1369  
Indiana Utility Regulatory Commission  
101 West Washington Street, # 1500E  
Indianapolis, IN 46204**

Or scan document(s) and Email to:

**PipelineDamageCase@urc.in.gov**