



Pipeline Safety Division Investigation Report

Investigation regarding: **Rust Construction**

UPPAC Database Record ID: 2297

Investigator: William Boyd

Report Date: 05/29/2012

Damage Date: 10/21/2011 11:17:51 AM

Damage Address: E Court Ave

City: Jeffersonville

County: Clark

The Parties

Excavator: **Rust Construction**

Contact: Chad Leinart, Project Manager

Address: 418 West Sr 258, Seymour, In 47274

Telephone: (812) 497-2400

Facility Owner: Vectren

Contact: Darlene Kulhanek

Address: 1 N Main Street, Evansville, IN 47702

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Service/Drop

Investigation regarding: Rust Construction

UPPAC Database Record ID: 2297

Damage Impact

Product release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 2

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$675

Excavator Activities/Cause of damage information:

Excavator request locates: Yes Indiana 811 ticket Number: 1110120620

Type of Equipment: Backhoe/Trackhoe

Type of work performed: Sewer (Sanitary/Storm)

Synopsis: A plastic gas service was damaged during excavation for a storm sewer.

Findings: Reported by Indiana 811; excavator's response to initial notice was received on 05/03/2012. Excavator had exposed the service without damage, but caught it with the backhoe bucket while cleaning out the trench.

Conclusion: Excavator failed to maintain the required clearance with mechanized equipment.

Violation: IC 8-1-26-20(b): Failure to plan excavation to avoid damage or interference with underground facilities; Failure to maintain two (2) feet clearance with mechanized equipment.

Rust Construction currently has no other reports of damages in the record.

ID: Version: 00 Notice ID: IUPPS2011101200632
Time: 10/12/2011 09:16
Type: Normal Notice
DATE OF: 1109262000

Case ID. 2297

ORMAL NOTICE JOB EXTENSION

Ticket : 1110120620 Date: 10/12/2011 Time: 09:16 Oper: CHAD.LEINART Chan:000
Old Tkt: 1109262000 Date: 09/26/2011 Time: 13:14 Oper: CHAD.LEINART Rev: 00A

State: IN Cnty: CLARK Twp: JEFFERSONVILLE
Cityname: JEFFERSONVILLE Inside: Y Near: N
Subdivision:

Address :
Street : E COURT AVE
Cross 1 : JACKSON ST Within 1/4 mile: Y
Location: THIS IS FULTON TERRACE - THIS IS FOR 1337-1345-1355 E COURT AVE -
PLEASE PAINT AND FLAG ENTIRE PROPERTIES

Grids : 3816A8543C 3817D8543C 3816A8543B 3817D8543B

Work type : INSTALING NEW STORM SEWER
Done for : JEFFERSONVILLE HOUSING AUTHORITY
Start date: 10/14/2011 Time: 09:30 Hours notice: 48/48 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
Duration : 2 MONTHS Depth: 6 FEET

Company : RUST CONSTRUCTION Type: CONT
Co addr : 418 WEST IN RT 258
City : SEYMOUR State: IN Zip: 47274
Caller : CHAD LEINART Phone: (812)497-2400
Contact : MIKE WALDEN - CELL Phone:
BestTime:
Pager : (812)569-1156
Mobile : (812)525-2654
Fax : (812)497-2460
Email : CHAD@RUSTCONSTRUCTION.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
WE NEED UTILITIES TO RETURN TO SITE AND REMARK AS NEEDED FOR A JOB EXTENSION.
ON-SITE FOREMAN IS NOW LARRY GUINN. HIS CELL NUMBER IS 812-525-8011. HE
IS CURRENTLY WORKING IN FULTON TERRACE ON EAST COURT AVE. THANKS, CHAD.
Will you be white-lining the dig site area? NO

Submitted date: 10/12/2011 Time: 09:16
Members: ID0002 ID0340 ID6451 ID8203 ID8401 SBCIN SM

Service Area: ID0002 (DUKE ENERGY / FORMERLY CENERGY)
Contact: Carl Shepherd
Ph: (513)287-3188 Emerg Ph: Alt Ph:

Service Area: ID0340 (INSIGHT COMMUNICATIONS - NEW ALBANY)
Contact: LILLY
Ph: (812)944-0430 Emerg Ph: Alt Ph:

Service Area: ID6451 (JEFFERSONVILLE WASTEWATER AND SEWER)
Contact: RICHARD HUFFMAN
Ph: (812)285-6451 Emerg Ph: Alt Ph:

Service Area: ID8203 (IN AMERICAN WATER SOUTHERN INDIANA)
Contact: ROGER MAYNARD
Ph: (812)282-8203 x512 Emerg Ph: Alt Ph:

Service Area: ID8401 (VECTREN - CLARKSVILLE)
Contact: Darlene Jarboe
Ph: Emerg Ph: Alt Ph:

Service Area: SBCIN (AT&T - DISTRIBUTION)
Contact: HOWARD LAUDERMILK
Ph: (937)409-0269 Emerg Ph: Alt Ph:



INDIANA UTILITY REGULATORY COMMISSION
101 W. WASHINGTON STREET, SUITE 1500E
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

April 17, 2012

Ms. Darlene Kulhanek
Vectren
1 N Main Street
Evansville, IN 47702

Subject: Investigation Request for Information

Date of Event: 10/21/2011

Event Location: E Court Ave, Jeffersonville

Facility Owner: Vectren

Excavator: Rust Construction

Other Party: N/A

Pipeline Division Case No. 2297

Dear Ms. Kulhanek:

Pursuant to Indiana Code 8-1-26, the *Indiana Damage to Underground Facilities Act*, the Pipeline Safety Division of the Indiana Utility Regulatory Commission ("Pipeline Division") is required to investigate reported incidents of alleged statutory violations involving underground pipeline safety. The purpose of this statute is to promote excavation and pipeline safety and to reduce the imminent danger to life, health, property, or loss of service associated with unsafe digging practices. Please note that the investigation does not entail determining criminal liability or a civil determination of fault or damages; however, it does determine whether any statutory violations were committed regarding public safety.

The Pipeline Division received information regarding potential statutory violations regarding the date and location referenced above. You were identified as a person or entity that might have information that would assist the Pipeline Division in its investigation. Therefore, we have contacted you in order to receive the full account of information in order to make a fair determination related to the circumstances of this incident.

We have asked all involved parties, entities and witnesses to provide *written* information within *30 days* in order to meet legal deadlines to conclude our investigation. **Please consider this letter as a formal request to receive any and all information and evidence (including a narrative, documentation, maps, photographs or any other written information) you can access regarding anything you may know about the incident referenced above.**



DAMAGE INFORMATION REPORT – PIPELINE SAFETY DIVISION

State Form 54122 (R2 / 7-11)
INDIANA UTILITY REGULATORY COMMISSION

Submitted to IURC-Pipeline Safety on: 5-4-2012

Who is submitting this information?

Name of person providing this information: Darlene Kulhanek

Business address (*number and street*): 1 Main Street

City, State, and ZIP code: Evansville, IN 47711

Telephone number (*area code*): 812-491-4227

Fax number (*area code*): 812-491-4504

E-mail address: dkulhanek@vectren.com

Excavator Information, if known

Full name: Rust Construction

Business address (*number and street*): 418 W IN RT 258

City, State, and ZIP code: SEymour, IN 47274

Telephone number (*area code*): 812-497-2400

Fax number (*area code*): 812-497-2460

E-mail address: Unknown

Excavation or Demolition Information

Excavator type: Contractor

Excavation or demolition equipment: Backhoe/Trackhoe

Type of work performed: Storm Drain/Culvert

Date and Location of Damage

Date of damage (*month, day, year*): 10-21-2011

County: Clark

City: Jeffersonville

Street address (*number and street, city, state, and ZIP code*):
1341 & 1343 E Court Ave., Jeffersonville, IN

Nearest intersection: Unknown

Right of way where damage occurred: Dedicated Public Utility Easement

Was there a release of product? Yes

If yes, was there an ignition of product? No

Were evacuations necessary as a result of release? No

If yes, how many evacuated? 0

Was there a customer service interruption? Yes

If yes, how many affected? 2

Time to restore service (*in hours*): 2

Enter number of injuries, if applicable and known: _____

Enter number of fatalities, if applicable and known: _____

Property damage, Estimate \$ 850.05

Affected Facility Information

What type of pipeline was damaged? Natural Gas

What was the affected facility? Service/Drop

What was the depth of the facility, in inches? _____

Notification, Locating, Marking

Did excavator request locates prior to commencing work? No

Enter Indiana 811 ticket number, if known: 1110120620

Was the locate request completed within two working days? Yes

If locates were performed, were they done so by a contractor or pipeline employee? Contract Locator

If a contractor locator, enter the company name, if known: USIC

Were facility marks visible in the area of excavation? Yes

Were facilities marked correctly? Yes

Type of markings used: Paint

If other, please specify: None

Was site marked by "White Lining"? No

Were special instructions part of the locate request? Unknown/Other

Were maps used to complete the locate request? Unknown/Other

Were pipeline company representatives on site during excavation? No

Did the excavator notify the operator in the event of this damage? Yes

Did the excavator notify Indiana 811 in the event of this damage? Yes


Did the excavator notify 911 in the event of a release of product? Unknown/Other

Description of Cause

Select from the list the most accurate cause for the damage: --Failure to maintain clearance

Additional Comments

1" plastic service severed by backhoe. Had line exposed but failure to maintain clearance.



PAID

NOW DUE

2 VECTREN ENERGY DELIVERY OF INDIANA - NORTH

\$675.00

RUST CONSTRUCTION
418 W STATE RD 258,
SEYMOUR, IN 47274

Type: GAS
Invoice: FDS0015337
BillToID: 31083
Billing Date: 12/5/2011
Date of Loss: 10/21/2011
5920 103.0510

Please return this portion with your remittance.



Mail Payment To:
Vectren Utilities Holding Company
1239 Reliable Parkway
Chicago, IL 60686-0012
Inquiries: 1-877-902-2934, Mon.-Fri., 8-5
Risk Management/Claims Department

NOW DUE
\$675.00

RUST CONSTRUCTION
418 W STATE RD 258,
SEYMOUR, IN 47274

Type: GAS
Invoice: FDS0015337
BillToID: 31083
Billing Date: 12/5/2011
Date of Loss: 10/21/2011

Emailed 12/9/11

Invoice For Costs to Repair and Reconstruct Damaged Property

Address: 1341 AND 1343 E COURT AVE, JEFFERSONVILLE
1" PLASTIC SERVICE SEVERED BY BACKHOE.

Material:	\$82.60
Company Labor:	\$104.79
Contract Labor:	\$512.50
Transportation/Equipment:	\$23.75
Misc:	\$0.00
Gas Loss:	\$126.41
Adjustments:	(\$175.05)
Payments:	\$0.00
Total:	\$675.00

5920 103.0510

Remember, call two (2) working days before digging. Contact I.U.P.P.S. at 1-800-382-5544.

FACILITIES DAMAGE REPORT GAS

Task No.: 103.0510

Capital / O&M (circle one)

FDS 0015337

FACILITY TYPE

- DISTRIBUTION
PROANE
SERVICE
STORAGE
TRANSMISSION (include supplemental report)

TIME OCCURRED: 11:30 AM/PM
TIME FOUND: 11:45 AM/PM

DATE OF DAMAGE: 10/21/2011
Cost Center No.: 5920

DAMAGE SITE ADDRESS: 134141343 E. COURT AVE

LOT #

COUNTY CLARK

CITY: JEFFERSONVILLE

STATE: IN

TOWNSHIP: JEFFERSONVILLE

FACILITIES DAMAGED

- FARM TAP
HEATER
MAIN
METER RESIDENTIAL
METER INDUSTRIAL/COMMERCIAL
ODORIZER
REGULATOR STATION
RELIEF VALVE
RISER
SERVICE LINE
VALVE

Table with columns: ORIFICE SIZE(S), (1), (2), (3). Rows include sizes from 0.50 INCH to 6.00 INCH and OTHER.

VISUAL OBSERVATION AT DAMAGE SITE

- VISUAL OBSERVATION ABOVE GROUND
BELOW GROUND
LOCATE APPLICABLE?
FACILITIES PROPERLY MARKED
MARKING METHODS: CONVENTIONAL, FLAGS, NONE, OFFSET, PAINT, STAKES, WHISKERS
LOCATE MARKINGS FADED
WRONG ADDRESS REQUESTED
FACILITIES IMPROPERLY LOCATED
QUALIFIED LOCATOR COULD NOT HAVE ACCURATELY LOCATED
INACCURATE MAPS/CARDS
BROKEN OR NO TRACER WIRE (PLASTIC)
INSULATION PREVENTING ACCURATE LOCATE
LOCATOR ERROR
FAILURE TO FOLLOW POLICY
INAPPROPRIATE SITE MARKING
INCOMPLETE LOCATES
MARKING OFF
NO LOCATES PERFORMED
QUALIFIED LOCATOR COULD HAVE ACCURATELY LOCATED
WRONG ADDRESS LOCATED
MARKINGS OFF BY (FEET/INCHES)

IF OTHER 1" PL

TYPE OF MATERIAL

- CAST IRON
PLASTIC (HDPE)
PLASTIC (MDPE)
STEEL

DAMAGE TYPE

- SEVERED
NOT CUT
PUNCTURE
SIZE 1 X 1

PRESSURE

- 25 PSIG
40 PSIG
50 PSIG
55 PSIG
60 PSIG
6 WC (.2163)
7 WC (.252)
OTHER

IF OTHER

PROTECTION IN PLACE

- BUILDING
FENCE
NONE
POST
RAIL
VAULT
N/A

DURATION OF ESCAPING GAS MINUTES: 45

- WERE FACILITY MARKS VISIBLE
WAS AREA WHITE LINED?
POSITIVE RESPONSE
TOLERANCE ZONE VIOLATED
PART OF PROJECT

LEAK REPORT NUMBER # 01799

EFV ACTIVATED YES NO N/S

COMPANY REPRESENTATIVE ON SITE YES NO

OBSERVATION BY:

NAME OF LOCATOR:

LOCATING ORGANIZATION

FEED TYPE

- ONE-WAY FEED
TWO-WAY FEED

NUMBER OF CUSTOMERS AFFECTED: 2

TOTAL HOURS SERVICE WAS OFF: 2

- CONTRACT LOCATOR
UNKNOWN/ OTHER
UTILITY OWNER

SERVICE ORDER # 4995512

COPY OF MARKOUT REQUEST PROVIDED WITHIN 2 WORKING DAYS YES NO N/S

DAMAGED BY

TYPE OF CONSTRUCTION

- COMPANY CREW
CONTRACTOR
COUNTY
DEVELOPER
FARMER
MUNICIPALITY
PROPERTY OWNER/TENANT
RAILROAD
STATE
UNKNOWN
UTILITY
VEHICULAR ACCIDENT

- AGRICULTURE
BLDG. CONSTRUCTION
BLDG. DEMOLITION
CABLE TV
CURBS/SIDEWALKS
DRAINAGE
DRIVEWAY
ELECTRIC
ENGINEERING/SURVEYING
FENCING
GRADING
IRRIGATION
LANDSCAPE
LIQUID PIPELINE
MILLING
NATURAL GAS
POLE
PUBLIC TRANSIT AUTHORITY
RAILROAD MAINTENANCE

WORKING FOR

- CITY
COUNTY
DEVELOPER
PROPERTY/OWNER
STATE
UTILITY

IF OTHER

NOTIFICATION AND OTHER DETAILS OF LOCATE

LOCATE TICKET #: 1110120620
DATE: 10-12-2011 TIME: UNKNOWN AM/PM

REGULAR REQUEST EMERGENCY REQUEST

CONTACT NAME: MIKE
TIME CALLED: 11:10 BY CONTRACTOR AM/PM
TIME LOCATOR ARRIVED AT SITE: 11:37? AM/PM

LOCATE COMPANY NOTIFIED YES NO N/S

COMPANY NOTIFIED OF LOCATE NEAR CRITICAL FACILITIES YES NO N/S

ONE CALL CENTER

- IUPPS
OUPS
UNKNOWN

NOV 18 2011

DAMAGED TICKET # 1110210997 10-21-2011 11:40 AM - CAN HIT LINE

TYPE OF EQUIPMENT

- AUGER
- BACKHOE/TRACKHOE
- BORING
- DRILLING
- EXPLOSIVES
- FARM EQUIPMENT
- GRADER/SCRAPER
- HAND TOOLS
- MILLING EQUIPMENT
- PLOW
- PROBING DEVICE
- TRENCHER
- VACUUM EQUIPMENT
- VEHICLE

IF OTHER _____

DAMAGING CAUSE

- ABANDON FACILITY
- DETERIORATED FACILITY
- FACILITY COULD NOT BE FOUND/LOCATED
- FACILITY WAS NOT LOCATED/MARKED
- FAILURE TO MAINTAIN CLEARANCE
- FAILURE TO MAINTAIN MARKS
- FAILURE TO SUPPORT EXPOSED FACILITY
- FAILURE TO USE HAND TOOLS WHERE REQ
- IMPROPER BACKFILLING
- INCORRECT RECORDS/MAPS
- MARKING OR LOCATIONS NOT SUFFICIENT
- NO NOTIFICATION MADE TO ONE-CALL CENT
- ONE-CALL NOTIFICATION ERROR
- PREVIOUS DAMAGE
- WRONG INFORMATION PROVIDED

IF OTHER _____

DID EXCAVATOR NOTIFY YOU? YES NO

EVACUATION REQUIRED? YES NO

MEDIA AT SITE? YES NO

WAS THERE IGNITION OF GAS? YES NO

INVOICE: YES NO N/S

DAMAGING PARTY

NAME: RUST CONSTRUCTION

ADDRESS: PO BOX 100 SEYMOUR TN 37171

CITY/STATE/ZIP: SEYMOUR TN 37374

PHONE NUMBER 812 497 2400

PREPARED BY _____

DATE _____

CONTRACTOR REPAIRS

- CONTRACTOR WORKING FOR VECTREN MADE REPAIRS AT OWN EXPENSE
 - YES NO N/S
- CONTRACTOR REPAIRED DAMAGE
 - YES NO N/S

NAME OF CONTRACTOR: Miller Pipe Line (Rustwig)

OF REGULAR HOURS _____

OF OVERTIME HOURS _____

OF REGULAR HOURS _____

CREW TYPE SMAN

MATERIALS OR ROAD WORK

- METER WAS REPLACED _____ (STORES CODE)
- REGULATOR WAS REPLACED _____ (STORES CODE)
- TEMPORARY ASPHALT REPAIR _____ (SQ.FT.)
- PERMANENT ASPHALT REPAIR _____ (SQ.FT.)

RIGHT OF WAY

- DEDICATED UTILITY EASEMENT
- FEDERAL UTILITY EASEMENT
- PIPELINE
- POWER/TRANSMISSION LINE
- PRIVATE - BUSINESS
- PRIVATE - EASEMENT
- PRIVATE - LAND OWNER
- PUBLIC - COUNTY ROAD
- PUBLIC - INTERSTATE HIGHWAY
- PUBLIC - OTHER
- PUBLIC - STATE HIGHWAY
- PUBLIC - CITY STREET
- UNKNOWN

PARTY TO INVOICE

NAME: _____

ADDRESS: _____

CITY/STATE/ZIP: _____

PHONE NUMBER _____

REVIEWED BY FIELD SUPERVISOR _____

DATE _____

MILLER PIPE LINE MADE REPAIRS 10-21-2011 MIKE RUSTWIG

NORMAL NOTICE JOB EXTENSION

Ticket : 1110120620 Date: 10/12/2011 Time: 09:16 Oper: CHAD.LEINART Chan:000
 Old Tkt: 1109262000 Date: 09/26/2011 Time: 13:14 Oper: CHAD.LEINART Rev: 00A

State: IN Cnty: CLARK Twp: JEFFERSONVILLE
 Cityname: JEFFERSONVILLE Inside: Y Near: N
 Subdivision:

Address :
 Street : E COURT AVE
 Cross 1 : JACKSON ST Within 1/4 mile: Y
 Location: THIS IS FULTON TERRACE - THIS IS FOR 1337-1345-1355 E COURT AVE -
 PLEASE PAINT AND FLAG ENTIRE PROPERTIES

Grids : 3816A8543C 3817D8543C 3816A8543B 3817D8543B

Work type : INSTALING NEW STORM SEWER
 Done for : JEFFERSONVILLE HOUSING AUTHORITY
 Start date: 10/14/2011 Time: 09:30 Hours notice: 48/48 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
 Duration : 2 MONTHS Depth: 6 FEET

Company : RUST CONSTRUCTION Type: CONT
 Co addr : 418 WEST IN RT 258
 City : SEYMOUR State: IN Zip: 47274
 Caller : CHAD LEINART Phone: (812)497-2400
 Contact : MIKE WALDEN - CELL Phone:
 BestTime:
 Pager : (812)569-1156
 Mobile : (812)525-2654
 Fax : (812)497-2460
 Email : CHAD@RUSTCONSTRUCTION.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
 WE NEED UTILITIES TO RETURN TO SITE AND REMARK AS NEEDED FOR A JOB EXTENSION.
 ON-SITE FOREMAN IS NOW LARRY GUINN. HIS CELL NUMBER IS 812-525-8011. HE
 IS CURRENTLY WORKING IN FULTON TERRACE ON EAST COURT AVE. THANKS, CHAD.
 Will you be white-lining the dig site area? NO

Submitted date: 10/12/2011 Time: 09:16
 Members: ID0002 ID0340 ID6451 ID8203 ID8401 SBCIN SM

Member Name	Facility Types
AT&T - DISTRIBUTION	COMMUNICATIONS
DUKE ENERGY / FORMERLY CINERGY	ELECTRIC
IN AMERICAN WATER SOUTHERN INDIANA	
INSIGHT COMMUNICATIONS - NEW ALBANY	CABLE TV
JEFFERSONVILLE WASTEWATER AND SEWER	
VECTREN - CLARKSVILLE	GAS

[View Map](#) | [Close Map](#)

DAMAGE DAMAGE

Ticket : 1110210997 Date: 10/21/2011 Time: 11:14 Oper: BBASTIN Chan:015

State: IN Cnty: CLARK Twp: JEFFERSONVILLE
 Cityname: JEFFERSONVILLE Inside: Y Near: N
 Subdivision:

Address :
 Street : E COURT AVE
 Cross 1 : JACKSON ST Within 1/4 mile: Y
 Location: THIS IS FULTON TERRACE - THIS IS FOR 1337-1345-1355 E COURT AVE -
 PLEASE PAINT AND FLAG ENTIRE PROPERTIES
 :
 Grids : 3816A8543C 3817D8543C 3816A8543B 3817D8543B

Work type : INSTALING NEW STORM SEWER
 Done for : JEFFERSONVILLE HOUSING AUTHORITY
 Start date: 10/21/2011 Time: 11:15 Hours notice: 0/000 Priority: EMER
 Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
 Duration : 2 MONTHS Depth: 6 FEET

Company : RUST CONSTRUCTION Type: CONT
 Co addr : 418 WEST IN RT 258
 City : SEYMOUR State: IN Zip: 47274
 Caller : CHAD LEINART Phone: (812)497-2400
 Contact : MIKE WALDEN - CELL Phone:
 BestTime:
 Mobile : (812)525-2654
 Fax : (812)497-2460
 Email : CHAD@RUSTCONSTRUCTION.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
 A VECTREN GAS LINE HAS BEEN HIT ON THE RIGHT SIDE OF 1337 WHEN FACING
 PROPERTY--GAS LINE IS BLOWING AND CAN BE HEARD--CALLER HAS BEEN ADVISED TO CALL
 911--LINE IS 1 INCH PVC PIPE AND YELLOW IN COLOR--CREW IS ON SITE--CALLER HAS
 BEEN ADVISED TO CALL VECTREN--PREVIOUS TICKET NUMBER IS 1110120620--THANK YOU
 Will you be white-lining the dig site area? NO

Submitted date: 10/21/2011 Time: 11:14
 Members: ID0002 ID0340 ID6451 ID8203 ID8401 SBCIN SM

Member Name	Facility Types
AT&T - DISTRIBUTION	COMMUNICATIONS
DUKE ENERGY / FORMERLY CINERGY	ELECTRIC
IN AMERICAN WATER SOUTHERN INDIANA	
INSIGHT COMMUNICATIONS - NEW ALBANY	CABLE TV
JEFFERSONVILLE WASTEWATER AND SEWER	
VECTREN - CLARKSVILLE	GAS

[View Map](#)

[Close Map](#)

Service Order Status

Wednesday, November 23, 2011

Enter Service Order Number:

4995512

Banner Instance: CS03PROD CS01PROD CS02PROD
Order Number: N4995512
Order Type: LEAK
Order Status: Completed

Customer: 600025798 - JEFFERSONVILLE HOUSING AUTHORI
Prem: 5708584 - 1337 E COURT AVE

Technician: 2552 - Carroll, Charlie

Order Dates and Times

Need Date: 10/21/2011 11:33:00 AM
Time Created: 10/21/2011 11:25:26 AM
Time Dispatched: 10/21/2011 11:25:26 AM
Time In Route: 10/21/2011 11:49:37 AM
Time On-Site: 10/21/2011 11:50:08 AM
Tech Complete: 10/21/2011 1:21:06 PM
Time Closed: 10/21/2011 1:21:06 PM

Events Performed/Completion Code

LKOT - CMP

Meter Information

Current ReadStatus
Old Meter: 4627 Active
New Meter:

Completion Notes

leak#01799 1341and 1343 east court ave correct addresses 1" plas service damaged contractor had bent over to stop blowing gas

Request Notes

HIT LINE PER KRISTEN WITH 811...BLOWING...RUSS CONSTRUCTION ONSITE...MIKEWALDEN 812-525-2654...XST J
 ACKSON...LOCATE #1110120620...DAMAGE TICKET#1110210997....KRISTEN'S #317-893-1415....other contact i
 s chad leinert with

MDSI Event Dates and Times

Event	Date/Time	User
AsnAssignmentEnRoute_evt	10/21/2011 11:49:37 AM	Carroll, Charlie
AsnAssignmentManualAck_evt	10/21/2011 11:49:39 AM	Carroll, Charlie
AsnAssignmentOnSite_evt	10/21/2011 11:50:08 AM	Carroll, Charlie
OrdOrderComplete_evt	10/21/2011 1:21:06 PM	Carroll, Charlie

NOTE:The Reporting database replicates in near real-time; it has been approximately 0 minute(s) since the last transaction replicated.

MISCELLANEOUS CASH RECEIPT

(PLEASE ATTACH A COPY OF ALL CHECKS TO THIS FORM AND
USE PAPER CLIPS/DO NOT STAPLE CHECKS TO FORM)

PROCESS ROUTING FOR ALL VECTREN COMPANIES INCLUDING UTILITIES
AND NON REGULATED SUBSIDIARIES: SEND COMPLETED FORM,
ORIGINAL CHECK AND COPY OF CHECK TO REBECCA MINEAR IN
FINANCIAL ACCOUNTING, BRAUN BUILDING, EVANSVILLE. RETAIN COPY
OF CHECK AND FORM FOR YOUR RECORDS. PLEASE INCLUDE PROPER
ACCOUNTING SO RECEIPT MAY BE CREDITED ACCURATELY. PLEASE
INCLUDE YOUR PHONE NUMBER SO THE RECEIPT MAY BE EASILY
RESEARCHED BY THE FINANCIAL ACCOUNTING GROUP.

Activity Date: **12/16/2011**
12:00:00 AM

Your Name, not your initials (employee): **Pam Barber**

Your Phone Number (employee): **812-491-4734**

Party Check Received From (Check Payor):

Address of Check Writer (Check Payor):
BATCH1-RUST CONSTRUCTION INC

Check Number	23285
Amount of Check	\$675.00
Utility/Company Name	VECTREN ENERGY DELIVERY OF INDIANA - NORTH
Task Number	103.0510
Job Number	FDS0015337

Date Printed: 12/19/2011


Transaction Level Keyed Data

Remitter Name : RUST CONSTRUCTION INC Check Date : 2011/12/14

Invoice Level Keyed Data

Invoice Number	Reference Number
FDS0015337	67500

RUST CONSTRUCTION, INC.		Vectren Energy Delivery of IN-				23285
12-05-11	FDS0015337	675.00	.00	.00	675.00	
12-14-11	23285	675.00	.00	.00	675.00	



NOW DUE

\$875.00

2 VECTREN ENERGY DELIVERY OF INDIANA - NORTH

RUST CONSTRUCTION
418 W STATE RD 258,
SEYMOUR, IN 47274

Type: GAS
 Invoice: FDS0015337
 BillToID: 31083
 Billing Date: 12/5/2011
 Date of Loss: 10/21/2011
 5920 103.0510

Please return this portion with your remittance.



INFORMATION REQUEST

State Form 54909 (2-12)

INDIANA UTILITY REGULATORY COMMISSION – PIPELINE SAFETY DIVISION

Case Number: 2297

The Pipeline Safety Division of the Indiana Utility Regulatory Commission requests any and all information you can provide regarding the following criteria.

Upon completion of answers select email button for submission.

The Parties

Excavator Information:

Business Name: Rust Construction Inc.

Responsible Party Personal Name: Chad Leinart

Title (if any): Project Manager

Address (number and street): 418 W State Road 258

City, State and ZIP Code: Seymour, IN 47274

Preferred Telephone Number (area code): 812-497-2400

Cellular Telephone Number (area code): 812-569-1156

Email Address: chad@rustconstruction.com

Facility Information:

Business Name: Vectren Energy Delivery of Indiana - North

Responsible Party Personal Name: Unknown

Title (if any): _____

Address (number and street): 1239 Reliable Parkway

City, State and ZIP Code: Chicago, IL 60686-0012

Preferred Telephone Number (area code): 877-902-2934

Cellular Telephone Number (area code): Unknown

Email Address: jawest@Vectren.com (Facility Damages - Vectren Invoice Number FDS0015337)

Locator Service Information:

Business Name: IUPPS/USIC

Responsible Party Personal Name: Mike

Title (if any): Locator

Address (number and street): Unknown

City, State and ZIP Code: Unknown

Preferred Telephone Number (area code): Unknown

Cellular Telephone Number (area code): 812-550-0571

Email Address: Unknown

Cause of Damage Information

Type of Equipment (select one): Backhoe/Trackhoe

Type of Work Performed (select one): Drainage

Other Information (Witness, Police, Fire, Other):

Personal Contact: Chad Leinart

Business/Organization Name: Rust Construction Inc.

Title (if any): Project Manager

Address (number and street): 418 W State Road 258

City, State and ZIP Code: Seymour, IN 47274

Preferred Telephone Number (area code): 812-497-2400

Cellular Telephone Number (area code): 812-569-1156

Email Address: chad@rustconstruction.com

Utility Line Impact

Location of Damage:

Address (*number and street*): 1337 E Court AVE

City, State and ZIP Code: Jeffersonville, IN 47130

Nearest Intersection: Jackson ST

Product Type (*select one*): Natural Gas

Facility Type (*select one*): Service/Drop

Size (Diameter/etc.): ¹ 1"

Pressure (PSIG/Inches): Unknown

Interruption in Service: Yes No **Number of Customers Affected:** ²

Evacuation: Yes No **If yes, How Many Evacuated?**

Repair Cost (if known): \$ ⁶⁷⁵

Release of Product: Yes No

Ignition and/or Fire: Yes No

Excavator Notify 811: Yes No

Locate Information

Excavator Request Locate: Yes No

Indiana 811 Locate Ticket Number: 1110120620

Locate Marks Visible: Yes No

Locate Marks Correct: Yes No

Excavator "White Lined": Yes No

Maps Used to Mark Facilities: Yes No

Was Locate Provided within Two (2) Working Days: Yes No

Operator Employees On-site during Excavation: Yes No

Incident Impact Information

Number of Outpatient Treated: ⁰ _____

Number of Inpatient Treated: ⁰ _____

Number of Fatalities: ⁰ _____

Fire Department Response: Yes No

Police Department Response: Yes No

Ambulance Response: Yes No

Additional Information / Comments

Original locate ticket number is 1110120620 and the damage ticket number is 1110210997. Original ticket was entered using IUPPS's web ticket entry on 10/12/2011 at 09:16 by Chad Leinart. This ticket was effective starting 10/14/2012. Damage was incurred on 10/21/2011.

Area was not "White Lined" prior to excavation, because this was an ongoing project inside an apartment complex that required repeat and multiple locate requests. Beginning from the first set of locates, after the locates were requested, we would meet the locator onsite to show him the areas that we were working and needed located.

Line was hand dug and exposed prior to excavation. Line was damaged when the operator was cleaning out the trench and caught the line with a bucket tooth as he was bringing the bucket out of the ditch. The bucket tooth caused a less than 1/4" nick in the HDPE service line.

NARRATIVE STATEMENT

Your Pipeline Safety Division Case Number: 2297

Your Full Name: Chad Leinart

Full Name of Business / Entity (if applicable): Rust Construction Inc.

Your Business Title (if applicable): _____

Address (number and street): 418 W State Road 258

City: Seymour State: IN ZIP Code: 47274

Your E-mail Address: chad@rustconstruction.com

Today's Date (month, day, year): 05-03-2012

Your Signature:  Title (if any) Project Manager

Please return your Narrative Statement to:

Pipeline Safety Division – Case Number 2297
Indiana Utility Regulatory Commission
101 West Washington Street, 1500E
Indianapolis, IN 46204

Or scan the statement and Email to:

PipelineDamageCase@urc.in.gov