



Pipeline Safety Division Investigation Report

Investigation regarding: NIPSCO

UPPAC Database Record ID: 3610

Report Date: 5/8/2013

Investigator: Mike Orr

Damage Date: 8/22/2012 1:45:06 PM

Damage Address: Fir Rd, Mishawaka, St Joseph

The Parties

Excavator: Niblock Excavating

Address: Po Box 211, Bristol, In 46507

Facility Owner: NIPSCO

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Distribution

Type of Equipment: Backhoe/Trackhoe

Type of Work Performed: Sewer

Damage Impact

Product Release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 2

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$

Excavator Activities/Cause of Damage Information:

Excavator Request Locates: Yes

Indiana 811 Ticket Number: 1208200859

Original Start Date:

Locate Instructions:

Follow-Up Locate Instructions (if applicable):

Synopsis: A 4" plastic natural gas line was damaged during excavation for a sewer line.

Findings: Reported by Indiana 811; excavator's response to initial notice was received on 9/25/2012. The excavator had a valid locate request however, the operator failed to provide accurate locate markings.

Conclusion: There was a failure to provide accurate locate markings.

Violation: 8-1-26-18(f) Operator failed to locate or provided incorrect locate markings.



101 West Ohio Street, Suite 1707
Indianapolis, IN 46204

October 18, 2012

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 3610
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 3610

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 8/22/2012

Event Location: Fir Rd, Mishawaka

Facility Owner: Northern Indiana Public Service Company

Excavator: Niblock Excavating

Other Party: N/A

Pipeline Division Case No. 3610

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com

IURC INFORMATION REQUEST	
Pipeline Safety Division Case No. 3610	
Date of Event	8/22/2012
Event Location	Fir Rd, Mishawaka
Facility Owner	Northern Indiana Public Service Company
Excavator	Niblock Excavating
Date of IURC Information Request	9/18/2012
THE PARTIES	
EXCAVATOR:	
BUSINESS NAME	Niblock
RESPONSIBLE PARTY PERSONAL NAME	
TITLE (IF ANY)	
ADDRESS	PO Box 211
CITY/ STATE/ZIP	Bristol, IN 46507
PREFERRED TELEPHONE	574-848-4437
CELL PHONE TELEPHONE	574-320-2636
EMAIL ADDRESS	JCRAWFORD@NIBLOCKEXC.COM
FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
LOCATOR SERVICE INFORMATION	
BUSINESS NAME	USIC
RESPONSIBLE PARTY PERSONAL NAME	Morgan Thompson
TITLE (IF ANY)	Claims Coordinator
ADDRESS	9045 N. River Rd. Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	1-317-538-7301
CELL PHONE TELEPHONE	Same
EMAIL ADDRESS	morganthompson@usicinc.com
OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	
TITLE (IF ANY)	

ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
UTILITY LINE IMPACT	
LOCATION OF DAMAGE	
ADDRESS	Fir Rd or 51120 Ridge Stone Ct
CITY/STATE/ZIP	Granger, IN 46530
NEAREST INTERSECTION	Adams Rd
PRODUCT TYPE (Select One)	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
FACILITY TYPE (Select One)	
DISTRIBUTION	X
GATHERING	
SERVICE/DROP	
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	4" Plastic
PRESSURE (PSIG/INCHES)	45
INTERRUPTION IN SERVICE (YES/NO)	Y
NUMBER OF CUSTOMERS AFFECTED	2
EVACUATION (YES/NO)	N
IF YES, HOW MANY EVACUATED	0
REPAIR COST (IF KNOWN) (\$)	
CAUSE OF DAMAGE INFORMATION:	
TYPE OF EQUIPMENT (Select One)	
Auger	
Backhoe/Trackhoe	X
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	
Probing Device	

Trancher	
Vacuum Equipment	
Unknown/Other	
TYPE OF WORK PERFORMED (Select One)	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	X
Sewer (Sanitary/Storm)	
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	
RELEASE OF PRODUCT (YES/NO)	Y
IGNITION AND/OR FIRE (YES/NO)	N
EXCAVATOR NOTIFY 811 (YES/NO)	Y- 1208222408
LOCATE INFORMATION:	
EXCAVATOR REQUEST LOCATE (YES/NO)	Y

INDIANA 811 LOCATE TICKET NUMBER	1208200859
LOCATE MARKS VISIBLE (YES/NO)	Y
LOCATE MARKS CORRECT (YES/NO)	N
EXCAVATOR "WHITE LINED" (YES/NO)	N
MAPS USED TO MARK FACILITIES (YES/NO)	Y
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	N
INCIDENT IMPACT INFORMATION	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FATALITIES	0
FIRE DEPARTMENT RESPONSE (YES/NO)	
POLICE DEPARTMENT RESPONSE (YES/NO)	
AMBULANCE RESPONSE (YES/NO)	
ADDITIONAL INFORMATION/COMMENTS	
<p>Facility could not be found/located.</p> <p>Records do not show where the end of main is and could not be located.</p>	

Fact Based Investigation Report

NOTIFICATION ID: 01820120822013 **DISTRICT:** Northern IN
DAMAGE DATE: 8/22/2012 1:45:25 PM **NOTIFICATION DATE:** 8/22/2012 1:50:19 PM
NOTIFIED BY: JULIE CRAWFORD
DAMAGE ADDRESS: FIR RD
CITY: MISHAWAKA **ST:** IN **ZIP:**

DAMAGED CUSTOMER: NIPSCO

INVESTIGATION DATE: 08/22/2012
FROM: 14:00:00 **TO:** 17:00:00

EXCAVATOR INVOLVED: NIBLOCK
TYPE OF EXCAVATION: Excavation

ORIG. LOCATE REQ.: 1208200859 **START DATE/TIME:**
TYPE OF TICKET: **LOCATE REQ. INFO N/A:**

DIG UP/DAMAGE REQ.: 1208222408 **START DATE/TIME:**

PICTURES TAKEN BY: Kevin Fox **DATE/TIME:** 8/22/2012 3:30:00 PM
PHOTOGRAPHY TYPE: Digital **FRAME #:**

INVESTIGATOR EMP#: 116375 **INVESTIGATOR NAME:** Joe Hendrickson
BASED ON YOUR INVESTIGATION, IS FURTHER INVESTIGATION NEEDED? No

Fact Based Investigation Customer Information

NOTIFICATION ID: 01820120822013
SELECT A CUSTOMER: NIPSCO
CUSTOMER #: (optional)

FACILITY DESCRIPTION: LOWPROF **FACILITY ID:** Gas Main
LOCATOR NAME & EMP #: Fox Kevin - 121882
LOCATOR NOT KNOWN:

CHECK ALL THAT APPLY TO INVESTIGATION:

Other

Other: End of main stub

CHECK ALL THAT APPLY TO METHOD OF INVESTIGATION (at least one must be checked):

Visual, Facility Exposed At Time Of Investigation,

Investigator Verified Existing Marks By Hooking Up

INVESTIGATOR STATEMENT/CAUSAL FACTORS:

The end of the main was hit. This main feeds from the south. The farthest two north houses were checked. The south house of the two goes out to the main and then would only take you toward the south. Nothing could be pushed in signal to the north. The northern house goes out to another street and does not tie into this main. There is no sign where the end of main is and there are no measurements on the prints. No info was available through records and Phil Griffin of NIPSCO couldn't tell us where the end was. We had marked the main where it should be for 6 feet north of where the last service ties in and wrote EOM near the last mark. NIPSCO dug back to within 3 feet of that service and capped the main there.

NAMES OF UTILITY REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:

Phil Griffin - NIPSCO - No idea where the end was at.

NAMES OF EXCAVATOR'S REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:

N/A

LIST ANY OTHER INDIVIDUALS ON SITE:

N/A

WERE ANY MARKINGS VISIBLE ON THE DAMAGE SITE UPON ARRIVAL? Yes

WERE ANY OTHER INDICATORS OF FACILITY PRESENT IN THE AREA? Yes

WAS THE EXCAVATION WITHIN THE TOLERANCE ZONE OF MARKS? No

EXTENT OF FACILITY DAMAGE Cut end of main

REPLACEMENT FOOTAGE N/A - capped closer to service

WAS CONTRACTOR ASSISTANCE REQUIRED? IF YES, WHO? No N/A

WHAT CONTRACTOR EQUIPMENT WAS USED? Trackhoe

IS THE FACILITY SHOWN ON THE UTILITY RECORDS? Yes

IF YES, PLEASE LIST RECORD #(S) Granger

NIPSCO 00760 IUPPSa 08/22/2012 13:45:25 1208222408-00A EMER DAMG GRID

DAMAGE SEE REMARKS

Ticket : 1208222408 Date: 08/22/2012 Time: 13:42 Oper: AGRIGGS Chan:074

State: IN Cnty: ST JOSEPH Twp: HARRIS
Cityname: MISHAWAKA Inside: N Near: Y
Subdivision:

3610

Address :

Street : FIR RD

Cross 1 : ADAMS RD Within 1/4 mile: Y

Location: FROM THE ABOVE INTERSECTION -- LOCATE BOTH SIDES OF FIR ROAD GOING SOUTH FOR APPROX 600 FEET -- THIS IS OLD FIR ROAD NOT THE NEW FIR ROAD THAT WAS JUST BUILT

:

Grids : 4145D8609B

Boundary: n 41.753757 s 41.750515 w -86.159904 e -86.158424

Work type : STORM SEWER/RETENTION POND/ROAD REMOVAL

Done for : STATE OF INDIANA

Start date: 08/22/2012 Time: 13:43 Hours notice: 0/0 Priority: EMER

Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y

Duration : 1 MONTH Depth: 15 FEET

Company : NIBLOCK EXCAVATING Type: CONT

Co addr : PO BOX 211

City : BRISTOL State: IN Zip: 46507

Caller : JULIE CRAWFORD Phone: (574)848-4437

Contact : RON YODER - CELL Phone:

BestTime:

Mobile : (574)320-2636

Fax : (574)848-4575

Email : JCRAWFORD@NIBLOCKEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
A NIPSCO LINE HAS BEEN HIT AND IS BLOWING IN THE FRONT EASEMENT OF ADDRESS 51120 RIDGESTONE COURT - 4 INCH LINE - COLOR AND MATERIAL UNKNOWN - ADVISED TO CALL 911 - CALLER HAS NOTIFIED NIPSCO OF DAMAGE - CREW ON SITE - PREVIOUS TICKET NUMBER 1208200859

Will you be white-lining the dig site area? NO

:

Submitted date: 08/22/2012 Time: 13:42

Members: AEPIN COMCN ID1639 ID5845 NIPSCO SBCIN SM ID0106

NIPSCO 00259 IUPPSa 08/20/2012 09:24:06 1208200859-00A NORM NEW GRID

NORMAL NOTICE

Ticket : 1208200859 Date: 08/20/2012 Time: 09:19 Oper: JELEWITZ Chan:086

State: IN Cnty: ST JOSEPH Twp: HARRIS
Cityname: MISHAWAKA Inside: N Near: Y
Subdivision:

#3610

Address :

Street : FIR RD

Cross 1 : ADAMS RD Within 1/4 mile: Y

Location: FROM THE ABOVE INTERSECTION -- LOCATE BOTH SIDES OF FIR ROAD GOING
SOUTH FOR APPROX 600 FEET -- THIS IS OLD FIR ROAD NOT THE NEW FIR ROAD THAT WAS
JUST BUILT

:

Grids : 4145D8609B

Boundary: n 41.753757 s 41.750515 w -86.159904 e -86.158424

Work type : STORM SEWER/RETENTION POND/ROAD REMOVAL

Done for : STATE OF INDIANA

Start date: 08/22/2012 Time: 09:30 Hours notice: 48/48 Priority: NORM

Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N

Duration : 1 MONTH Depth: 15 FEET

Company : NIBLOCK EXCAVATING Type: CONT

Co addr : PO BOX 211

City : BRISTOL State: IN Zip: 46507

Caller : JOHN BOWEN Phone: (574)848-4437

Contact : RON YODER - CELL Phone:

BestTime:

Mobile : (574)320-6063

Fax : (574)848-4575

Email : JCRAWFORD@NIBLOCKEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time

Will you be white-lining the dig site area? NO

:

Submitted date: 08/20/2012 Time: 09:19

Members: AEPIN COMCN ID1639 ID5845 NIPSCO SBCIN SM ID0106

NORTHERN INDIANA PUBLIC SERVICE COMPANY
FACILITY DAMAGE REPORT

** COMPLETE FORM FOR ALL DAMAGES TO NIPSCO FACILITIES **

REPORTING OPERATING AREA 060 MAXIMO WO #
OPERATING AREA CONTACT Armstrong JOB ORDER # 595857
TRACKING NUMBER 018 2012 082 2012 LOCATE REF #
Locate Performed By: USIC

DATE AND TIME OF ACCIDENT 8-22 2012 1330M DATE OF REPORT 8-22-12
PLACE OF DAMAGE (INCLUDE CITY) 51120 Ridge Stone Ct

DAMAGE WAS TO:
ELECTRIC - POLE / TRANSFORMER: # SIZE YEAR INSTALLED BROKEN YES () NO ()

OTHER (DESCRIBE)

GAS: SERVICE () MAIN (x) SIZE 4 MATERIAL: PLASTIC (x) STEEL () METER () REG STATION () STUB ()
OTHER (DESCRIBE)

DEPTH OF FACILITY (inches) 30" PRESSURE (PSI) med Lbs. 45#

RELEASE OF GAS: YES (x) NO () IGNITION OF GAS: YES () NO (x) EVACUATION REQUIRED: YES () # NO (x)

INTERRUPTION OF SERVICE: YES (x) NO () NUMBER OF CUSTOMERS LOST: 2

DURATION OF INTERRUPTION: TIME REPORTED 1330 TIME RESTORED 15:20

DIAMETER/MEASUREMENT OF HOLE IN GAS FACILITY: Cut into 1.5"

LOCATE MARKS ON SITE: YES (x) DISTANCE BETWEEN FACILITY AND LOCATE MARKS 10'-15' NO ()
HOW LOCATED: PAINT (x) FLAGS (x) BOTH () WHITE LINED ()

PARTY THAT CAUSED DAMAGES (NAME) N. Block Etc

ADDRESS OF PARTY (INCLUDE CITY) 906 Maple Str. Bristol, Ind.

WHO WAS IN CHARGE OF THE WORK SITE AT TIME OF DAMAGE Mike Schaeffer

WITNESS NAME AND ADDRESS Same as above

WITNESS REMARKS Feels should not be charged. Located unmarked 15ft E 10ft S. Was told main jogged over

AGENCIES NOTIFIED / ONSITE: POLICE () AGENCY REPORT #
FIRE () AGENCY REPORT #
OTHER () Any Injuries? () YES # (x) NO

PHOTOS TAKEN: YES () NO (x) TAKEN BY: (ATTACH PHOTOS TO REPORT)
MEDIA ON SITE YES () NO (x)

- WORK IN PROGRESS WHEN FACILITY DAMAGED - CHECK APPROPRIATE CHOICE BELOW
() AGRICULTURE/FARMING () CABLE TV () CURB/SIDEWALK () TELECOMMUNICATIONS
() BLDG CONSTRUCTION () DEMOLITION () DRAINAGE () WATER
() DRIVEWAY () ELECTRIC () SURVEYING () DRAINS/CULVERTS
() FENCING () GRADING () IRRIGATION () MOWING
() LANDSCAPING () PIPELINE () MILLING () OTHER
() POLE/SIGN POST (x) ROAD WORK () SEWER

- TYPE OF EQUIPMENT USED - CHECK APPROPRIATE CHOICE BELOW
() AUGER () HAND TOOLS (x) BACKHOE/TRACKHOE
() MILLING EQUIPMENT () PROBING DEVICE () BORING / DRILLING
() EXPLOSIVES () TRENCHER () FARM EQUIPMENT
() VACCUUM EQUIPMENT () GRADER () OTHER

- REASON DAMAGE OCCURRED - CHECK APPROPRIATE CHOICE BELOW
() AUTOMOTIVE ACCIDENT () EXCAVATING BEFORE LOCATES DUE () CARELESS MACHINE OPERATOR
() NO NOTIFICATION () MARKS DISTURBED () STUB (x) OTHER

COMMENTS :

PERSON PREPARING REPORT

R Mullens

FIELD SUPERVISOR

Robt. Sch... Gary O'Connell

FIELD MANAGER

- ORIGINAL REPORT AND SUPPORTING INFORMATION IS TO BE SENT TO FACILITY DAMAGE RECOVERY
- COPY OF REPORT IS TO BE SENT TO DAMAGE PREVENTION

SKETCH: - Show position of all pertinent information

FOR OFFICE USE ONLY:

- | | | |
|---|-----|----|
| • DID EXCAVATION OCCUR BEFORE LOCATES WERE DUE | YES | NO |
| • NO IN 811 LOCATE CALLED IN | YES | NO |
| • DAMAGE CAUSED FROM EXCAVATION WITHIN 24" ZONE | YES | NO |
| • EXPIRED LOCATE | YES | NO |
| • WAS WHITE LINING INDICATED ON LOCATE REQUEST | YES | NO |

COMPLETED BY: _____ **DATE:** _____



150 West Market Street, Suite 600
Indianapolis, IN 46204

February 15, 2013

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 3610
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Notification of Possible Violations; Pipeline Division Case No. 3610
Date of Event: 8/22/12
Event Location: FIR RD, MISHAWAKA
Excavator: NIBLOCK EXCAVATING
Other Party: N/A

To Whom It May Concern:

This letter responds to the Indiana Utility Regulatory Commission, Division of Pipeline Safety, Notification of Possible Violations for Case No. 3610 (as detailed above) identifying potential violations of Indiana law dated January 16, 2013. NIPSCO has not identified any additional information related to this incident not already provided in its October 17, 2012 response. Line struck had not been located correctly.

If there are any additional questions, please contact the undersigned.

Very truly yours,

A handwritten signature in black ink, appearing to read "Christopher C. Earle".

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com



INFORMATION REQUEST

State Form 54909 (2-12)

INDIANA UTILITY REGULATORY COMMISSION – PIPELINE SAFETY DIVISION

Case Number: 3610

The Pipeline Safety Division of the Indiana Utility Regulatory Commission requests any and all information you can provide regarding the following criteria.

Upon completion of answers select email button for submission.

The Parties

Excavator Information:

Business Name: Niblock Excavating Inc

Responsible Party Personal Name: John Bowen

Title (if any): Safety Director

Address (number and street): PO Box 211

City, State and ZIP Code: Bristol Indiana 46507

Preferred Telephone Number (area code): 574.848.4437

Cellular Telephone Number (area code): n/a

Email Address: jbowen@niblockexc.com

Facility Information:

Business Name: St Joseph County Commissioners, Engineering Department

Responsible Party Personal Name: Andrew Hayes, PE

Title (if any): Project Manager

Address (number and street): 227 W Jefferson Blvd. County-City Building

City, State and ZIP Code: South Bend Indiana 46601

Preferred Telephone Number (area code): 574.235.9626

Cellular Telephone Number (area code): n/a

Email Address: n/a

Locator Service Information:

Business Name: Holey Moley

Responsible Party Personal Name: _____

Title (if any): _____

Address (number and street): _____

City, State and ZIP Code: _____

Preferred Telephone Number (area code): 800.382.5544

Cellular Telephone Number (area code): _____

Email Address: _____

Cause of Damage Information

Type of Equipment (select one): Backhoe/Trackhoe

Type of Work Performed (select one): Sewer (Sanitary/Storm)

Other Information (Witness, Police, Fire, Other):

Personal Contact: Michael Schaeffer

Business/Organization Name: Niblock Excavating Inc

Title (if any): Foreman

Address (number and street): PO Box 211

City, State and ZIP Code: Bristol Indiana 46507

Preferred Telephone Number (area code): 574.848.4437

Cellular Telephone Number (area code): n/a

Email Address: n/a

Utility Line Impact

Location of Damage:

Address (*number and street*): On Fir Road - South of Adams Road

City, State and ZIP Code: Mishawaka Indiana 46546

Nearest Intersection: n/a

Product Type (*select one*): Natural Gas

Facility Type (*select one*): Distribution

Size (Diameter/etc.): 4"

Pressure (PSIG/Inches): unknown

Interruption in Service: Yes No **Number of Customers Affected:** _____

Evacuation: Yes No **If yes, How Many Evacuated?** _____

Repair Cost (if known): \$ _____

Release of Product: Yes No

Ignition and/or Fire: Yes No

Excavator Notify 811: Yes No

Locate Information

Excavator Request Locate: Yes No

Indiana 811 Locate Ticket Number: 12080200859

- Locate Marks Visible:** Yes No
- Locate Marks Correct:** Yes No
- Excavator "White Lined":** Yes No
- Maps Used to Mark Facilities:** Yes No
- Was Locate Provided within Two (2) Working Days:** Yes No
- Operator Employees On-site during Excavation:** Yes No
-

Incident Impact Information

Number of Outpatient Treated: n/a

Number of Inpatient Treated: n/a

Number of Fatalities: n/a

Fire Department Response: Yes No

Police Department Response: Yes No

Ambulance Response: Yes No

Additional Information / Comments

<p>See attachments</p> <ol style="list-style-type: none">1. Utility Hit Report2. Pictures of project site (total of 4)

NARRATIVE STATEMENT

Your Pipeline Safety Division Case Number: 3610

Your Full Name: John Bowen

Full Name of Business / Entity (if applicable): Niblock Excavating Inc.


Your Business Title (if applicable): Safety Director

Address (number and street): PO Box 211

City: Bristol State: In ZIP Code: 46507

Your E-mail Address: jbowen@niblockexc.com

Today's Date (month, day, year): September 25, 2012

Your Signature:  Title (if any) Safety Director

Please return your Narrative Statement to:

Pipeline Safety Division – Case Number 3610
Indiana Utility Regulatory Commission
101 West Washington Street, 1500E
Indianapolis, IN 46204

Or scan the statement and Email to:

PipelineDamageCase@urc.in.gov

Utility Hit Report

#16

Date: 8-22-12

Time: 1:30

Job #and Location: 120 Fir Road

What was Hit? Gas Phone Cable Electric Other

Name & Address of Company/Resident NipSCO

Phone Number:

Was this Marked? Yes No

Was it Miss-Marked? Yes No

Describe: HIT LINE 10' NORTH OF MARKS
15' WEST OF MARKS

Pictures Taken? Yes No

Name of Witness: Jordan Morris Jordan Morris Dale Davidson


Foreman on Site: SCHAEFFER

UtilityLocateNumber: 1208200859 Date 8-22-12 9:30 AM

Reporting Individual: MIKE SCHAEFFER

Please Print Name

Use the back side of this form for specific information and a drawing of the site if necessary.



Utility Called for repair: _____

Work Order Number _____

Date & Time Called _____

Reporting Individual _____

Copies to:
 KCrouch JBowen Hit File On site Foreman
 Insurance self







