



## Pipeline Safety Division Investigation Report

### Investigation regarding: **H.R.P. Construction**

UPPAC Database Record ID: 371

Investigator: Howard Friend

Telephone: 317-232-2717

Report Date: 01/05/2012

Damage Date: 05/05/2011 12:57:18 PM

Damage Address: Pleasant Street

City: South Bend

County: St Joseph

### The Parties

Excavator: **H.R.P. Construction**

Contact: Paul J Fallon, Secretary/Treasurer

Address: 5777 Cleveland Road, South Bend, In 46628

Telephone: (574) 271-7800

Facility Owner: NIPSCO

Contact: Luke Selking

Address: 1501 Hale Avenue, Fort Wayne, IN 46802

### Pipeline Facility

Facility Type: Natural Gas

Facility Function: Distribution

**Investigation regarding: H.R.P. Construction**

UPPAC Database Record ID: 371

**Damage Impact**

Product release: Yes

Ignition: No

Service Interruption:

Number of Customers Affected:

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$3078

**Excavator Activities/Cause of damage information:**

Excavator request locates: Yes    Indiana 811 ticket Number: 1104280850

Type of Equipment:

Type of work performed: Sewer (Sanitary/Storm)

**Synopsis:** A 2” natural gas main was damaged during work to coinciding with the city’s Pleasant Street Sewer Separation Project.

**Findings:** Reported by Indiana 811; excavator response received 10/20/2011. Excavator provided documentation of a valid locate request; damaged facility was not marked.

**Conclusion:** Operator failed to properly mark the location of damaged underground facility.

**Violation: IC 8-1-26-18(f): Operator failed to locate or provided incorrect locate markings.**

**H.R.P. Construction** currently has no other reports of damages in the record.

NORMAL NOTICE

Ticket : 1104130998 Date: 04/13/2011 Time: 09:27 Oper: SPOPE Chan:044

State: IN Cnty: ST JOSEPH Twp: PORTAGE  
Cityname: SOUTH BEND Inside: Y Near: N  
Subdivision:

Address :  
Street : PLEASANT ST  
Cross 1 : S 31ST ST Within 1/4 mile: Y  
Location: LOCATE ENTIRE INTERSECTION  
:  
Grids : 4139B8612D 4139A8612D 4139B8612C 4139A8612C

Work type : SEPARATE STORM SEWER  
Done for : CITY OF SOUTH BEND  
Start date: 04/15/2011 Time: 09:45 Hours notice: 48/048 Priority: NORM  
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N  
Duration : 6 MONTHS Depth: 20 FEET

Company : H.R.P CONSTRUCTION Type: CONT  
Co addr : 5777 CLEVELAND RD  
City : SOUTH BEND State: IN Zip: 46628  
Caller : LAURIE HUYS Phone: (574)271-7800  
Contact : JOE JONAS - CELL Phone:  
BestTime:  
Mobile : (574)876-4344  
Fax : (574)271-0524  
Email : LAURIEH@HRPCONSTRUCTION.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time  
Will you be white-lining the dig site area? NO  
:

Submitted date: 04/13/2011 Time: 09:27  
Members: AEPIN COMCN ID5610 NIPSCO SBCIN SM

ATTACHMENT # 5/5  
HRP RESPONSE TO I.U.R.C. ALLEGATION  
10/20/11

NORMAL NOTICE JOB EXTENSION

Ticket : 1104280850 Date: 04/28/2011 Time: 10:01 Oper: SPOPE Chan:044

State: IN Cnty: ST JOSEPH Twp: PORTAGE  
Cityname: SOUTH BEND Inside: Y Near: N  
Subdivision:

Address :

Street : PLEASANT ST  
Cross 1 : S 31ST ST Within 1/4 mile: Y  
Location: LOCATE ENTIRE INTERSECTION

Grids : 4139B8612D 4139A8612D 4139B8612C 4139A8612C

Work type : SEPARATE STORM SEWER

Done for : CITY OF SOUTH BEND

Start date: 05/02/2011 Time: 10:15 Hours notice: 96/048 Priority: NORM

Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N

Duration : 6 MONTHS Depth: 20 FEET

Company : H.R.P CONSTRUCTION Type: CONT

Co addr : 5777 CLEVELAND RD

City : SOUTH BEND State: IN Zip: 46628

Caller : LAURIE HUYS Phone: (574)271-7800

Contact : JOE JONAS - CELL Phone:

BestTime:

Mobile : (574)274-5716

Fax : (574)271-0524

Email : LAURIEH@HRPCONSTRUCTION.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time  
NEEDS ALL UTILITIES TO REMARK AS NEEDED--PREV TICKET 1104130998--THANK YOU  
Will you be white-lining the dig site area? NO

Submitted date: 04/28/2011 Time: 10:01

Members: AEPIN COMCN ID5610 NIPSCO SBCIN SM

ATTACHMENT # 4/5  
HRP RESPONSE TO I.U.R.C. ALLEGATION  
10/20/11



November 14, 2011

101 West Ohio Street  
Suite 1707  
Indianapolis, IN 46204

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 371  
Indiana Utility Regulatory Commission  
101 West Washington Street, Suite 1500 East  
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 371

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information relating to the following event:

Date of Event: 5/5/2011

Event Location: Pleasant Street, South Bend

Facility Owner: NIPSCO

Excavator: H.R.P. Construction

Other Party: N/A

Pipeline Division Case No. 371

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle

NiSource Corporate Services - Legal

Phone: 317-684-4904

Fax: 317-684-4918

Email: [cearle@nisource.com](mailto:cearle@nisource.com)

**IURC INFORMATION REQUEST****Pipeline Safety Division Case No. 371**

Date of Event	5/5/11
Event Location	Pleasant Street, South Bend
Facility Owner	Northern Indiana Public Service Company
Excavator	H.R.P. Construction
Date of IURC Information Request	9/23/11

**EVENT LOCATION:**

ADDRESS	
STREET	31st & Pleasant
CITY/TOWN/IN ZIP CODE	South Bend, IN 46601
COUNTY	St Joseph
TOWNSHIP	Portage
PROPERTY OWNER	
USE - COMMERCIAL/RESIDENTIAL	
TENANT'S NAME	
IF COMMERCIAL USE, TENANT OR OWNER OCCUPIED	
IF TENANT OCCUPIED, TENANT'S FULL NAME	

**EXCAVATOR:**

NON BUSINESS FULL PERSONAL NAME	
BUSINESS NAME	HRP Construction
ADDRESS	5777
STREET	Cleveland Road
CITY/ STATE/ZIP	South Bend, IN 46628
PREFERRED TELEPHONE	574-271-7800
SECONDARY TELEPHONE	
EMAIL ADDRESS	

**FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:**

BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE BUSINESS PERSON NAME AND TITLE	LUKE SELKING

ADDRESS  
CITY/STATE/ZIP  
PREFERRED TELEPHONE  
SECONDARY TELEPHONE  
EMAIL ADDRESS

1501 HALE AVENUE  
FORT WAYNE, IN 46802  
260/439-1290

[LSELKING@NISOURCE.COM](mailto:LSELKING@NISOURCE.COM)

**LOCATE MARKS:**

DATE LOCATE REQUESTED  
DATE LOCATE PERFORMED  
DATE OF EVENT  
LOCATE NUMBER  
811 DAMAGE NOTIFICATION NUMBER  
WERE LOCATE MARKS VISIBLE  
DID THE EXCAVATOR WHITE LINE  
WERE MAPS USED TO MARK FACILITY  
WAS THERE A POSITIVE RESPONSE FROM OPERATOR/HOW  
WAS OPERATOR EMPLOYEES ON SITE AT TIME OF INCIDENT

04/28/11  
5/2/11  
05/05/11  
1104280850  
1105051998  
Unknown  
No  
Unknown  
Unknown  
No

**INJURIES:**

NUMBER OF OUT-PATIENT  
NUMBER OF IN-PATIENT INJURIES  
WAS LOCAL FIRE DEPARTMENT CALLED  
FIRE DEPARTMENT NAME  
FIRE DEPARTMENT RESPONSE DESCRIPTION  
WAS LOCAL POLICE DEPARTMENT CALLED  
DEPARTMENT NAME  
POLICE DEPARTMENT RESPONSE DESCRIPTION  
ANY OTHER RESPONSE - IF SO, WHO AND DESCRIBE

0  
0  
Yes per damage ticket comments  
Unknown  
Unknown  
Unknown  
Unknown  
Unknown  
Unknown

DESCRIBE WHAT HAPPENED AND WHY

NIPSCO gas main struck and damaged during excavation with mechanized equipment by HRP Construction. Excavator failed to utilize hand excavation.



**EXCAVATING•SEWERS•WATERMAINS**

*"Working To Be Of Service"*

October 5, 2011

Indiana Utility Regulatory Commission  
Pipeline Safety Division – Case No. 371  
101 West Washington St.  
Suite 1500 E.  
Indianapolis, IN 46204

CERTIFIED LETTER #7009 0820 0001 9476 7976

Attn: Mr. William Boyd  
Director, Pipeline Safety Division

Email: PipelineDamageCase@urc.in.gov

Re: Pipeline Safety Division Case No. 371

Gentlepersons,

We are writing in response to your letter of September 23, 2011 advising us of an alleged violation of Indiana Code 8-1-26 which occurred on 5/5/11 to a facility owned by NIPSCO on Pleasant St. in South Bend, Indiana, St. Joseph County.

We disagree with the suggestion that we committed the following Property Damage Violation: IC8-1-26-16(g): Failure to Provide Notice of Excavation. Accordingly we will provide documentation in support of our position within 30 days of the date of your letter. This is not that letter, but it is an attempt to respond to two other requests in your letter:

1. HRP Construction Inc., at the address you used, is the legal and business entity. Laurie Huys is an administrative assistant who did, and regularly does, notify 811 but likely does not have full legal authority to represent the business in the resolution of this matter. Paul J. Fallon is HRP's president, will represent and speak for, and has the authority to resolve this matter on behalf of, HRP.

2. Other parties or witnesses with relevant information for the Pipeline Safety Division would include:

- a. Various staff members of Indiana 811 who received and/or can and will acknowledge the receipt of our calls requesting “locates” in advance for the spot where the damage took place. We are working to receive copies / confirmations of our requests prior to our formal letter of defense. If we are successful in this regard, you may decide you don't need to contact these people yourselves.
- b. Joseph Jonas, our Field Supervisor, whose recollection of the facts will be included in our forthcoming letter of defense. He can be contacted through HRP.
- c. Approximately 8 – 11 other HRP employees (Robert Bagley, Brandon Wolfe, Dave Loimaugh, Ray Frazier, Mark Auer, Tim Ambs, Mike Patton, Dave Bennett, and possibly Ron Haskins, John Schafer, and George Grenert) on the site the day of the incident, who could confirm statements made by us in our forthcoming letter of defense. They can be contacted through HRP.
- d. Allen O'Donnell (Home address: 1021 S. Main St., Mishawaka, IN 46544 and cell phone 574-320-1140) USIC's area locator who marked the lines, but did so without knowing or indicating where the main ended or (of) the existence of two services going north, and freely admitted so to our staff.

Should you be in need of any other further information at this time, please feel free to contact us.

Sincerely,  
HRP Construction Inc.



Paul J. Fallon



Laurie Huys

# HRP CONSTRUCTION

## EXCAVATING•SEWERS•WATERMAINS

*"Working To Be Of Service"*

October 20, 2011

Indiana Utility Regulatory Commission  
Pipeline Safety Division – Case No. 371  
101 West Washington St.  
Suite 1500 E.  
Indianapolis, IN 46204

OVERNIGHT VIA UPS #1Z99T8T60198166436  
EMAIL: [pipelinedamagecase@urc.in.gov](mailto:pipelinedamagecase@urc.in.gov) &  
[kklinger@urc.in.gov](mailto:kklinger@urc.in.gov)

Attn: Mr. William Boyd  
Director, Pipeline Safety Division

Email: [PipelineDamageCase@urc.in.gov](mailto:PipelineDamageCase@urc.in.gov) and  
[kklinger@urc.in.gov](mailto:kklinger@urc.in.gov) (Per Kelsey Klinger's suggestion)

Re: Pipeline Safety Division Case No. 371

Gentlepersons,

We are writing in response to your letter of September 23, 2011 advising us of an alleged violation of Indiana Code 8-1-26 which occurred on 5/5/11 to a facility owned by NIPSCO on Pleasant St. in South Bend, Indiana, St. Joseph County.

We disagree with the suggestion that we committed the following Property Damage Violation: IC8-1-26-16(g): Failure to Provide Notice of Excavation.

In our previous letter to you, of 10/5/11 (copy enclosed), which was also relevant to the same case #371, we responded immediately, as per your request that we do so, to requests you made for information on:

1. The status of HRP and who has authority to resolve this matter on its behalf.
2. Other parties or witnesses with relevant information.

---

Shipping:	5777 Cleveland Road	South Bend, IN 46628-9418	Phone 574-271-7800
Mailing:	P.O. Box 266	South Bend, IN 46624-0266	FAX 574-271-0524

The purpose of this letter is to firmly refute, and exonerate ourselves from, that incorrect preliminary finding that we may have violated the portion of the statute you have identified, asserting we failed to provide proper notice of excavation.

At this time, our presentation of proof of our innocence of the charge / initial finding consists of 5 enclosed documents (attachments). While attachment #4 is the one that proves the allegation incorrect and baseless, the other 4 documents are supporting and give valuable perspective.

#### Attachment #1

The project upon which we were working when we hit the unmarked facility was the City of South Bend's "Pleasant Street Sewer Separation Project Phase 2, Project No. 109-029". It basically consisted of new storm sewers on Pleasant St. from west of 29<sup>th</sup> St. easterly through 31<sup>st</sup> St. to the west end of the Logan St. intersection. At each intersection, new catch basins and/or inlets were installed.

This attachment, most of Project Plan Sheet #2 of 55, which was entitled "Schematic Plan Survey Layout and Control" provides an overview of the project area.

#### Attachment #2

This is taken from the same set of plans for the same project as described in attachment #1, copied from sheet #11 of 55, which was titled, "Plan and Profile Line A2 – Sta 30+05 to Sta 35+50". (The line and station designations are not significant to our discussion today.) We provide this attachment to show our recollection of where the facility was damaged, within the northwest quadrant of the intersection of Pleasant St. and 31<sup>st</sup> St.

#### Attachment #3

Is a copy of an invoice received from NIPSCO billing us for costs incurred by them as a result of our damaging their (unmarked) facility. We do not dispute that we damaged a facility at that location. While we do not intend to pay the bill, we include it only to establish that all parties agree the unmarked facilities were damaged within the intersection of 31<sup>st</sup> St. and Pleasant St. (Neither party asserts we damaged any other NIPSCO facility that day.)

We find it pertinent to note that those who assert HRP failed to give notice are acknowledging and agreeing with our contention, and the locator's admission, that the damaged facilities were unmarked. The locator explained he did not mark the gas lines in the area because he "did not know where the main ended" and "wasn't even aware of the two services going north". The locator's explanation of why he did not mark part of the main and two services certainly leads one to believe he must have received a request.

So the only issue for you, the third party, to decide is whether or not HRP, the excavator, provided proper notification.

#### Attachment #4

Is a copy of the record of our call in "ticket" #1104280850, confirming our call made "4/28/2011" requesting locates "in the entire intersection" of Pleasant St. and 31<sup>st</sup> St., South Bend. Please note that the date of our request is more than 2 full business days before, and less than 20 days before, the 5/5/11 date of the damage. (This means our notification was timely.) In case someone tries to read the ticket creatively, the "s" in front of 31<sup>st</sup> St. is not an abbreviation for "South". It was added by 811 staff or automatic format, we suspect to indicate "starting at". Laurie Huys confirms we did not use the word "South" in our description.

#### Attachment #5

Is a copy of the record of our call in "ticket" #1104130998", confirming our call made "4/13/2011" which is 15 days earlier than the notice described in attachment #4, and also requested locates within the "entire intersection of 31<sup>st</sup> St. and Pleasant St." While we realize this locate was no longer current on the 5/5/11 date of the damage, it establishes that:

1. Our locate request of 4/28/11 was not a fluke or aberration but instead, a repeat call, reflective of a system of conformance to the law concerning notification.
2. The same locate information had been requested more than once, and yet not provided (again because the locator did not know where the main stopped or even of the existence of two services. How could he mark them?)

October 20, 2011

Page 4 of 4

After your review of these materials and this issue, please provide us written confirmation that we have been found to be innocent of this allegation. If you are unable to do so, please let us know what more information you might need and, if warranted, when we might meet with you, the Advisory Board and/or the Commission to further discuss these matters.

Assuming you concur with our conclusion, please consider filing an allegation against NIPSCO for failure to properly locate their facilities. We don't want to be vindictive, but NIPSCO needs to improve its performance in cases like these. We are all lucky no one got hurt.

Thank you for your time and consideration.

Sincerely,  
HRP Construction Inc.

A handwritten signature in black ink, appearing to read "Paul J. Fallon". The signature is stylized with a large, looped "P" and "F".

Paul J. Fallon

Enclosures: Letter of 10/5/11

Attachments: 1 – 5 All Dated 10/20/11



**EXCAVATING•SEWERS•WATERMAINS**

*"Working To Be Of Service"*

October 5, 2011

Indiana Utility Regulatory Commission  
Pipeline Safety Division – Case No. 371  
101 West Washington St.  
Suite 1500 E.  
Indianapolis, IN 46204

CERTIFIED LETTER #7009 0820 0001 9476 7976

Attn: Mr. William Boyd  
Director, Pipeline Safety Division

Email: PipelineDamageCase@urc.in.gov

Re: Pipeline Safety Division Case No. 371

Gentlepersons,

We are writing in response to your letter of September 23, 2011 advising us of an alleged violation of Indiana Code 8-1-26 which occurred on 5/5/11 to a facility owned by NIPSCO on Pleasant St. in South Bend, Indiana, St. Joseph County.

We disagree with the suggestion that we committed the following Property Damage Violation: IC8-1-26-16(g): Failure to Provide Notice of Excavation. Accordingly we will provide documentation in support of our position within 30 days of the date of your letter. This is not that letter, but it is an attempt to respond to two other requests in your letter:

1. HRP Construction Inc., at the address you used, is the legal and business entity. Laurie Huys is an administrative assistant who did, and regularly does, notify 811 but likely does not have full legal authority to represent the business in the resolution of this matter. Paul J. Fallon is HRP's president, will represent and speak for, and has the authority to resolve this matter on behalf of, HRP.


---

Shipping:	5777 Cleveland Road	South Bend, IN 46628-9418	Phone 574-271-7800
Mailing:	P.O. Box 266	South Bend, IN 46624-0266	FAX 574-271-0524


2. Other parties or witnesses with relevant information for the Pipeline Safety Division would include:
  - a. Various staff members of Indiana 811 who received and/or can and will acknowledge the receipt of our calls requesting “locates” in advance for the spot where the damage took place. We are working to receive copies / confirmations of our requests prior to our formal letter of defense. If we are successful in this regard, you may decide you don’t need to contact these people yourselves.
  - b. Joseph Jonas, our Field Supervisor, whose recollection of the facts will be included in our forthcoming letter of defense. He can be contacted through HRP.
  - c. Approximately 8 – 11 other HRP employees (Robert Bagley, Brandon Wolfe, Dave Lolmaugh, Ray Frazier, Mark Auer, Tim Ambts, Mike Patton, Dave Bennett, and possibly Ron Haskins, John Schafer, and George Grenert) on the site the day of the incident, who could confirm statements made by us in our forthcoming letter of defense. They can be contacted through HRP.
  - d. Allen O'Donnell (Home address: 1021 S. Main St., Mishawaka, IN 46544 and cell phone 574-320-1140) USIC's area locator who marked the lines, but did so without knowing or indicating where the main ended or (of) the existence of two services going north, and freely admitted so to our staff.

Should you be in need of any other further information at this time, please feel free to contact us.


Sincerely,  
HRP Construction Inc.



Paul J. Fallon




Laurie Huys



Approx Location of Un-  
MARCO Damasco NIPSCO  
GAS FACILITY

**Limits of Work (Typ.)**



**WITNESS TIES**

- VT 113 PK NAIL SET
- 25°W 25.04', 3/8" REBAR SET 1', E. OF SIDEWALK
- 70°W 19.72', PK NAIL IN N. FACE OF PWP #J285/213
- 20°E 75.28', 1/2" IRON PIPE
- VT 114 PK NAIL SET
- 16°E 49.98', 1/2" IRON PIPE
- 15°E 28.87', PK NAIL IN W. FACE OF PWP#198
- 10°W 28.82', PK NAIL IN W. SIDE OF 12" TREE
- VT 115 PK NAIL SET
- 15°W 36.40', LANG/FEENEY BAR & CAP
- 5°E 21.33', PK NAIL IN S. FACE OF PWP #J285/640
- 3°E 139.15', 3/4" PINCH PIPE
- VT 116 CALC POINT (FALLS IN MANHOLE)
- 9°E 52.00', 3/4" PINCH PIPE
- 9°W 51.41', 3/4" IRON PIPE

**WITNESS TIES**

- POINT 125 PK NAIL SET
- N36°E 49.81', 1/2" IRON PIPE
- S37°W 50.07', 3/4" PINCH PIPE
- N70°W 120.34', 1" IRON PIPE
- POINT 126 CHISELED "X" SET
- N70°E 32.00', 3/4" PINCH PIPE
- S84°W 30.19', 1/2" IRON PIPE
- S45°E 39.91', 3/8" REBAR 1', W. OF SIDEWALK
- POINT 127 PK NAIL SET
- N60°E 20.00', PK NAIL IN N. FACE PWP #J285/642
- N89°W 52.49', PK NAIL IN S. FACE PWP #J289/315
- S70°W 25.45', 3/8" REBAR 1', E. OF SIDEWALK
- POINT 128 PK NAIL SET
- S60°W 81.59', 1" IRON PIPE
- S61°E 83.43', 3/4" IRON PIPE

**ALIGNME**

PointNo.	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127
23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23

In September, 2008, and is for their use  
 This is not a boundary survey. Right-of  
 and limited research. All right-of-way c  
 Basis of Elevation is the disc at the soil  
 Bend Ironwood @ River Signalization proje

Attachment # 1/5  
 HRD Response to U.R.C. Allegation  
 10/20/11

FROM PLAND  
 SHEET # 2  
 55

APPROX. LOCATION  
OF UNMARKED  
DAMAGED NIPSCO  
GAS FACILITY  
DAMAGES

31st S

Line S-8-A

End Work  
Line S-8 Sta 50+80

3105 Pleasant St.

3105 Pleasant St.

IRM NO. 7

STR 112

STR 111

STR 205

STR 601

STR 411

SOIL BORING #3  
ELEV. 715.00

Pleasant Street

STR 501

STR 502

P501

San Lat 4  
(Core Rec)

Scale 1" = ±20'

1207 31st St.

Begin Work  
Sta 49+25

st street

ATTACHMENT # 2/5  
HRP RESPONSE TO I.U.R.C. Allegations  
10/20/11

3102 Pleasant St.

3106 Pleasant St.

49+00

33+00

CS

CS

CS

CS

CS

CS

CS

8-W

**Northern Indiana Public Service Company  
DAMAGE CLAIM BILL**

CLAIM NO.: 11 1348

JOB ORDER NO.: 540964

DATE: August 24, 2011

HRP Construction  
5777 Cleveland Road  
South Bend, IN 46628

**RECEIVED**

AUG 29 2011

**HRP CONSTRUCTION**

PAYMENT DUE 28 DAYS FROM ABOVE DATE.  
PLEASE MAKE REMITTANCE PAYABLE TO:

NORTHERN INDIANA PUBLIC SERVICE COMPANY  
801 E. 86TH AVENUE  
MERRILLVILLE, INDIANA 46410-6271  
ATTENTION: FACILITY DAMAGES RECOVERY

AMOUNT REMITTED

AMOUNT DUE
\$3,078.47

PLEASE DETACH HERE AND RETURN THIS PORTION WITH PAYMENT

DATE	DESCRIPTION	AMOUNT
5/5/2011	Expense incurred as the result of damage to NIPSCO facilities located in the vicinity of 31st Street and Pleasant Avenue, South Bend, Indiana, by the above organization.	
	<i>DATE AND LOCATION OF DAMAGED (UNMARKED) FACILITY</i>	
	LABOR:	\$ 2,497.67
	MATERIAL:	11.21
	EQUIPMENT:	330.03
	GAS LOSS:	193.12
	MEALS:	<u>46.44</u>
	<b>TOTAL EXPENSE:</b>	<b>\$ 3,078.47</b>
	<i>ATTACHMENT # 3/5 HRP RESPONSE TO I.U.R.C. Allegation 10/20/11</i>	
	If you have any questions regarding this bill, please contact Mary Lechowicz, Leader Facility Damages, at 219-647-4033 or 1-800-884-2684	
	 <b>Know what's below. Call before you dig.</b>	

Northern Indiana Public Service Company  
DAMAGE CLAIM BILL

CLAIM NO.: 11 1348

JOB ORDER NO.: 540964

DATE: August 24, 2011

NORMAL NOTICE JOB EXTENSION

Ticket : 1104280850 Date: 04/28/2011 Time: 10:01 Oper: SPOPE Chan:044

State: IN Cnty: ST JOSEPH Twp: PORTAGE  
Cityname: SOUTH BEND Inside: Y Near: N  
Subdivision:

Address :

Street : PLEASANT ST  
Cross 1 : S 31ST ST Within 1/4 mile: Y  
Location: LOCATE ENTIRE INTERSECTION

Grids : 4139B8612D 4139A8612D 4139B8612C 4139A8612C

Work type : SEPARATE STORM SEWER

Done for : CITY OF SOUTH BEND

Start date: 05/02/2011 Time: 10:15 Hours notice: 96/048 Priority: NORM

Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N

Duration : 6 MONTHS Depth: 20 FEET

Company : H.R.P CONSTRUCTION Type: CONT

Co addr : 5777 CLEVELAND RD

City : SOUTH BEND State: IN Zip: 46628

Caller : LAURIE HUYS Phone: (574)271-7800

Contact : JOE JONAS - CELL Phone:

BestTime:

Mobile : (574)274-5716

Fax : (574)271-0524

Email : LAURIEH@HRPCONSTRUCTION.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time  
NEEDS ALL UTILITIES TO REMARK AS NEEDED--PREV TICKET 1104130998--THANK YOU  
Will you be white-lining the dig site area? NO

Submitted date: 04/28/2011 Time: 10:01

Members: AEPIN COMCN ID5610 NIPSCO SBCIN SM

ATTACHMENT # 4/5  
HRP RESPONSE TO I.U.R.C. ALLEGATION  
10/20/11

NORMAL NOTICE

Ticket : 1104130998 Date: 04/13/2011 Time: 09:27 Oper: SPOPE Chan:044

State: IN Cnty: ST JOSEPH Twp: PORTAGE  
Cityname: SOUTH BEND Inside: Y Near: N  
Subdivision:

Address :  
Street : PLEASANT ST  
Cross 1 : S 31ST ST Within 1/4 mile: Y  
Location: LOCATE ENTIRE INTERSECTION  
:  
Grids : 4139B8612D 4139A8612D 4139B8612C 4139A8612C

Work type : SEPARATE STORM SEWER  
Done for : CITY OF SOUTH BEND  
Start date: 04/15/2011 Time: 09:45 Hours notice: 48/048 Priority: NORM  
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N  
Duration : 6 MONTHS Depth: 20 FEET

Company : H.R.P CONSTRUCTION Type: CONT  
Co addr : 5777 CLEVELAND RD  
City : SOUTH BEND State: IN Zip: 46628  
Caller : LAURIE HUYS Phone: (574)271-7800  
Contact : JOE JONAS - CELL Phone:  
BestTime:  
Mobile : (574)876-4344  
Fax : (574)271-0524  
Email : LAURIEH@HRPCONSTRUCTION.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time  
Will you be white-lining the dig site area? NO  
:

Submitted date: 04/13/2011 Time: 09:27  
Members: AEPIN COMCN ID5610 NIPSCO SBCIN SM

ATTACHMENT # 5/5  
HRP RESPONSE TO I.U.R.C. ALLEGATION  
10/20/11