



Pipeline Safety Division Investigation Report

Investigation regarding: Crosby Excavating Incorporated

UPPAC Database Record ID: 4010

Report Date: 7/9/2013

Investigator: Mike Orr

Damage Date: 10/9/2012 10:39:35 AM

Damage Address: 6705 Covington Rd, Fort Wayne, Allen

The Parties

Excavator: Crosby Excavating Incorporated

Address: 5800 Fairfield Avenue Suite 120, Fort Wayne, In 46807

Facility Owner: NIPSCO

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Service/Drop

Type of Equipment: Backhoe/Trackhoe

Type of Work Performed: Sewer

Damage Impact

Product Release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 1

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$

Excavator Activities/Cause of Damage Information:

Excavator Request Locates: Yes

Indiana 811 Ticket Number: 1210010368

Original Start Date:

Locate Instructions: FROM ABOVE REFERENCED PROPERTY LOCATE EAST 1500 LF FROM CENTERLINE OF ROAD TO SOUTH ROW

Follow-Up Locate Instructions (if applicable):

Synopsis: Excavator struck and damaged an underground natural gas service while performing drainage work.

Findings: Reported by Indiana 811; excavator's response to initial notice was received on 1/2/2013. The excavator had a valid locate ticket; however, the gas operator failed to provide markings for the service line after properly marking the main.

Conclusion: There was a failure to provide accurate locate markings for the gas service line.

Violation: IC 8-1-26-18(f) Operator failed to locate or provided incorrect locate markings.



150 West Market Street, Suite 600
Indianapolis, IN 46204

January 30, 2013

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 4010
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 4010

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 10/9/2012

Event Location: 6705 Covington Rd

Facility Owner: Northern Indiana Public Service Company

Excavator: Crosby Excavating Incorporated

Other Party: N/A

Pipeline Division Case No. 4010

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com

IURC INFORMATION REQUEST	
Pipeline Safety Division Case No. 4010	
Date of Event	10/9/2012
Event Location	6705 Covington Rd
Event City	Fort Wayne
Facility Owner	Northern Indiana Public Service Company
Excavator	Crosby Excavating Incorporated
Date of IURC Information Request	12/5/2012
THE PARTIES	
EXCAVATOR:	
BUSINESS NAME	Crosby Excavating
RESPONSIBLE PARTY PERSONAL NAME	
TITLE (IF ANY)	
ADDRESS	5800 Fairfield Avenue Suite 120
CITY/ STATE/ZIP	Fort Wayne, IN 46807
PREFERRED TELEPHONE	260-447-1053
CELL PHONE TELEPHONE	260-740-1427
EMAIL ADDRESS	RREUILLE@CROSBYEXC.COM
FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
LOCATOR SERVICE INFORMATION	
BUSINESS NAME	USIC
RESPONSIBLE PARTY PERSONAL NAME	Morgan Thompson
TITLE (IF ANY)	Claims Coordinator
ADDRESS	9045 N. River Rd. Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	1-317-538-7301
CELL PHONE TELEPHONE	Same
EMAIL ADDRESS	morganthompson@usicinc.com
OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	
TITLE (IF ANY)	

ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
UTILITY LINE IMPACT	
LOCATION OF DAMAGE	
ADDRESS	6316 W Jefferson or 6705 Covington Rd
CITY/STATE/ZIP	Fort Wayne, IN 46804
NEAREST INTERSECTION	Cheri Ct
PRODUCT TYPE (Select One)	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
FACILITY TYPE (Select One)	
DISTRIBUTION	
GATHERING	
SERVICE/DROP	X
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	1 1/8"
PRESSURE (PSIG/INCHES)	40
INTERRUPTION IN SERVICE (YES/NO)	Y
NUMBER OF CUSTOMERS AFFECTED	1
EVACUATION (YES/NO)	N
IF YES, HOW MANY EVACUATED	0
REPAIR COST (IF KNOWN) (\$)	
CAUSE OF DAMAGE INFORMATION:	
TYPE OF EQUIPMENT (Select One)	
Auger	
Backhoe/Trackhoe	X
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	
Probing Device	

Trancher	
Vacuum Equipment	
Unknown/Other	
TYPE OF WORK PERFORMED (Select One)	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	X
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	
Sewer (Sanitary/Storm)	
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	
RELEASE OF PRODUCT (YES/NO)	Y
IGNITION AND/OR FIRE (YES/NO)	N
EXCAVATOR NOTIFY 811 (YES/NO)	Y- 1210091173
LOCATE INFORMATION:	
EXCAVATOR REQUEST LOCATE (YES/NO)	Y

INDIANA 811 LOCATE TICKET NUMBER	1210010368
LOCATE MARKS VISIBLE (YES/NO)	Y
LOCATE MARKS CORRECT (YES/NO)	N
EXCAVATOR "WHITE LINED" (YES/NO)	N
MAPS USED TO MARK FACILITIES (YES/NO)	Y
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	N
INCIDENT IMPACT INFORMATION	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FATALITIES	0
FIRE DEPARTMENT RESPONSE (YES/NO)	Y
POLICE DEPARTMENT RESPONSE (YES/NO)	
AMBULANCE RESPONSE (YES/NO)	
ADDITIONAL INFORMATION/COMMENTS	
Facility marking or location not sufficient Nipsco emergency repair ticket 1210091573	

NAMES OF UTILITY REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:

N/A

NAMES OF EXCAVATOR'S REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:

N/A

LIST ANY OTHER INDIVIDUALS ON SITE:

N/A

WERE ANY MARKINGS VISIBLE ON THE DAMAGE SITE UPON ARRIVAL? No

WERE ANY OTHER INDICATORS OF FACILITY PRESENT IN THE AREA? Yes

WAS THE EXCAVATION WITHIN THE TOLERANCE ZONE OF MARKS? No

EXTENT OF FACILITY DAMAGE CUT PLASTIC SERVICE

REPLACEMENT FOOTAGE 3

WAS CONTRACTOR ASSISTANCE REQUIRED? IF YES, WHO? No

WHAT CONTRACTOR EQUIPMENT WAS USED? N/A

IS THE FACILITY SHOWN ON THE UTILITY RECORDS? No

IF YES, PLEASE LIST RECORD #(S) N/A

NIPSCO 00082 IUPPSa 10/01/2012 08:26:04 1210010368-00A NORM NEW GRID

NORMAL NOTICE JOB EXTENSION

CASE #
4010

Ticket : 1210010368 Date: 10/01/2012 Time: 08:25 Oper: RYAN.REUILLE Chan:000
Old Tkt: 1209130504 Date: 09/13/2012 Time: 08:45 Oper: RYAN.REUILLE Rev: 00A

State: IN Cnty: ALLEN Twp: ABOITE
Cityname: FORT WAYNE Inside: Y Near: N
Subdivision:

Address : 6705
Street : COVINGTON RD
Cross 1 : CHERI CT Within 1/4 mile: Y
Location: FROM ABOVE REFERENCED PROPERTY TRAVEL 1500 LF EAST THEN LOCATE EAST
1500 LF FROM CENTERLINE OF ROAD TO NORTH ROW
***Boring Where = IN NORTH AND SOUTH ROW

:
Grids : 4103B8513D 4103B8513C 4103B8513B 4103B8513A
Boundary: n 41.060749 s 41.059059 w -85.232269 e -85.219818

Work type : UTILITY INSTALLATION
Done for : PROPERTY OWNER
Start date: 10/03/2012 Time: 08:45 Hours notice: 48/48 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
Duration : 3 MONTHS Depth: 10 FEET

Company : CROSBY EXCAVATING INCORPORATED Type: CONT
Co addr : 5800 FAIRFIELD AVENUE SUITE 120
City : FORT WAYNE State: IN Zip: 46807
Caller : RYAN REUILLE Phone: (260)447-1053
Contact : URBAN LEY---CELL Phone:
BestTime:
Mobile : (260)740-1427
Fax : (260)447-6226
Email : RREUILLE@CROSBYEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
Will you be white-lining the dig site area? NO

:

Submitted date: 10/01/2012 Time: 08:25
Members: AEPIN AQUA CC FW ID4636 ID7151 ID8000 NIPSCO SM

NIPSCO 00306 IUPPSa 10/09/2012 10:39:36 1210091173-00A EMER DAMG GRID

CASE #
4010

DAMAGE SEE REMARKS

Ticket : 1210091173 Date: 10/09/2012 Time: 10:36 Oper: AGRIGGS Chan:074

State: IN Cnty: ALLEN Twp: ABOITE
Cityname: FORT WAYNE Inside: Y Near: N
Subdivision:

Address : 6705
Street : COVINGTON RD
Cross 1 : CHERI CT Within 1/4 mile: Y
Location: FROM ABOVE REFERENCED PROPERTY LOCATE EAST 1500 LF FROM CENTERLINE OF
ROAD TO SOUTH ROW
***Boring Where = IN NORTH AND SOUTH ROW

:
Grids : 4103B8513D 4103B8513C 4103B8513B 4103B8513A
Boundary: n 41.060490 s 41.059158 w -85.233147 e -85.219734

Work type : UTILITY INSTALLATION
Done for : PROPERTY OWNER
Start date: 10/09/2012 Time: 10:36 Hours notice: 0/0 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: Y
Duration : 3 MONTHS Depth: 10 FEET

Company : CROSBY EXCAVATING INCORPORATED Type: CONT
Co addr : 5800 FAIRFIELD AVENUE SUITE 120
City : FORT WAYNE State: IN Zip: 46807
Caller : JEREMY RIETDORF Phone: (260)447-1053
Contact : URBAN LEY---CELL Phone:
BestTime:
Mobile : (260)740-1427
Fax : (260)447-6226
Email : RREUILLE@CROSBYEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
A NIPSCO GAS LINE HAS BEEN HIT AND HAS BEEN PINCHED NEAR THE ADDRESS OF 6406
COVINGTON ROAD IN COLONY BAY APARTMENTS - YELLOW PLASTIC LINE APPROX 3/4 INCH
DIAMETER - ADVISED TO CALL 911 - ADVISED TO CALL NIPSCO - CREW ON SITE -
PREVIOUS TICKET NUMBERS 1210010362- 1210010364- 1210010368
Will you be white-lining the dig site area? NO

:
Submitted date: 10/09/2012 Time: 10:36
Members: AEPIN AQUA CC FW ID4636 ID7151 ID8000 NIPSCO SM

NORTHERN INDIANA PUBLIC SERVICE COMPANY FACILITY DAMAGE REPORT

** COMPLETE FORM FOR ALL DAMAGES TO NIPSCO FACILITIES **

REPORTING OPERATING AREA FTW 220 MAXIMO WO # _____
 OPERATING AREA CONTACT Haner JOB ORDER # 564446
 TRACKING NUMBER 01820121009003 LOCATE REF # 01210010364
 Locate Performed By: _____

DATE AND TIME OF ACCIDENT 10-9-12 20____ M DATE OF REPORT 10-9-12
 PLACE OF DAMAGE (INCLUDE CITY) FTW, 6316 W Jefferson

DAMAGE WAS TO:

ELECTRIC - POLE / TRANSFORMER: # _____ SIZE _____ YEAR INSTALLED _____ BROKEN YES () NO ()

OTHER (DESCRIBE) _____

GAS: SERVICE MAIN () SIZE 1 1/8 MATERIAL: PLASTIC STEEL () METER () REG STATION () STUB ()
 OTHER (DESCRIBE) _____

DEPTH OF FACILITY (inches) 34" PRESSURE (PSI) 40 Lbs.

RELEASE OF GAS: YES NO () IGNITION OF GAS: YES () NO EVACUATION REQUIRED: YES () # _____ NO

INTERRUPTION OF SERVICE: YES NO () NUMBER OF CUSTOMERS LOST: 1

DURATION OF INTERRUPTION: TIME REPORTED 9:58 AM TIME SHUT OFF 11:30 AM TIME RESTORED 1:30 P.M.

DIAMETER/MEASUREMENT OF HOLE IN GAS FACILITY: complete cut - 1"

LOCATE MARKS ON SITE: YES DISTANCE BETWEEN FACILITY AND LOCATE MARKS 60' NO ()
 HOW LOCATED: PAINT FLAGS () BOTH () WHITE LINED ()

PARTY THAT CAUSED DAMAGES (NAME) Crosby Ex Roberto Ganzaletz (foreman)

ADDRESS OF PARTY (INCLUDE CITY) 5800 Fairfield Ste 120 447-1053

WHO WAS IN CHARGE OF THE WORK SITE AT TIME OF DAMAGE Roberto Ganzaletz

WITNESS NAME AND ADDRESS None

WITNESS REMARKS None

AGENCIES NOTIFIED / ONSITE: POLICE () AGENCY _____ REPORT # _____

FIRE AGENCY FTWF REPORT # _____

OTHER () _____ Any Injuries? () YES # _____ NO

PHOTOS TAKEN: YES () NO TAKEN BY: _____ (ATTACH PHOTOS TO REPORT)
 MEDIA ON SITE YES () NO

WORK IN PROGRESS WHEN FACILITY DAMAGED - CHECK APPROPRIATE CHOICE BELOW

- | | | | |
|--|-------------------------------------|--|---|
| <input type="checkbox"/> AGRICULTURE/FARMING | <input type="checkbox"/> CABLE TV | <input type="checkbox"/> CURB/SIDEWALK | <input type="checkbox"/> TELECOMMUNICATIONS |
| <input type="checkbox"/> BLDG CONSTRUCTION | <input type="checkbox"/> DEMOLITION | <input checked="" type="checkbox"/> DRAINAGE | <input type="checkbox"/> WATER |
| <input type="checkbox"/> DRIVEWAY | <input type="checkbox"/> ELECTRIC | <input type="checkbox"/> SURVEYING | <input type="checkbox"/> DRAINS/CULVERTS |
| <input type="checkbox"/> FENCING | <input type="checkbox"/> GRADING | <input type="checkbox"/> IRRIGATION | <input type="checkbox"/> MOWING |
| <input type="checkbox"/> LANDSCAPING | <input type="checkbox"/> PIPELINE | <input type="checkbox"/> MILLING | <input type="checkbox"/> OTHER _____ |
| <input type="checkbox"/> POLE/SIGN POST | <input type="checkbox"/> ROAD WORK | <input type="checkbox"/> SEWER | |

TYPE OF EQUIPMENT USED - CHECK APPROPRIATE CHOICE BELOW

- | | | |
|--|---|--|
| <input type="checkbox"/> AUGER | <input type="checkbox"/> HAND TOOLS | <input checked="" type="checkbox"/> BACKHOE/TRACKHOE |
| <input type="checkbox"/> MILLING EQUIPMENT | <input type="checkbox"/> PROBING DEVICE | <input type="checkbox"/> BORING / DRILLING |
| <input type="checkbox"/> EXPLOSIVES | <input type="checkbox"/> TRENCHER | <input type="checkbox"/> FARM EQUIPMENT |
| <input type="checkbox"/> VACCUUM EQUIPMENT | <input type="checkbox"/> GRADER | <input type="checkbox"/> OTHER _____ |

REASON DAMAGE OCCURRED - CHECK APPROPRIATE CHOICE BELOW

- | | | |
|--|--|---|
| <input type="checkbox"/> AUTOMOTIVE ACCIDENT | <input type="checkbox"/> EXCAVATING BEFORE LOCATES DUE | <input type="checkbox"/> CARELESS MACHINE OPERATOR |
| <input type="checkbox"/> NO NOTIFICATION | <input type="checkbox"/> MARKS DISTURBED | <input type="checkbox"/> STUB |
| | | <input checked="" type="checkbox"/> OTHER <u>Locator Located incorrect area</u> |

• SEE REVERSE SIDE FOR COMMENTS AND DIAGRAM

COMMENTS:

Locator located incorrect area
Main located service was not

PERSON PREPARING REPORT

L Hunter


FIELD SUPERVISOR

[Signature]

FIELD MANAGER

- ORIGINAL REPORT AND SUPPORTING INFORMATION IS TO BE SENT TO FACILITY DAMAGE RECOVERY
- COPY OF REPORT IS TO BE SENT TO DAMAGE PREVENTION

SKETCH: - Show position of all pertinent information



FOR OFFICE USE ONLY:

- DID EXCAVATION OCCUR BEFORE LOCATES WERE DUE YES NO
- NO IN 811 LOCATE CALLED IN YES NO
- DAMAGE CAUSED FROM EXCAVATION WITHIN 24" ZONE YES NO
- EXPIRED LOCATE YES NO
- WAS WHITE LINING INDICATED ON LOCATE REQUEST YES NO

COMPLETED BY: _____ DATE: _____



INFORMATION REQUEST

State Form 54909 (2-12)

INDIANA UTILITY REGULATORY COMMISSION – PIPELINE SAFETY DIVISION

RECEIVED

JAN 02 2013

INDIANA UTILITY
REGULATORY COMMISSION

Case Number: 4010

The Pipeline Safety Division of the Indiana Utility Regulatory Commission requests any and all information you can provide regarding the following criteria.

Upon completion of answers select email button for submission.

The Parties

Excavator Information:

Business Name: Crosby Excavating, Inc.

Responsible Party Personal Name: Ryan Reuille / Roberto Gonzalez

Title (if any): Supervisor

Address (number and street): 5800 Fairfield Ave. Suite 120

City, State and ZIP Code: Fort Wayne, Indiana 46807

Preferred Telephone Number (area code): (260) 447-1053

Cellular Telephone Number (area code): (260) 740-2899

Email Address: rreuille@crosbyexc.com

Facility Information:

Business Name: NIPSCO

Responsible Party Personal Name: _____

Title (if any): _____

Address (number and street): _____

City, State and ZIP Code: _____

Preferred Telephone Number (area code): _____

Cellular Telephone Number (area code): _____

Email Address: _____

Locator Service Information:

Business Name: USIC _____

Responsible Party Personal Name: _____

Title (if any): _____

Address (number and street): _____

City, State and ZIP Code: _____

Preferred Telephone Number (area code): _____

Cellular Telephone Number (area code): _____

Email Address: _____

Cause of Damage Information

Type of Equipment (select one): Backhoe/Trackhoe

Type of Work Performed (select one): Sewer (Sanitary/Storm)

Other Information (Witness, Police, Fire, Other):

Personal Contact: Myron Brodrynkel / Police / Fire (all witnesses) _____

Business/Organization Name: Shawnee Construction / City of Fort Wayne _____

Title (if any): Supervisor / None _____

Address (number and street): 7701 Opportunity Drive _____

City, State and ZIP Code: Fort Wayne, Indiana 46825 _____

Preferred Telephone Number (area code): (260) 489-1234 _____

Cellular Telephone Number (area code): _____

Email Address: _____

Utility Line Impact

Location of Damage:

Address (*number and street*): 6705 Covington Road

City, State and ZIP Code: Fort Wayne, Indiana

Nearest Intersection: Covington Creek Trail

Product Type (*select one*): Natural Gas

Facility Type (*select one*): Service/Drop

Size (Diameter/etc.): 1"

Pressure (PSIG/Inches): _____

Interruption in Service: Yes No **Number of Customers Affected:** _____

Evacuation: Yes No **If yes, How Many Evacuated?** _____

Repair Cost (if known): \$ _____

Release of Product: Yes No

Ignition and/or Fire: Yes No

Excavator Notify 811: Yes No

Locate Information

Excavator Request Locate: Yes No

Indiana 811 Locate Ticket Number: 1210010368, 0364, 0362, 0361, 0358

Locate Marks Visible: Yes No

Locate Marks Correct: Yes No

Excavator "White Lined": Yes No

Maps Used to Mark Facilities: Yes No

Was Locate Provided within Two (2) Working Days: Yes No

Operator Employees On-site during Excavation: Yes No

Incident Impact Information

Number of Outpatient Treated: 0

Number of Inpatient Treated: 0

Number of Fatalities: 0

Fire Department Response: Yes No

Police Department Response: Yes No

Ambulance Response: Yes No

Additional Information / Comments

Area was notified for locate more than 2 working days prior to excavation, locator called to verify location and work performed. No marks or flags were visible. After damage, witnesses (NIPSCO, USIC, Fire, Police, and Shawnee Construction) all agreed that Crosby Excavating was not at fault. NIPSCO has not sent bill for repair.

Pictures are attached of the damage. As you will see, there are no locates for the gas service.

NARRATIVE STATEMENT

Your Pipeline Safety Division Case Number: 4010

Your Full Name: Ryan S. Reuille

Full Name of Business / Entity (if applicable): Crosby Excavating, Inc.


Your Business Title (if applicable): Vice President

Address (number and street): 5800 Fairfield Ave. Suite 120

City: Fort Wayne State: IN ZIP Code: 46807

Your E-mail Address: rreuille@crosbyexc.com

Today's Date (month, day, year): December 20, 2012

Your Signature:  Title (if any) Vice President

Please return your Narrative Statement to:

Pipeline Safety Division – Case Number 4010
Indiana Utility Regulatory Commission
101 West Washington Street, 1500E
Indianapolis, IN 46204

Or scan the statement and Email to:

PipelineDamageCase@urc.in.gov

NORMAL NOTICE JOB EXTENSION

Ticket : 1210010368 Date: 10/01/2012 Time: 08:25 Oper: RYAN.REUILLE Chan:000
 Old Tkt: 1209130504 Date: 09/13/2012 Time: 08:45 Oper: RYAN.REUILLE Rev: 00A

State: IN Cnty: ALLEN Twp: ABOITE
 Cityname: FORT WAYNE Inside: Y Near: N
 Subdivision:

Address : 6705
 Street : COVINGTON RD
 Cross 1 : CHERI CT Within 1/4 mile: Y
 Location: FROM ABOVE REFERENCED PROPERTY TRAVEL 1500 LF EAST THEN LOCATE EAST
 1500 LF FROM CENTERLINE OF ROAD TO NORTH ROW
 ***Boring Where = IN NORTH AND SOUTH ROW

:
 Grids : 4103B8513D 4103B8513C 4103B8513B 4103B8513A

Work type : UTILITY INSTALLATION
 Done for : PROPERTY OWNER
 Start date: 10/03/2012 Time: 08:45 Hours notice: 48/48 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
 Duration : 3 MONTHS Depth: 10 FEET

Company : CROSBY EXCAVATING INCORPORATED Type: CONT
 Co addr : 5800 FAIRFIELD AVENUE SUITE 120
 City : FORT WAYNE State: IN Zip: 46807
 Caller : RYAN REUILLE Phone: (260)447-1053
 Contact : URBAN LEY---CELL Phone:
 BestTime:
 Mobile : (260)740-1427
 Fax : (260)447-6226
 Email : RREUILLE@CROSBYEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
 Will you be white-lining the dig site area? NO

:
 Submitted date: 10/01/2012 Time: 08:25
 Members: AEPIN AQUA CC FW ID4636 ID7151 ID8000 NIPSCO SM

Member Name	Facility Types
AMERICAN ELECTRIC POWER	ELECTRIC
AQUA INDIANA	WATER
COMCAST CABLEVISION - FT WAYNE	CABLE TV
FORT WAYNE, CITY OF	TRAFFIC
FRONTIER	TELEPHONE
INDIANA FIBER NETWORK, LLC	FIBER OPTIC
NIPSCO	GAS & ELECTRIC
RVP FIBER COMPANY L.L.C.	FIBER OPTIC

NORMAL NOTICE JOB EXTENSION

Ticket : 1210010364 Date: 10/01/2012 Time: 08:25 Oper: RYAN.REUILLE Chan:000
 Old Tkt: 1209130505 Date: 09/13/2012 Time: 08:45 Oper: RYAN.REUILLE Rev: 00A

State: IN Cnty: ALLEN Twp: ABOITE
 Cityname: FORT WAYNE Inside: Y Near: N
 Subdivision:

Address : 6705
 Street : COVINGTON RD
 Cross 1 : CHERI CT Within 1/4 mile: Y
 Location: FROM ABOVE REFERENCED PROPERTY TRAVEL 1500 LF EAST THEN LOCATE EAST
 1500 LF FROM CENTERLINE OF ROAD TO SOUTH ROW
 ***Boring Where = IN NORTH AND SOUTH ROW

Grids : 4103B8513D 4103B8513C 4103B8513B 4103B8513A

Work type : UTILITY INSTALLATION
 Done for : PROPERTY OWNER
 Start date: 10/03/2012 Time: 08:45 Hours notice: 48/48 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
 Duration : 3 MONTHS Depth: 10 FEET

Company : CROSBY EXCAVATING INCORPORATED Type: CONT
 Co addr : 5800 FAIRFIELD AVENUE SUITE 120
 City : FORT WAYNE State: IN Zip: 46807
 Caller : RYAN REUILLE Phone: (260)447-1053
 Contact : URBAN LEY---CELL Phone:
 BestTime:
 Mobile : (260)740-1427
 Fax : (260)447-6226
 Email : RREUILLE@CROSBYEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
 Will you be white-lining the dig site area? NO

Submitted date: 10/01/2012 Time: 08:25
 Members: AEPIN AQUA CC FW ID4636 ID7151 ID8000 NIPSCO SM

Member Name	Facility Types
AMERICAN ELECTRIC POWER	ELECTRIC
AQUA INDIANA	WATER
COMCAST CABLEVISION - FT WAYNE	CABLE TV
FORT WAYNE, CITY OF	TRAFFIC
FRONTIER	TELEPHONE
INDIANA FIBER NETWORK, LLC	FIBER OPTIC
NIPSCO	GAS & ELECTRIC
RVP FIBER COMPANY L.L.C.	FIBER OPTIC

NORMAL NOTICE JOB EXTENSION

Ticket : 1210010362 Date: 10/01/2012 Time: 08:25 Oper: RYAN.REUILLE Chan:000
 Old Tkt: 1209130506 Date: 09/13/2012 Time: 08:45 Oper: RYAN.REUILLE Rev: 00A

State: IN Cnty: ALLEN Twp: ABOITE
 Cityname: FORT WAYNE Inside: Y Near: N
 Subdivision:

Address : 6705
 Street : COVINGTON RD
 Cross 1 : CHERI CT Within 1/4 mile: Y
 Location: FROM ABOVE REFERENCED PROPERTY LOCATE EAST 1500 LF FROM CENTERLINE OF
 ROAD TO SOUTH ROW
 ***Boring Where = IN NORTH AND SOUTH ROW

Grids : 4103B8513D 4103B8513C 4103B8513B 4103B8513A

Work type : UTILITY INSTALLATION
 Done for : PROPERTY OWNER
 Start date: 10/03/2012 Time: 08:45 Hours notice: 48/48 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
 Duration : 3 MONTHS Depth: 10 FEET

Company : CROSBY EXCAVATING INCORPORATED Type: CONT
 Co addr : 5800 FAIRFIELD AVENUE SUITE 120
 City : FORT WAYNE State: IN Zip: 46807
 Caller : RYAN REUILLE Phone: (260)447-1053
 Contact : URBAN LEY---CELL Phone:
 BestTime:
 Mobile : (260)740-1427
 Fax : (260)447-6226
 Email : RREUILLE@CROSBYEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
 Will you be white-lining the dig site area? NO

Submitted date: 10/01/2012 Time: 08:25
 Members: AEPIN AQUA CC FW ID4636 ID7151 ID8000 NIPSCO SM

Member Name	Facility Types
AMERICAN ELECTRIC POWER	ELECTRIC
AQUA INDIANA	WATER
COMCAST CABLEVISION - FT WAYNE	CABLE TV
FORT WAYNE, CITY OF	TRAFFIC
FRONTIER	TELEPHONE
INDIANA FIBER NETWORK, LLC	FIBER OPTIC
NIPSCO	GAS & ELECTRIC
RVP FIBER COMPANY L.L.C.	FIBER OPTIC

NORMAL NOTICE JOB EXTENSION

Ticket : 1210010361 Date: 10/01/2012 Time: 08:24 Oper: RYAN.REUILLE Chan:000
 Old Tkt: 1209130507 Date: 09/13/2012 Time: 08:45 Oper: RYAN.REUILLE Rev: 00A

State: IN Cnty: ALLEN Twp: ABOITE
 Cityname: FORT WAYNE Inside: Y Near: N
 Subdivision:

Address : 6705
 Street : COVINGTON RD
 Cross 1 : CHERI CT Within 1/4 mile: Y
 Location: FROM ABOVE REFERENCED PROPERTY LOCATE EAST 1500 LF FROM CENTERLINE OF
 ROAD TO NORTH ROW
 ***Boring Where = IN NORTH AND SOUTH ROW
 :
 Grids : 4103B8513C 4103B8513B 4103B8513A

Work type : UTILITY INSTALLATION
 Done for : PROPERTY OWNER
 Start date: 10/03/2012 Time: 08:45 Hours notice: 48/48 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
 Duration : 3 MONTHS Depth: 10 FEET

Company : CROSBY EXCAVATING INCORPORATED Type: CONT
 Co addr : 5800 FAIRFIELD AVENUE SUITE 120
 City : FORT WAYNE State: IN Zip: 46807
 Caller : RYAN REUILLE Phone: (260)447-1053
 Contact : URBAN LEY---CELL Phone:
 BestTime:
 Mobile : (260)740-1427
 Fax : (260)447-6226
 Email : RREUILLE@CROSBYEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
 Will you be white-lining the dig site area? NO
 :

Submitted date: 10/01/2012 Time: 08:24
 Members: AEPIN AQUA CC FW ID7151 ID8000 NIPSCO SM

Member Name	Facility Types
AMERICAN ELECTRIC POWER	ELECTRIC
AQUA INDIANA	WATER
COMCAST CABLEVISION - FT WAYNE	CABLE TV
FORT WAYNE, CITY OF	TRAFFIC
FRONTIER	TELEPHONE
NIPSCO	GAS & ELECTRIC
RVP FIBER COMPANY L.L.C.	FIBER OPTIC

NORMAL NOTICE JOB EXTENSION

Ticket : 1210010358 Date: 10/01/2012 Time: 08:24 Oper: RYAN.REUILLE Chan:000
 Old Tkt: 1209130508 Date: 09/13/2012 Time: 08:45 Oper: RYAN.REUILLE Rev: 00A

State: IN Cnty: ALLEN Twp: ABOITE
 Cityname: FORT WAYNE Inside: Y Near: N
 Subdivision:

Address : 6705
 Street : COVINGTON RD
 Cross 1 : CHERI CT Within 1/4 mile: Y
 Location: LOCATE ENTIRE PROPERTY INCLUDING ALL ROW AND EASEMENT
 ***Boring Where = IN NORTH AND SOUTH ROW
 :
 Grids : 4103B8513B 4103B8513A

Work type : UTILITY INSTALLATION
 Done for : PROPERTY OWNER
 Start date: 10/03/2012 Time: 08:45 Hours notice: 48/48 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
 Duration : 3 MONTHS Depth: 10 FEET

Company : CROSBY EXCAVATING INCORPORATED Type: CONT
 Co addr : 5800 FAIRFIELD AVENUE SUITE 120
 City : FORT WAYNE State: IN Zip: 46807
 Caller : RYAN REUILLE Phone: (260)447-1053
 Contact : URBAN LEY---CELL Phone:
 BestTime:
 Mobile : (260)740-1427
 Fax : (260)447-6226
 Email : RREUILLE@CROSBYEXC.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
 Will you be white-lining the dig site area? NO
 :

Submitted date: 10/01/2012 Time: 08:24
 Members: AEPIN AQUA CC FW ID7151 ID8000 NIPSCO SM

Member Name	Facility Types
AMERICAN ELECTRIC POWER	ELECTRIC
AQUA INDIANA	WATER
COMCAST CABLEVISION - FT WAYNE	CABLE TV
FORT WAYNE, CITY OF	TRAFFIC
FRONTIER	TELEPHONE
NIPSCO	GAS & ELECTRIC
RVP FIBER COMPANY L.L.C.	FIBER OPTIC

Timesheet Number: 2192.01

Period: 10/9/2012 - 10/9/2012

Shift: 0700 - 1800

Foreman: Roberto Gonzalez

Published On 10/11/2012

Prepared By: Ryan Reuille

Status: Approved

Notes: had to dig up manhole and core hole for 3' pipe
hit unmarked 1' plastic gas service

then dug up end of pipe where a & b lost on edge of road connect and get to manhole, could not connect because we have to blow out sand
first that infiltrated line
was worked on lift station with don and corey
gonzo got first samples at west hamilton road turned in

Job Code	Tracking Code	Description	Planned Quantity UM
12-15 Greenlawn Off-Site Sanitary Sewer	1	3" HDPE DR-11	1.00 LS

Row	Employees / Machines	ID	Resource Code	Payroll Type	ST/Run	OT/Idle	DT/Op	Total Hours
1	Roberto Gonzalez	0371	LFPW	Supervision	6.00	0.00	0.00	6.00
2	Ty Smith	2054	LLPW	Labor	7.50	0.00	0.00	7.50
3	Matt Wass	2727	LLPW	Labor	8.00	0.00	0.00	8.00
4	John Teichman	6815	LLPW	Labor	2.50	0.00	0.00	2.50
5	John Teichman	6815	LOPW	203 - Kobelco 135 Excavator	6.00	0.00	0.00	6.00
Total:					30.00	0.00	0.00	30.00

Job Code	Tracking Code	Description	Planned Quantity UM
12-43 Delagrang Utility Testing	1	UTILITY TESTING	1.00 LS

Row	Employees / Machines	ID	Resource Code	Payroll Type	ST/Run	OT/Idle	DT/Op	Total Hours
1	Roberto Gonzalez	0371	LFPW	Supervision	2.50	0.00	0.00	2.50
Total:					2.50	0.00	0.00	2.50

Job Code	Tracking Code	Description	Planned Quantity UM
Shop Time	1	TIME WORKING AT SHOP	1.00 LS

Row	Employees / Machines	ID	Resource Code	Payroll Type	ST/Run	OT/Idle	DT/Op	Total Hours
1	Roberto Gonzalez	0371	LFPW	Supervision	2.00	0.00	0.00	2.00
3	Matt Wass	2727	LLPW	Labor	0.50	0.00	0.00	0.50
4	John Teichman	6815	LLPW	Labor	2.00	0.00	0.00	2.00
Total:					4.50	0.00	0.00	4.50

