



Pipeline Safety Division Investigation Report

Investigation regarding: Steve Siuda Sewer And Septic Service

UPPAC Database Record ID: 4075

Report Date: 7/11/2013

Investigator: Mike Orr

Damage Date: 10/30/2012 12:39:36 PM

Damage Address: 1904 Somerset Rd, Long Beach, Laporte

The Parties

Excavator: **Steve Siuda Sewer And Septic Service**

Address: 3665 North 950 West, Michigan City, In 46360

Facility Owner: **NIPSCO**

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Service/Drop

Type of Equipment: Backhoe/Trackhoe

Type of Work Performed: Water

Damage Impact

Product Release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 1

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$838

Excavator Activities/Cause of Damage Information:

Excavator Request Locates: Yes

Indiana 811 Ticket Number: 1210252681

Original Start Date:

Locate Instructions: LOCATE THE FRONT OF THE HOUSE

Follow-Up Locate Instructions (if applicable):

Synopsis: Excavator struck and damaged an underground natural gas service while performing water work.

Findings: Reported by Indiana 811; excavator's response to initial notice was received on 2/6/2013. Excavator had a valid locate ticket and called for a second locate after noticing after two working days no locate existed. The gas operator self reported a failure to locate facilities.

Conclusion: There was a failure to provide an a facility locate marking.

Violation: IC 8-1-26-18(f) Operator failed to locate or provided incorrect locate markings.



150 West Market Street, Suite 600
Indianapolis, IN 46204

February 1, 2013

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 4075
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 4075

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 10/30/2012

Event Location: 1904 Somerset Rd

Facility Owner: Northern Indiana Public Service Company

Excavator: Steve Siuda Sewer And Septic Service

Other Party: N/A

Pipeline Division Case No. 4075

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com

IURC INFORMATION REQUEST	
Pipeline Safety Division Case No. 4075	
Date of Event	10/30/2012
Event Location	1904 Somerset Rd
Event City	Long Beach
Facility Owner	Northern Indiana Public Service Company
Excavator	Steve Siuda Sewer And Septic Service
Date of IURC Information Request	12/5/2012
THE PARTIES	
EXCAVATOR:	
BUSINESS NAME	Siuda Sewer and Septic
RESPONSIBLE PARTY PERSONAL NAME	
TITLE (IF ANY)	
ADDRESS	3665 North 950 West
CITY/ STATE/ZIP	Michigan City, IN 46360
PREFERRED TELEPHONE	219-874-7735
CELL PHONE TELEPHONE	219-878-3125
EMAIL ADDRESS	
FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
LOCATOR SERVICE INFORMATION	
BUSINESS NAME	USIC
RESPONSIBLE PARTY PERSONAL NAME	Morgan Thompson
TITLE (IF ANY)	Claims Coordinator
ADDRESS	9045 N. River Rd. Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	1-317-538-7301
CELL PHONE TELEPHONE	Same
EMAIL ADDRESS	morganthompson@usicinc.com
OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	
TITLE (IF ANY)	

ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
UTILITY LINE IMPACT	
LOCATION OF DAMAGE	
ADDRESS	1904 Somerset Rd
CITY/STATE/ZIP	Long Beach, IN 46360
NEAREST INTERSECTION	Monrovia Dr
PRODUCT TYPE (Select One)	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
FACILITY TYPE (Select One)	
DISTRIBUTION	X
GATHERING	
SERVICE/DROP	
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	2"
PRESSURE (PSIG/INCHES)	
INTERRUPTION IN SERVICE (YES/NO)	Y
NUMBER OF CUSTOMERS AFFECTED	1
EVACUATION (YES/NO)	N
IF YES, HOW MANY EVACUATED	0
REPAIR COST (IF KNOWN) (\$)	
CAUSE OF DAMAGE INFORMATION:	
TYPE OF EQUIPMENT (Select One)	
Auger	
Backhoe/Trackhoe	X
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	
Probing Device	

Trancher	
Vacuum Equipment	
Unknown/Other	
TYPE OF WORK PERFORMED (Select One)	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	
Sewer (Sanitary/Storm)	X
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	
RELEASE OF PRODUCT (YES/NO)	Y
IGNITION AND/OR FIRE (YES/NO)	N
EXCAVATOR NOTIFY 811 (YES/NO)	Y- 1210301763
LOCATE INFORMATION:	
EXCAVATOR REQUEST LOCATE (YES/NO)	Y

INDIANA 811 LOCATE TICKET NUMBER	1210252681
LOCATE MARKS VISIBLE (YES/NO)	N
LOCATE MARKS CORRECT (YES/NO)	N
EXCAVATOR "WHITE LINED" (YES/NO)	N
MAPS USED TO MARK FACILITIES (YES/NO)	N
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	N
INCIDENT IMPACT INFORMATION	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FATALITIES	0
FIRE DEPARTMENT RESPONSE (YES/NO)	Y
POLICE DEPARTMENT RESPONSE (YES/NO)	
AMBULANCE RESPONSE (YES/NO)	
ADDITIONAL INFORMATION/COMMENTS	
Facility was not located or marked. Excavator mismarked main after calling in second ticket.	

and had mismarked the main instead of waiting for our response.

NAMES OF UTILITY REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:
N/A

NAMES OF EXCAVATOR'S REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:
Steve Suida - Excavator - Steve said that he thought the main was on the other side of the road.

LIST ANY OTHER INDIVIDUALS ON SITE:
N/A

WERE ANY MARKINGS VISIBLE ON THE DAMAGE SITE UPON ARRIVAL? No

WERE ANY OTHER INDICATORS OF FACILITY PRESENT IN THE AREA? No

WAS THE EXCAVATION WITHIN THE TOLERANCE ZONE OF MARKS? No

EXTENT OF FACILITY DAMAGE Cut gas main

REPLACEMENT FOOTAGE N/A

WAS CONTRACTOR ASSISTANCE REQUIRED? IF YES, WHO? No N/A

WHAT CONTRACTOR EQUIPMENT WAS USED? Backhoe

IS THE FACILITY SHOWN ON THE UTILITY RECORDS? Yes

IF YES, PLEASE LIST RECORD #(S) MC

NIPSCO 00335 IUPPSa 10/30/2012 10:52:57 1210252681-01A NORM 2NDR STRT

SECOND NOTICE SECOND NOTICE

Ticket : 1210252681 Date: 10/30/2012 Time: 10:50 Oper: DBROOKING Chan:008
Old Tkt: 1210252681 Date: 10/25/2012 Time: 17:21 Oper: LWORTON Rev: 00A

CASE #
4075

State: IN Cnty: LAPORTE Twp: MICHIGAN
Cityname: LONG BEACH Inside: Y Near: N
Subdivision:

Address : 1904
Street : SOMERSET RD
Cross 1 : MONROVIA DR Within 1/4 mile: Y
Location: LOCATE THE FRONT OF THE HOUSE

Grids : 4144C8651A 4144B8651A
Boundary: n 41.741978 s 41.740093 w -86.865303 e -86.862541

Work type : REPLACING A WATER LINE
Done for : CHRISTIAN KOSTRAU
Start date: 10/29/2012 Time: 17:30 Hours notice: 0/0 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
Duration : 1 DAY Depth: 6 FEET

Company : STEVE SIUDA SEWER AND SEPTIC SERVICE Type: CONT
Co addr : 3665 NORTH 950 WEST
City : MICHIGAN CITY State: IN Zip: 46360
Caller : STEVE SIUDA Phone: (219)874-7735
Contact : STEVE SIUDA - CELL Phone:
BestTime:
Mobile : (219)878-3125

Remarks : All tickets are taken and processed on Eastern Daylight Time
PER ANTHONY SIUDA--ALL UTILITIES EXCEPT WATER PLEASE RESPOND ASAP AND MARK THIS
PROPERTY--DIG SITE IS ON THE CORNER OF SOMERSET RD AND MONROVIA DR--PLEASE CALL
STEVE IF ANY QUESTIONS OR IF CLEAR TO DIG--THANK YOU
Will you be white-lining the dig site area? NO

Submitted date: 10/30/2012 Time: 10:50
Members: COMCN ID0148 ID6683 ID9353 NIPSCO SBCIN SM

NIPSCO 00959 IUPPSa 10/25/2012 17:29:34 1210252681-00A NORM NEW STRT

NORMAL NOTICE

Ticket : 1210252681 Date: 10/25/2012 Time: 17:21 Oper: LWORTON Chan:021

CASE #
4075

State: IN Cnty: LAPORTE Twp: MICHIGAN
Cityname: LONG BEACH Inside: Y Near: N
Subdivision:

Address : 1904
Street : SOMERSET RD
Cross 1 : MONROVIA DR Within 1/4 mile: Y
Location: LOCATE THE FRONT OF THE HOUSE
:
Grids : 4144C8651A 4144B8651A
Boundary: n 41.741978 s 41.740093 w -86.865303 e -86.862541

Work type : REPLACING A WATER LINE
Done for : CHRISTIAN KOSTRAU
Start date: 10/29/2012 Time: 17:30 Hours notice: 96/48 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
Duration : 1 DAY Depth: 6 FEET

Company : STEVE SIUDA SEWER AND SEPTIC SERVICE Type: CONT
Co addr : 3665 NORTH 950 WEST
City : MICHIGAN CITY State: IN Zip: 46360
Caller : STEVE SIUDA Phone: (219)874-7735
Contact : STEVE SIUDA - CELL Phone:
BestTime:
Mobile : (219)878-3125

Remarks : All tickets are taken and processed on Eastern Daylight Time
Will you be white-lining the dig site area? NO
:

Submitted date: 10/25/2012 Time: 17:21
Members: COMCN ID0148 ID6683 ID9353 NIPSCO SBCIN SM

NIPSCO 00550 IUPPSa 10/30/2012 12:40:01 1210301763-00A EMER DAMG STRT

DAMAGE DAMAGE

Ticket : 1210301763 Date: 10/30/2012 Time: 12:36 Oper: JELEWITZ Chan:086

CASE #
4075

State: IN Cnty: LAPORTE Twp: MICHIGAN
Cityname: LONG BEACH Inside: Y Near: N
Subdivision:

Address : 1904
Street : SOMERSET RD
Cross 1 : MONROVIA DR Within 1/4 mile: Y
Location: LOCATE THE FRONT OF THE HOUSE
:
Grids : 4144C8651A 4144B8651A
Boundary: n 41.741978 s 41.740093 w -86.865303 e -86.862541

Work type : REPLACING A WATER LINE
Done for : CHRISTIAN KOSTRAU
Start date: 10/30/2012 Time: 12:36 Hours notice: 0/0 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 1 DAY Depth: 6 FEET

Company : STEVE SIUDA SEWER AND SEPTIC SERVICE Type: CONT
Co addr : 3665 NORTH 950 WEST
City : MICHIGAN CITY State: IN Zip: 46360
Caller : STEVE SIUDA Phone: (219)874-7735
Contact : STEVE SIUDA - CELL Phone:
BestTime:
Mobile : (219)878-3125

Remarks : All tickets are taken and processed on Eastern Daylight Time
A NIPSCO GAS LINE HAS BEEN HIT IN FRONT OF THE PROPERTY -- GAS LINE IS BLOWING
-- LINE IS PLASTIC APPROX 2 INCH CREAM COLORED -- ADVISED TO CALL 911 -- NIPSCO
HAS ALREADY BEEN CALLED -- CREW IS ON SITE -- PREVIOUS TICKET NUMBER 1210252681
-- THANK YOU

Will you be white-lining the dig site area? NO
:

Submitted date: 10/30/2012 Time: 12:36
Members: COMCN ID0148 ID6683 ID9353 NIPSCO SBCIN SM

NORTHERN INDIANA PUBLIC SERVICE COMPANY
FACILITY DAMAGE REPORT

** COMPLETE FORM FOR ALL DAMAGES TO NIPSCO FACILITIES **

REPORTING OPERATING AREA LAPORTE MAXIMO WO # NA
OPERATING AREA CONTACT GEORGIAN JOB ORDER # 581612-16
TRACKING NUMBER 01820171030002 LOCATE REF # NA
Locate Performed By: _____

DATE AND TIME OF ACCIDENT 10/30/12 20 1145 M DATE OF REPORT 10/30/12
PLACE OF DAMAGE (INCLUDE CITY) 1904 SOMERSET RD

DAMAGE WAS TO:

ELECTRIC - POLE / TRANSFORMER: # _____ SIZE _____ YEAR INSTALLED _____ BROKEN YES () NO ()

OTHER (DESCRIBE) _____

GAS: SERVICE () MAIN () SIZE 2" MATERIAL: PLASTIC () STEEL () METER () REG STATION () STUB ()
OTHER (DESCRIBE) _____

DEPTH OF FACILITY (Inches) 24" to 30" PRESSURE (PSI) 45 Lbs.

RELEASE OF GAS: YES () NO () IGNITION OF GAS: YES () NO () EVACUATION REQUIRED: YES () # _____ NO ()

INTERRUPTION OF SERVICE: YES () NO () NUMBER OF CUSTOMERS LOST: 1

DURATION OF INTERRUPTION: TIME REPORTED 1145 TIME RESTORED 1345

DIAMETER/MEASUREMENT OF HOLE IN GAS FACILITY: 2"

LOCATE MARKS ON SITE: YES () DISTANCE BETWEEN FACILITY AND LOCATE MARKS _____ NO ()
HOW LOCATED: PAINT () FLAGS () BOTH () WHITE LINED ()

PARTY THAT CAUSED DAMAGES (NAME) SIUDA Sewer & Septic Service

ADDRESS OF PARTY (INCLUDE CITY) 219874 7735

WHO WAS IN CHARGE OF THE WORK SITE AT TIME OF DAMAGE OWNER OF SIUDA

WITNESS NAME AND ADDRESS _____

WITNESS REMARKS _____

AGENCIES NOTIFIED () ONSITE () POLICE () AGENCY _____ REPORT # _____

FIRE () AGENCY Long Beach Fire Dept REPORT # _____

OTHER () _____ Any Injuries? () YES # _____ () NO

PHOTOS TAKEN: YES () NO () TAKEN BY: _____ (ATTACH PHOTOS TO REPORT)
MEDIA ON SITE YES () NO ()

- WORK IN PROGRESS WHEN FACILITY DAMAGED - CHECK APPROPRIATE CHOICE BELOW
- | | | | |
|-------------------------|----------------|-------------------|------------------------|
| () AGRICULTURE/FARMING | () CABLE TV | () CURB/SIDEWALK | () TELECOMMUNICATIONS |
| () BLDG CONSTRUCTION | () DEMOLITION | () DRAINAGE | () WATER |
| () DRIVEWAY | () ELECTRIC | () SURVEYING | () DRAINS/CULVERTS |
| () FENCING | () GRADING | () IRRIGATION | () MOWING |
| () LANDSCAPING | () PIPELINE | () MILLING | () OTHER _____ |
| () POLE/SIGN POST | () ROAD WORK | () SEWER | |

- TYPE OF EQUIPMENT USED - CHECK APPROPRIATE CHOICE BELOW
- | | | |
|-----------------------|--------------------|-----------------------|
| () AUGER | () HAND TOOLS | () BACKHOE/TRACKHOE |
| () MILLING EQUIPMENT | () PROBING DEVICE | () BORING / DRILLING |
| () EXPLOSIVES | () TRENCHER | () FARM EQUIPMENT |
| () VACCUUM EQUIPMENT | () GRADER | () OTHER _____ |

- REASON DAMAGE OCCURRED - CHECK APPROPRIATE CHOICE BELOW
- | | | |
|-------------------------|-----------------------------------|-------------------------------|
| () AUTOMOTIVE ACCIDENT | () EXCAVATING BEFORE LOCATES DUE | () CARELESS MACHINE OPERATOR |
| () NO NOTIFICATION | () MARKS DISTURBED | () STUB () OTHER _____ |

COMMENTS: INSTALLED 18" OF 2" PL. MAIN


PERSON PREPARING REPORT TAMMY M CRANE 121326

FIELD SUPERVISOR Steve Gersien

FIELD MANAGER John Todd

- ORIGINAL REPORT AND SUPPORTING INFORMATION IS TO BE SENT TO FACILITY DAMAGE RECOVERY
- COPY OF REPORT IS TO BE SENT TO DAMAGE PREVENTION

SKETCH: - Show position of all pertinent information



FOR OFFICE USE ONLY:

- | | | |
|---|-----|----|
| • DID EXCAVATION OCCUR BEFORE LOCATES WERE DUE | YES | NO |
| • NO IN 811 LOCATE CALLED IN | YES | NO |
| • DAMAGE CAUSED FROM EXCAVATION WITHIN 24" ZONE | YES | NO |
| • EXPIRED LOCATE | YES | NO |
| • WAS WHITE LINING INDICATED ON LOCATE REQUEST | YES | NO |

COMPLETED BY: _____ DATE: _____

XFINITY Connect

XFINITY Connect

ATTENTION
WILLIAM BOYD

smsiuda@comcast.net

Font Size -

NIPSCO Claim 12-2336 - 1904 Somerset Road, Michigan City 10/30/12

From : MLechowicz@NiSource.com

Wed, Jan 16, 2013 04:03 PM

Subject : NIPSCO Claim 12-2336 - 1904 Somerset Road, Michigan City 10/30/12

To : smsiuda@comcast.net

Steve,

Per our discussion of earlier today, our invoice in the amount of \$837.65 for damages sustained to our 2" gas main located at 1904 Somerset Road, Michigan City on October 30, 2012, has been redirected to USIC. This Company is no longer seeking compensation from your organization.

Thank you.

Mary L. Lechowicz
Leader Facility Damages
NIPSCO
801 - E. 86th Avenue
Merrillville, IN 46410

219.647-4033
219.647-4035 Fax
mlechowicz@NiSource.com

Know What's Below...Call Before You Dig...Indiana 811

TO WHOM IT MAY CONCERN CASE # 4075

ON OCTOBER 24TH 2012 I CALLED 811 TO GET UTILITIE LOCATIONS AT 1904 SOMERSET ROAD IN MICHIGAN CITY, INDIANA TO INSTALL A NEW WATERLINE FROM CITY TAP UP TO HOUSE. LOCATE WAS CALLED IN AT 4:21 PM ON THURSDAY. LOCATION WAS SCHEDULED FOR OCTOBER 28TH 2012 AT 4:21 PM MONDAY. WORK DID NOT START TILL TUESDAY OCTOBER 29TH 2012 AT 9:00 AM THERE WERE NO LOCATIONS AT START OF WORK. TICKET # 1210252681 DAMAGE HAPPENED AT 10:30 AM 811 WAS CALLED AT 10:36 AM TO REPORT DAMAGE TICKET # 1210301763 THIS E-MAIL WAS SENT TO ME STATING THAT NIPSCO DETERMINED THAT USIC WAS LIABLE FOR NOT LOCATING PROPERTY.

IF YOU NEED ANY MORE INFORMATION PLEASE CONTACT ME AT 319-874-7735 THANK YOU Steve Luda

1/18/2013 12:59 AM

NORMAL NOTICE

Ticket : 1210252681 Date: 10/25/2012 Time: 17:21 Oper: LWORTON Chan:021

State: IN Cnty: LAPORTE Twp: MICHIGAN
Cityname: LONG BEACH Inside: Y Near: N
Subdivision:

Address : 1904
Street : SOMERSET RD
Cross 1 : MONROVIA DR Within 1/4 mile: Y
Location: LOCATE THE FRONT OF THE HOUSE
:
Grids : 4144C8651A 4144B8651A

Work type : REPLACING A WATER LINE
Done for : CHRISTIAN KOSTRAU
Start date: 10/29/2012 Time: 17:30 Hours notice: 96/048 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
Duration : 1 DAY Depth: 6 FEET

Company : STEVE SIUDA SEWER AND SEPTIC SERVICE Type: CONT
Co addr : 3665 NORTH 950 WEST
City : MICHIGAN CITY State: IN Zip: 46360
Caller : STEVE SIUDA Phone: (219)874-7735
Contact : STEVE SIUDA - CELL Phone:
BestTime:
Mobile : (219)878-3125

Remarks : All tickets are taken and processed on Eastern Daylight Time
Will you be white-lining the dig site area? NO
:

Submitted date: 10/25/2012 Time: 17:21
Members: COMCN ID0148 ID6683 ID9353 NIPSCO SBCIN SM

SECOND NOTICE SECOND NOTICE

Ticket : 1210252681 Date: 10/30/2012 Time: 10:50 Oper: DBROOKING Chan:008
Old Tkt: 1210252681 Date: 10/25/2012 Time: 17:21 Oper: LWORTON Rev: 00A

State: IN Cnty: LAPORTE Twp: MICHIGAN
Cityname: LONG BEACH Inside: Y Near: N
Subdivision:

Address : 1904
Street : SOMERSET RD
Cross 1 : MONROVIA DR Within 1/4 mile: Y
Location: LOCATE THE FRONT OF THE HOUSE
:
Grids : 4144C8651A 4144B8651A

Work type : REPLACING A WATER LINE
Done for : CHRISTIAN KOSTRAU
Start date: 10/29/2012 Time: 17:30 Hours notice: 0/000 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
Duration : 1 DAY Depth: 6 FEET

Company : STEVE SIUDA SEWER AND SEPTIC SERVICE Type: CONT
Co addr : 3665 NORTH 950 WEST
City : MICHIGAN CITY State: IN Zip: 46360
Caller : STEVE SIUDA Phone: (219)874-7735
Contact : STEVE SIUDA - CELL Phone:
BestTime:
Mobile : (219)878-3125

Remarks : All tickets are taken and processed on Eastern Daylight Time
PER ANTHONY SIUDA--ALL UTILITIES EXCEPT WATER PLEASE RESPOND ASAP AND MARK THIS
PROPERTY--DIG SITE IS ON THE CORNER OF SOMERSET RD AND MONROVIA DR--PLEASE CALL
STEVE IF ANY QUESTIONS OR IF CLEAR TO DIG--THANK YOU
Will you be white-lining the dig site area? NO
:

Submitted date: 10/30/2012 Time: 10:50
Members: COMCN ID0148 ID6683 ID9353 NIPSCO SBCIN SM