



INDIANA UTILITY REGULATORY COMMISSION  
101 W. WASHINGTON STREET, SUITE 1500E  
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>  
Office: (317) 232-2701  
Facsimile: (317) 232-6758

## Pipeline Safety Division Investigation Report

### Investigation regarding: Ferguson Michiana Inc.

UPPAC Database Record ID: 4399

Report Date: 3/22/13

Investigator: Howard Friend

Damage Date: 11/2/2012

Damage Address: 4523 Fellows St., South Bend, St Joseph

### The Parties

Excavator: **Ferguson Michiana Inc.**

Address: 7162 M140 North, Eau Claire, Mi 49111

Facility Owner: **NIPSCO**

### Pipeline Facility

Facility Type: Natural Gas

Facility Function: Service/Drop

Type of Equipment: Trencher

Type of Work Performed: Telecommunications

### Damage Impact

Product Release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 1

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$

### Excavator Activities/Cause of Damage Information:

Excavator Request Locates: Yes

Indiana 811 Ticket Number: 1210183597

Original Start Date:

Locate Instructions:

Follow-Up Locate Instructions (if applicable):

**Synopsis:** A natural gas service was damaged during excavation for a telecommunication line.

**Findings:** Reported by Carrie Ludwig (NIPSCO); excavator's response to initial notice was received on 2/22/2013. The excavator had a valid locate and the operator provided accurate locate markings. The operator reported a "re-mark" may have been in order due to the existing marks being faded.

**Conclusion:** There was a failure to maintain clearance with mechanized equipment.

**Violation: 8-1-26-20(a)(2) Failure to maintain two (2) feet clearance with mechanized equipment.**



150 West Market Street, Suite 600  
Indianapolis, IN 46204

March 13, 2013

*Via Electronic Transmission – PipelineDamageCase@urc.in.gov*

Pipeline Safety Division – Case No. 4399  
Indiana Utility Regulatory Commission  
101 West Washington Street, Suite 1500 East  
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 4399

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 11/2/2012

Event Location: 4523 Fellows St.

City: South Bend

Facility Owner: Northern Indiana Public Service Company

Excavator: Ferguson Michiana Inc.

Other Party: N/A

Pipeline Division Case No. 4399

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle  
NiSource Corporate Services - Legal  
Phone: 317-684-4904  
Fax: 317-684-4918  
Email: [cearle@nisource.com](mailto:cearle@nisource.com)

<b>IURC INFORMATION REQUEST</b>	
<b>Pipeline Safety Division Case No. 4399</b>	
Date of Event	11/2/2012
Event Location	4523 Fellows St.
Event City	South Bend
Facility Owner	Northern Indiana Public Service Company
Excavator	Ferguson Michiana Inc.
Date of IURC Information Request	2/13/2013
<b>THE PARTIES</b>	
<b>EXCAVATOR:</b>	
BUSINESS NAME	Ferguson Michiana Inc
RESPONSIBLE PARTY PERSONAL NAME	John Oakes
TITLE (IF ANY)	
ADDRESS	7162 M140 North
CITY/ STATE/ZIP	Eau Claire, MI 49111
PREFERRED TELEPHONE	269-461-6167
CELL PHONE TELEPHONE	269-757-1815
EMAIL ADDRESS	jim@fergusonmichiana.com
<b>FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:</b>	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
<b>LOCATOR SERVICE INFORMATION</b>	
BUSINESS NAME	USIC
RESPONSIBLE PARTY PERSONAL NAME	Morgan Thompson
TITLE (IF ANY)	Claims Coordinator
ADDRESS	9045 N. River Rd. Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	1-317-538-7301
CELL PHONE TELEPHONE	1-317-538-7301
EMAIL ADDRESS	morganthompson@usicinc.com
<b>OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION</b>	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	

TITLE (IF ANY)	
ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
<b>UTILITY LINE IMPACT</b>	
<b>LOCATION OF DAMAGE</b>	
ADDRESS	4523 Fellows St
CITY/STATE/ZIP	South Bend, IN 46601
NEAREST INTERSECTION	E Ireland Rd
<b>PRODUCT TYPE (Select One)</b>	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
<b>FACILITY TYPE (Select One)</b>	
DISTRIBUTION	
GATHERING	
SERVICE/DROP	X
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	5/8
PRESSURE (PSIG/INCHES)	35
INTERRUPTION IN SERVICE (YES/NO)	YES
NUMBER OF CUSTOMERS AFFECTED	1
EVACUATION (YES/NO)	NO
IF YES, HOW MANY EVACUATED	0
REPAIR COST (IF KNOWN) (\$)	
<b>CAUSE OF DAMAGE INFORMATION:</b>	
<b>TYPE OF EQUIPMENT (Select One)</b>	
Auger	
Backhoe/Trackhoe	X
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	

Probing Device	
Trencher	
Vacuum Equipment	
Unknown/Other	
<b>TYPE OF WORK PERFORMED (Select One)</b>	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	
Sewer (Sanitary/Storm)	
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	X
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	
RELEASE OF PRODUCT (YES/NO)	YES
IGNITION AND/OR FIRE (YES/NO)	NO
EXCAVATOR NOTIFY 811 (YES/NO)	NO
<b>LOCATE INFORMATION:</b>	

EXCAVATOR REQUEST LOCATE (YES/NO)	YES
INDIANA 811 LOCATE TICKET NUMBER	1210183596
LOCATE MARKS VISIBLE (YES/NO)	YES
LOCATE MARKS CORRECT (YES/NO)	YES
EXCAVATOR "WHITE LINED" (YES/NO)	NO
MAPS USED TO MARK FACILITIES (YES/NO)	YES
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	NO
<b>INCIDENT IMPACT INFORMATION</b>	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FATALITIES	0
FIRE DEPARTMENT RESPONSE (YES/NO)	
POLICE DEPARTMENT RESPONSE (YES/NO)	
AMBULANCE RESPONSE (YES/NO)	
<b>ADDITIONAL INFORMATION/COMMENTS</b>	
<p>Failure to use hand tools where required. Based on photos, it also appears that a re-mark would have been appropriate.</p> <p>NIPSCO Emergency Repair Ticket# 1211021922</p>	

NORTHERN INDIANA PUBLIC SERVICE COMPANY
FACILITY DAMAGE REPORT

\*\* COMPLETE FORM FOR ALL DAMAGES TO NIPSCO FACILITIES \*\*

REPORTING OPERATING AREA O60/S.B. MAXIMO WO #
OPERATING AREA CONTACT Tim Armstrong JOB ORDER # 589695
TRACKING NUMBER 01820121102007 LOCATE REF # 1210183596
Locate Performed By:

DATE AND TIME OF ACCIDENT November 23 2012 1:36 P.M. DATE OF REPORT 11/2/12
PLACE OF DAMAGE (INCLUDE CITY) 4523 Fullows

DAMAGE WAS TO:

ELECTRIC - POLE / TRANSFORMER: # SIZE YEAR INSTALLED BROKEN YES ( ) NO ( )

OTHER (DESCRIBE)

GAS: SERVICE MAIN ( ) SIZE 5/8" MATERIAL: PLASTIC ( ) STEEL ( ) METER ( ) REG STATION ( ) STUB ( )
OTHER (DESCRIBE)

DEPTH OF FACILITY (inches) 20" PRESSURE (PSI) 35 Lbs.

RELEASE OF GAS: YES ( ) NO ( ) IGNITION OF GAS: YES ( ) NO ( ) EVACUATION REQUIRED: YES ( ) # NO ( )

INTERRUPTION OF SERVICE: YES ( ) NO ( ) NUMBER OF CUSTOMERS LOST: 1

DURATION OF INTERRUPTION: TIME REPORTED 13:36 TIME SHUT OFF 13:36 TIME RESTORED 15:30 GD

DIAMETER/MEASUREMENT OF HOLE IN GAS FACILITY: 5/8" 1/2" GD

LOCATE MARKS ON SITE: YES ( ) DISTANCE BETWEEN FACILITY AND LOCATE MARKS NO ( )

HOW LOCATED: PAINT ( ) FLAGS ( ) BOTH ( ) WHITE LINED ( )

PARTY THAT CAUSED DAMAGES (NAME) Ferguson Michiana PDC

ADDRESS OF PARTY (INCLUDE CITY) 7162 M-140 North Eau Claire MI 49111

WHO WAS IN CHARGE OF THE WORK SITE AT TIME OF DAMAGE John Oakes

WITNESS NAME AND ADDRESS Duane Oakes

WITNESS REMARKS Accidental Hit

AGENCIES NOTIFIED / ONSITE: POLICE ( ) AGENCY REPORT #

FIRE ( ) AGENCY REPORT #

OTHER ( ) Any Injuries? ( ) YES # ( ) NO

PHOTOS TAKEN: YES ( ) NO ( ) TAKEN BY: USPC (ATTACH PHOTOS TO REPORT)
MEDIA ON SITE YES ( ) NO ( )

WORK IN PROGRESS WHEN FACILITY DAMAGED -- CHECK APPROPRIATE CHOICE BELOW

- ( ) AGRICULTURE/FARMING ( ) CABLE TV ( ) CURB/SIDEWALK ( ) TELECOMMUNICATIONS
( ) BLDG CONSTRUCTION ( ) DEMOLITION ( ) DRAINAGE ( ) WATER
( ) DRIVEWAY ( ) ELECTRIC ( ) SURVEYING ( ) DRAINS/CULVERTS
( ) FENCING ( ) GRADING ( ) IRRIGATION ( ) MOWING
( ) LANDSCAPING ( ) PIPELINE ( ) MILLING ( ) OTHER
( ) POLE/SIGN POST ( ) ROAD WORK ( ) SEWER

TYPE OF EQUIPMENT USED -- CHECK APPROPRIATE CHOICE BELOW

- ( ) AUGER ( ) HAND TOOLS ( ) BACKHOE/TRACKHOE
( ) MILLING EQUIPMENT ( ) PROBING DEVICE ( ) BORING / DRILLING
( ) EXPLOSIVES ( ) TRENCHER ( ) FARM EQUIPMENT
( ) VACCUUM EQUIPMENT ( ) GRADER ( ) OTHER

REASON DAMAGE OCCURRED-- CHECK APPROPRIATE CHOICE BELOW

- ( ) AUTOMOTIVE ACCIDENT ( ) EXCAVATING BEFORE LOCATES DUE ( ) CARELESS MACHINE OPERATOR
( ) NO NOTIFICATION ( ) MARKS DISTURBED ( ) STUB ( ) OTHER

SEE REVERSE SIDE FOR COMMENTS AND DIAGRAM

COMMENTS :

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_


PERSON PREPARING REPORT Randy Edmiston

FIELD SUPERVISOR Gaynor

FIELD MANAGER R. Henry

- ORIGINAL REPORT AND SUPPORTING INFORMATION IS TO BE SENT TO FACILITY DAMAGE RECOVERY
- COPY OF REPORT IS TO BE SENT TO DAMAGE PREVENTION

SKETCH: - Show position of all pertinent information



FOR OFFICE USE ONLY:

- |   |     |    |
|---|-----|----|
| • DID EXCAVATION OCCUR BEFORE LOCATES WERE DUE  | YES | NO |
| • NO IN 811 LOCATE CALLED IN                    | YES | NO |
| • DAMAGE CAUSED FROM EXCAVATION WITHIN 24" ZONE | YES | NO |
| • EXPIRED LOCATE                                | YES | NO |
| • WAS WHITE LINING INDICATED ON LOCATE REQUEST  | YES | NO |

COMPLETED BY: \_\_\_\_\_ DATE: \_\_\_\_\_



MARKS LEFT IN THE STREET BUT COULD NOT FIND ANY IN THE YARD.THE EXISTING MARKS ARE CIRCLED IN BLACK PAINT.

**NAMES OF UTILITY REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:**  
N/A

**NAMES OF EXCAVATOR'S REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:**  
N/A

**LIST ANY OTHER INDIVIDUALS ON SITE:**  
N/A

---

**WERE ANY MARKINGS VISIBLE ON THE DAMAGE SITE UPON ARRIVAL?** Yes

**WERE ANY OTHER INDICATORS OF FACILITY PRESENT IN THE AREA?** Yes

**WAS THE EXCAVATION WITHIN THE TOLERANCE ZONE OF MARKS?** No

**EXTENT OF FACILITY DAMAGE** CUT IN HALF

**REPLACEMENT FOOTAGE** N/A

**WAS CONTRACTOR ASSISTANCE REQUIRED? IF YES, WHO?** No

**WHAT CONTRACTOR EQUIPMENT WAS USED?** MINI BACK HOE

**IS THE FACILITY SHOWN ON THE UTILITY RECORDS?** No

**IF YES, PLEASE LIST RECORD #(S)**



## DAMAGE INFORMATION REPORT – PIPELINE SAFETY DIVISION

State Form 54122 (R2 / 7-11)

INDIANA UTILITY REGULATORY COMMISSION

Submitted to IURC-Pipeline Safety on: Jan 23, 2013

---

### Who is submitting this information?

Name of person providing this information: Carrie Ludwig

Business address (*number and street*): 3511 E 15th Ave.

City, State, and ZIP code: Gary, IN 46403

Telephone number (*area code*): 219-962-0422

Fax number (*area code*): 219-962-0404

E-mail address: cludwig@nisource.com

---

### Excavator Information, if known

Full name: Ferguson Michiana Inc.

Business address (*number and street*): 7162 M140 North

City, State, and ZIP code: Eau Claire, MI 49111

Telephone number (*area code*): 269-461-6167

Fax number (*area code*): 269-461-6167

E-mail address: \_\_\_\_\_

---

### Excavation or Demolition Information

Excavator type: Contractor

Excavation or demolition equipment: Backhoe/Trackhoe

Type of work performed: Telecommunications

---

## Date and Location of Damage

Date of damage (*month, day, year*): Nov 2, 2012

County: St Joseph

City: South Bend

Street address (*number and street, city, state, and ZIP code*):  
4523 Fellows St., South Bend, IN 46601

Nearest intersection: Widener

Right of way where damage occurred: Public - City Street

Was there a release of product? Yes

If yes, was there an ignition of product? No

Were evacuations necessary as a result of release? No

If yes, how many evacuated? 0

Was there a customer service interruption? Yes

If yes, how many affected? 1

Time to restore service (*in hours*): 1

Enter number of injuries, if applicable and known: 0

Enter number of fatalities, if applicable and known: 0

Property damage, Estimate \$

---

## Affected Facility Information

What type of pipeline was damaged? Natural Gas

What was the affected facility? Service/Drop

What was the depth of the facility, in inches? 20

---

## Notification, Locating, Marking

Did excavator request locates prior to commencing work? Yes

Enter Indiana 811 ticket number, if known: 1210183597

Was the locate request completed within two working days? Yes

If locates were performed, were they done so by a contractor or pipeline employee? Contract Locator

If a contractor locator, enter the company name, if known: USIC

Were facility marks visible in the area of excavation? Yes

Were facilities marked correctly? Yes

Type of markings used: Paint and Flags

If other, please specify: \_\_\_\_\_

Was site marked by "White Lining"? No

Were special instructions part of the locate request? No

Were maps used to complete the locate request? No

Were pipeline company representatives on site during excavation? No

Did the excavator notify the operator in the event of this damage? Yes

Did the excavator notify Indiana 811 in the event of this damage? No

Did the excavator notify 911 in the event of a release of product? No

---

### **Description of Cause**

Select from the list the most accurate cause for the damage: --Failure to use hand tools where required

---

### **Additional Comments**

NIPSCO emergency ticket 1211021922

Facility: Distribution Lines; Folder: On-Hold folder; Assigned To: N/A

NIPSCO 01043 IUPPSa 10/18/2012 19:10:35 1210183596-00A NORM NEW GRID

NORMAL NOTICE

Ticket : 1210183596 Date: 10/18/2012 Time: 18:55 Oper: JCARTER Chan:009

State: IN Cnty: ST JOSEPH Twp: CENTRE  
Cityname: SOUTH BEND Inside: Y Near: N  
Subdivision:

Address :

Street : FELLOWS ST

Cross 1 : E IRELAND RD Within 1/4 mile: Y

Location: STARTING AT IRELAND RD LOCATE BOTH SIDES OF FELLOWS ST GOING SOUTH 750  
FEET

\*\*\*Boring Where = FELLOWS STREET

:

Grids : 4137B8614B 4137A8614B

Boundary: n 41.629585 s 41.625805 w -86.245613 e -86.244118

Work type : BURY PHONE CABLE

Done for : AT&T

Start date: 10/23/2012 Time: 07:00 Hours notice: 108/48 Priority: NORM

Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N

Duration : 1 WEEK Depth: 4 FEET

Company : FERGUSON MICHIANA INC Type: CONT

Co addr : 7162 M140 NORTH

City : EAU CLAIRE State: MI Zip: 49111

Caller : DAVE FERGUSON Phone: (269)461-6167

Contact : DAVE FERGUSON - OFFICE Phone:

BestTime:

Mobile : (269)461-6167

Fax : (269)461-4375

Email : JIM@FERGUSONMICHIANA.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time

Will you be white-lining the dig site area? NO

:

Submitted date: 10/18/2012 Time: 18:55

Members: AEPIN BE COMCN ID4866 ID5610 ID6590 ID7150 NIPSCO SBCIN SM

Facility: Transmission Lines; Folder: N/A; Assigned To: N/A

NIPSCO 00502 IUPPSa 11/02/2012 13:57:51 1211021922-00A EMER NEW STRT

EMERGENCY

Ticket : 1211021922 Date: 11/02/2012 Time: 13:53 Oper: SDOERFLEIN Chan:029

State: IN Cnty: ST JOSEPH Twp: CENTRE  
Cityname: SOUTH BEND Inside: Y Near: N  
Subdivision:

Address : 4523  
Street : FELLOWS ST  
Cross 1 : E IRELAND RD Within 1/4 mile: Y  
Location: LOCATE THE ENTIRE PROPERTY  
:  
Grids : 4137C8614B 4137B8614B 4137A8614B  
Boundary: n 41.629673 s 41.624821 w -86.245636 e -86.243370

Work type : REPAIR GAS LINE  
Done for : NIPSCO  
Start date: 11/02/2012 Time: 13:55 Hours notice: 0/0 Priority: EMER  
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y  
Duration : 1 DAY Depth: 6 FEET

Company : NIPSCO Type: MEMB  
Co addr : 801 EAST 86TH AVENUE  
City : MERRILLVILLE State: IN Zip: 46410  
Caller : TANECIA GHOLSTON Phone: (800)322-2806  
Contact : RICH WOLGIN-CELL Phone:  
BestTime:  
Mobile : (574)360-9736

Remarks : All tickets are taken and processed on Eastern Daylight Time  
CREW EN ROUTE  
Will you be white-lining the dig site area? NO  
:

Submitted date: 11/02/2012 Time: 13:53  
Members: AEPIN BE COMCN ID4866 ID5610 ID6590 ID7150 NIPSCO SBCIN SM



Property of United States Infrastructure Corporation  
Photo taken on 11/2/2012 3:09:12 PM



Property of Local Basic Infrastructure Corporation  
Photo taken on 11/2/2012 3:05:18 PM



Property of United States Infrastructure Corporation  
Photo taken on 11/2/2012 2:41:52 PM



**INFORMATION REQUEST**

State Form 54909 (2-12)  
INDIANA UTILITY REGULATORY COMMISSION – PIPELINE SAFETY DIVISION

Case Number: 4399 \_\_\_\_\_

*The Pipeline Safety Division of the Indiana Utility Regulatory Commission requests any and all information you can provide regarding the following criteria.*

*Upon completion of answers select email button for submission.*

---

**The Parties**

**Excavator Information:**

Business Name: Ferguson Michiana INC

Responsible Party Personal Name: Dave Ferguson

Title (if any): Vice President

Address (number and street): 7162 M-140

City, State and ZIP Code: Eau Claire, Mi 49111

Preferred Telephone Number (area code): 269-461-6167

Cellular Telephone Number (area code): 269-876-7120

Email Address: Dave@Fergusonmichiana.com

**Facility Information:**

Business Name: NIPSCO

Responsible Party Personal Name: \_\_\_\_\_

Title (if any): \_\_\_\_\_

Address (number and street): \_\_\_\_\_

City, State and ZIP Code: \_\_\_\_\_

Preferred Telephone Number (area code): \_\_\_\_\_

Cellular Telephone Number (area code): \_\_\_\_\_

Email Address: \_\_\_\_\_

**Locator Service Information:**

Business Name: \_\_\_\_\_ USIC \_\_\_\_\_

Responsible Party Personal Name: \_\_\_\_\_

Title (if any): \_\_\_\_\_

Address (number and street): \_\_\_\_\_

City, State and ZIP Code: \_\_\_\_\_

Preferred Telephone Number (area code): \_\_\_\_\_

Cellular Telephone Number (area code): \_\_\_\_\_

Email Address: \_\_\_\_\_

**Cause of Damage Information**

Type of Equipment (select one): Trencher

Type of Work Performed (select one): Telecommunications

**Other Information (Witness, Police, Fire, Other):**

Personal Contact: Johnny Oaks \_\_\_\_\_

Business/Organization Name: Ferguson Michiana Inc \_\_\_\_\_

Title (if any): Employee \_\_\_\_\_

Address (number and street): 7162 M-140 N \_\_\_\_\_

City, State and ZIP Code: Eau Claire MI 49111 \_\_\_\_\_

Preferred Telephone Number (area code): 269-461-6167 \_\_\_\_\_

Cellular Telephone Number (area code): \_\_\_\_\_

Email Address: \_\_\_\_\_

---

### Utility Line Impact

#### Location of Damage:

Address (*number and street*): 4523 Fellows \_\_\_\_\_

City, State and ZIP Code: South Bend IN \_\_\_\_\_

Nearest Intersection: Ireland Road \_\_\_\_\_

Product Type (*select one*): Natural Gas

Facility Type (*select one*):

Size (Diameter/etc.): 1" \_\_\_\_\_

Pressure (PSIG/Inches): \_\_\_\_\_

Interruption in Service:  Yes  No Number of Customers Affected: \_\_\_\_\_

Evacuation:  Yes  No If yes, How Many Evacuated? \_\_\_\_\_

Repair Cost (if known): \$ 372.34 \_\_\_\_\_

Release of Product:  Yes  No

Ignition and/or Fire:  Yes  No

Excavator Notify 811:  Yes  No

---

### Locate Information

Excavator Request Locate:  Yes  No

Indiana 811 Locate Ticket Number: 1210183596; 1210183597 \_\_\_\_\_

Locate Marks Visible:  Yes  No

Locate Marks Correct:  Yes  No

Excavator "White Lined":  Yes  No

Maps Used to Mark Facilities:  Yes  No

Was Locate Provided within Two (2) Working Days:  Yes  No

Operator Employees On-site during Excavation:  Yes  No

---

**Incident Impact Information**

Number of Outpatient Treated: \_\_\_\_\_

Number of Inpatient Treated: \_\_\_\_\_

Number of Fatalities: \_\_\_\_\_

Fire Department Response:  Yes  No

Police Department Response:  Yes  No

Ambulance Response:  Yes  No

---

**Additional Information / Comments**

Gas service not marked. USIC came out and found faint marks barley visible and blamed us. We have pictures to support our position.

NARRATIVE STATEMENT

Your Pipeline Safety Division Case Number: 4399

Your Full Name: Dave Ferguson

Full Name of Business / Entity (if applicable): Ferguson Michiana Inc


Your Business Title (if applicable): Owner

Address (number and street): 7162 M-140 North

City: Eau Claire State: MI ZIP Code: 49111

Your E-mail Address: Dave@Fergusonmichiana.com

Today's Date (month, day, year): 2/22/13

Your Signature:  Title (if any) Owner

Please return your Narrative Statement to:

**Pipeline Safety Division – Case Number 4399**  
**Indiana Utility Regulatory Commission**  
**101 West Washington Street, 1500E**  
**Indianapolis, IN 46204**

Or scan the statement and Email to:

[PipelineDamageCase@urc.in.gov](mailto:PipelineDamageCase@urc.in.gov)