



Pipeline Safety Division Investigation Report

Investigation regarding: Hasse Construction Company

UPPAC Database Record ID: 4474

Report Date: 7/17/2013

Investigator: Mike Orr

Damage Date: 2/15/2013 11:12:03 AM

Damage Address: Fisher St, North, Lake

The Parties

Excavator: **Hasse Construction Company**

Address: 10 Lincoln Ave, Calumet City, Il 60409

Facility Owner: **NIPSCO**

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Service/Drop

Type of Equipment: Backhoe/Trackhoe

Type of Work Performed: Sewer

Damage Impact

Product Release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 1

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$

Excavator Activities/Cause of Damage Information:

Excavator Request Locates: Yes
2/6/2013

Indiana 811 Ticket Number: 1302040681

Original Start Date:

Locate Instructions: locate fisher st from white oak ave to approx 500 feet west

Follow-Up Locate Instructions (if applicable):

Synopsis: Excavator struck and damaged an underground natural gas service while performing sewer work.

Findings: Reported by Indiana 811; excavator's response to initial notice was received on 4/9/2013. The excavator had a valid locate ticket; however, the gas operator self reported a failure to provide a complete locate facility locate.

Conclusion: There was a failure to provide complete facility locate markings.

Violation: IC 8-1-26-18(f) Operator failed to locate or provided incorrect locate markings.



150 West Market Street, Suite 600
Indianapolis, IN 46204

April 22, 2012

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 4474
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 4474

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 2/15/2013

Event Location: Fisher St

City: North

Facility Owner: Northern Indiana Public Service Company

Excavator: Hasse Construction Company

Other Party: N/A

Pipeline Division Case No. 4474

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com

IURC INFORMATION REQUEST	
Pipeline Safety Division Case No. 4474	
Date of Event	2/15/2013
Event Location	Fisher St
Event City	North
Facility Owner	Northern Indiana Public Service Company
Excavator	Hasse Construction Company
Date of IURC Information Request	3/27/2012
THE PARTIES	
EXCAVATOR:	
BUSINESS NAME	Hasse Construction Company
RESPONSIBLE PARTY PERSONAL NAME	
TITLE (IF ANY)	
ADDRESS	10 Lincoln Avenue
CITY/ STATE/ZIP	Calumet City / IL / 60409
PREFERRED TELEPHONE	(219)932-1611
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
LOCATOR SERVICE INFORMATION	
BUSINESS NAME	USIC
RESPONSIBLE PARTY PERSONAL NAME	Morgan Thompson
TITLE (IF ANY)	Claims Coordinator
ADDRESS	9045 N. River Rd. Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	1-317-538-7301
CELL PHONE TELEPHONE	Same
EMAIL ADDRESS	morganthompson@usicinc.com
OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	
TITLE (IF ANY)	

ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
UTILITY LINE IMPACT	
LOCATION OF DAMAGE	
ADDRESS	1543 Fisher Street
CITY/STATE/ZIP	Munster / IN / 46321
NEAREST INTERSECTION	White Oak Avenue
PRODUCT TYPE (Select One)	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
FACILITY TYPE (Select One)	
DISTRIBUTION	
GATHERING	
SERVICE/DROP	X
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	3/4"
PRESSURE (PSIG/INCHES)	
INTERRUPTION IN SERVICE (YES/NO)	Y
NUMBER OF CUSTOMERS AFFECTED	1
EVACUATION (YES/NO)	N
IF YES, HOW MANY EVACUATED	
REPAIR COST (IF KNOWN) (\$)	
CAUSE OF DAMAGE INFORMATION:	
TYPE OF EQUIPMENT (Select One)	
Auger	
Backhoe/Trackhoe	X
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	
Probing Device	

Trencher	
Vacuum Equipment	
Unknown/Other	
TYPE OF WORK PERFORMED (Select One)	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	
Sewer (Sanitary/Storm)	X
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	
RELEASE OF PRODUCT (YES/NO)	Y
IGNITION AND/OR FIRE (YES/NO)	N
EXCAVATOR NOTIFY 811 (YES/NO)	Y – 1302150793
LOCATE INFORMATION:	
EXCAVATOR REQUEST LOCATE (YES/NO)	Y

INDIANA 811 LOCATE TICKET NUMBER	1302040681
LOCATE MARKS VISIBLE (YES/NO)	N
LOCATE MARKS CORRECT (YES/NO)	N line was not marked
EXCAVATOR "WHITE LINED" (YES/NO)	N
MAPS USED TO MARK FACILITIES (YES/NO)	N
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	N
INCIDENT IMPACT INFORMATION	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FATALITIES	0
FIRE DEPARTMENT RESPONSE (YES/NO)	Y
POLICE DEPARTMENT RESPONSE (YES/NO)	N/A
AMBULANCE RESPONSE (YES/NO)	N/A
ADDITIONAL INFORMATION/COMMENTS	
<p>Facility marking or location not sufficient (not marked).</p> <p>Emergency ticket# 1302151193.</p>	

Facility: Distribution Lines; Folder: N/A; Assigned To: USIC

NIPSCO 00123 IUPPSa 02/04/2013 09:56:12 1302040681-00A NORM NEW GRID

NORMAL NOTICE REMARK REMARK

Ticket : 1302040681 Date: 02/04/2013 Time: 09:55 Oper: BRIAN.STARESINA Chan:000
Old Tkt: 1301170467 Date: 01/17/2013 Time: 09:24 Oper: BRIAN.STARESINA Rev: 00A

State: IN Cnty: LAKE Twp: NORTH
Cityname: MUNSTER Inside: N Near: Y
Subdivision:

Address :
Street : FISHER ST
Cross 1 : WHITE OAK AVE Within 1/4 mile: Y
Location: LOCATE FISHER ST FROM WHITE OAK AVE TO APPROX 500 FEET WEST
:
Grids : 4133D8729B 4133D8729C
Boundary: n 41.553467 s 41.552250 w -87.494118 e -87.489777

Work type : STORM SEWER
Done for : TOWN OF MUNSTER
Start date: 02/06/2013 Time: 10:15 Hours notice: 48/048 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
Duration : 3 MONTHS Depth: 9 FEET

Company : HASSE CONSTRUCTION COMPANY Type: CONT
Co addr : 10 LINCOLN AVE
City : CALUMET CITY State: IL Zip: 60409
Caller : BRIAN STARESINA Phone: (219)932-1611
Contact : JOE PATRICK Phone:
BestTime:
Mobile : (219)746-0271
Fax : (708)862-2455

Remarks : All tickets are taken and processed on Eastern Daylight Time
Will you be white-lining the dig site area? NO
:

Submitted date: 02/04/2013 Time: 09:55
Members: COMCN IB ID6978 ID9330 NIPSCO SM

Facility: Transmission Lines; Folder: GM & T tickets; Assigned To: N/A

NIPSCO 00158 IUPPSa 02/15/2013 11:12:13 1302150793-00A EMER DAMG GRID

DAMAGE DAMAGE

Ticket : 1302150793 Date: 02/15/2013 Time: 11:09 Oper: LPORTER Chan:046

State: IN Cnty: LAKE Twp: NORTH
Cityname: MUNSTER Inside: N Near: Y
Subdivision:

Address :
Street : FISHER ST
Cross 1 : WHITE OAK AVE Within 1/4 mile: Y
Location: LOCATE FISHER ST FROM WHITE OAK AVE TO APPROX 500 FEET WEST
:
Grids : 4133D8729B 4133D8729C
Boundary: n 41.553467 s 41.552250 w -87.494118 e -87.489777

Work type : STORM SEWER
Done for : TOWN OF MUNSTER
Start date: 02/15/2013 Time: 11:09 Hours notice: 0/000 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 3 MONTHS Depth: 9 FEET

Company : HASSE CONSTRUCTION COMPANY Type: CONT
Co addr : 10 LINCOLN AVE
City : CALUMET CITY State: IL Zip: 60409
Caller : BRIAN STARESINA Phone: (219)932-1611
Contact : JOE PATRICK Phone:
BestTime:
Mobile : (219)746-0271
Fax : (708)862-2455

Remarks : All tickets are taken and processed on Eastern Daylight Time
PER JOE PATRICK - HIT A NIPSCO GAS LINE - GAS IS BLOWING - LINE IS THREE QUARTER
INCH STEEL - DIGGING IN MIDDLE OF STREET APPROX 100 FEET WEST OF WHITE OAK ST -
CREW STILL ON SITE - JOE HAS NOT CALLED 911 - JOE TO CONTACT NIPSCO - PREVIOUS
TICKET 1302040681

Will you be white-lining the dig site area? NO
:

Submitted date: 02/15/2013 Time: 11:09
Members: COMCN IB ID6978 ID9330 NIPSCO SM

Facility: Transmission Lines; Folder: GM & T tickets; Assigned To: N/A

NIPSCO 00236 IUPPSa 02/15/2013 13:10:40 1302151193-00A EMER NEW STRT

EMERGENCY EMERGENCY

Ticket : 1302151193 Date: 02/15/2013 Time: 13:09 Oper: DBROOKING Chan:008

State: IN Cnty: LAKE Twp: NORTH
Cityname: MUNSTER Inside: Y Near: N
Subdivision:

Address : 1543
Street : FISHER ST
Cross 1 : WHITE OAK AVE Within 1/4 mile: Y
Location: LOCATE THE ENTIRE PROPERTY
:
Grids : 4133D8729A 4133D8729B 4133D8729C
Boundary: n 41.553403 s 41.552246 w -87.496038 e -87.489747

Work type : GAS LINE REPAIR
Done for : NIPSCO
Start date: 02/15/2013 Time: 13:09 Hours notice: 0/000 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 1 DAY Depth: 6 FEET

Company : NIPSCO Type: MEMB
Co addr : 801 E 86TH AVE
City : MERRILLVILLE State: IN Zip: 46410
Caller : ERLINDA GONZALEZ Phone: (800)322-2806
Contact : TONY SANCHEZ - CELL Phone:
BestTime:
Mobile : (219)742-5267
Fax : (219)647-4764

Remarks : All tickets are taken and processed on Eastern Daylight Time
THIS REPLACES TICKET 1302150819 DUE TO CHANGE IN ADDRESS--CREW IS ON SITE--THANK
YOU

Will you be white-lining the dig site area? NO
:

Submitted date: 02/15/2013 Time: 13:09
Members: COMCN IB ID6978 ID9330 NIPSCO SM

NORTHERN INDIANA PUBLIC SERVICE COMPANY

FACILITY DAMAGE REPORT

** COMPLETE FORM FOR ALL DAMAGES TO NIPSCO FACILITIES **

REPORTING OPERATING AREA HAMMOND MAXIMO WO # _____

OPERATING AREA CONTACT TONY SANCHEZ JOB ORDER # 583501

TRACKING NUMBER 018 2013 0215 003 LOCATE REF # 1302040681

Locate Performed By: USFC

DATE AND TIME OF ACCIDENT 2/15/13 2010.06A M DATE OF REPORT 2/15/13

PLACE OF DAMAGE (INCLUDE CITY) 1543 FISHER ST. 46321

DAMAGE WAS TO:

ELECTRIC - POLE / TRANSFORMER: # _____ SIZE _____ YEAR INSTALLED _____ BROKEN YES () NO ()

OTHER (DESCRIBE) _____

GAS: SERVICE MAIN () SIZE 3/4" MATERIAL: PLASTIC () STEEL METER () REG STATION () STUB ()

OTHER (DESCRIBE) _____

DEPTH OF FACILITY (Inches) 24" PRESSURE (PSI) 45 Lbs.

RELEASE OF GAS: YES NO () IGNITION OF GAS: YES () NO EVACUATION REQUIRED: YES () # _____ NO

INTERRUPTION OF SERVICE: YES NO () NUMBER OF CUSTOMERS LOST: 1

DURATION OF INTERRUPTION: TIME REPORTED 10:06A TIME RESTORED 16:29

DIAMETER/MEASUREMENT OF HOLE IN GAS FACILITY: 3/4"

USFC worked under assumption home was fed from another street. Thus no locates.

LOCATE MARKS ON SITE: YES () DISTANCE BETWEEN FACILITY AND LOCATE MARKS _____ NO HOW LOCATED: PAINT () FLAGS () BOTH () WHITE LINED ()

PARTY THAT CAUSED DAMAGES (NAME) HASSE CONST.

ADDRESS OF PARTY (INCLUDE CITY) 10 Lincoln Avenue, Calumet City, IL 60409 (219) 932-1611

WHO WAS IN CHARGE OF THE WORK SITE AT TIME OF DAMAGE JOE PATRICK SUPERINTENDENT

WITNESS NAME AND ADDRESS _____ HASSE

WITNESS REMARKS _____

AGENCIES NOTIFIED / ONSITE: POLICE () AGENCY _____ REPORT # _____

FIRE AGENCY _____ REPORT # _____

OTHER () _____ Any Injuries? () YES # _____ NO

PHOTOS TAKEN: YES () NO TAKEN BY: _____ (ATTACH PHOTOS TO REPORT)
MEDIA ON SITE YES () NO ()

WORK IN PROGRESS WHEN FACILITY DAMAGED - CHECK APPROPRIATE CHOICE BELOW

- () AGRICULTURE/FARMING
- () BLDG CONSTRUCTION
- () DRIVEWAY
- () FENCING
- () LANDSCAPING
- () POLE/SIGN POST
- () CABLE TV
- () DEMOLITION
- () ELECTRIC
- () GRADING
- () PIPELINE
- () ROAD WORK
- () CURB/SIDEWALK
- () DRAINAGE
- () SURVEYING
- () IRRIGATION
- () MILLING
- SEWER
- () TELECOMMUNICATIONS
- () WATER
- () DRAINS/CULVERTS
- () MOWING
- () OTHER _____

TYPE OF EQUIPMENT USED - CHECK APPROPRIATE CHOICE BELOW

- () AUGER
- () MILLING EQUIPMENT
- () EXPLOSIVES
- () VACCUUM EQUIPMENT
- () HAND TOOLS
- () PROBING DEVICE
- () TRENCHER
- () GRADER
- BACKHOE/TRACKHOE
- () BORING / DRILLING
- () FARM EQUIPMENT
- () OTHER _____

REASON DAMAGE OCCURRED - CHECK APPROPRIATE CHOICE BELOW

- () AUTOMOTIVE ACCIDENT
- () NO NOTIFICATION
- () EXCAVATING BEFORE LOCATES DUE
- () MARKS DISTURBED
- () CARELESS MACHINE OPERATOR
- () STUB
- OTHER MIS-LOCATED

SEE REVERSE SIDE FOR COMMENTS AND DIAGRAM

COMMENTS :

PERSON PREPARING REPORT

Tony Sandy

FIELD SUPERVISOR

Tony Sandy

FIELD MANAGER

Karima Hasan Bay

- ORIGINAL REPORT AND SUPPORTING INFORMATION IS TO BE SENT TO FACILITY DAMAGE RECOVERY
- COPY OF REPORT IS TO BE SENT TO DAMAGE PREVENTION

SKETCH: - Show position of all pertinent information

FOR OFFICE USE ONLY:

- | | | |
|---|-----|----|
| • DID EXCAVATION OCCUR BEFORE LOCATES WERE DUE | YES | NO |
| • NO IN 811 LOCATE CALLED IN | YES | NO |
| • DAMAGE CAUSED FROM EXCAVATION WITHIN 24" ZONE | YES | NO |
| • EXPIRED LOCATE | YES | NO |
| • WAS WHITE LINING INDICATED ON LOCATE REQUEST | YES | NO |

COMPLETED BY: _____ DATE: _____

Fact Based Investigation Report

Notification ID 01820130215002
Damage Date 02/15/2013 11:12
Notified By BRIAN STARESINA ()
Damage Address FISHER ST
MUNSTER, IN
District Northern Indiana
Notification Date 02/15/2013
11:15

Damaged Customer NIPSCO

Investigation Date From 02/15/2013 11:40:00 **To** 02/15/2013 12:25:00

Excavator Involved HASSE CONSTRUCTION

Type of Excavation sewer install

Orig. Locate Request 1302040681 **Start Date** 02/05/2013 12:45
Type of Ticket Routine **Locate Req. Info** N/A

Damage Request # 1302150793 **Start Date** 02/15/2013 12:45

Pictures Taken By Guillermo Garcia **Date** 02/15/2013 12:45

Photography Type Digital **Frame #**

Investigator Emp. # 134728 **Investigator Name** Guillermo Garcia

Based on your investigation, is further investigation needed? No

Fact Based Investigation Customer Information

Facility Description Low Profile **Facility ID** Gas Service

Locator Name & EMP # Garcia Jr Guillermo - 131985 **Locator Not Known**

Investigation Findings

Other

Other Notes

Line was not marked

Investigation Methods

Visual, Facility Exposed At Time Of Investigation

Investigator Statement/Causal Factors

The line came out the front of the house the other services on the street went out the back. An assumption was made and we did not locate the service. The service was not marked where the dig in occurred. This was a steel service.

Names of Utility Representatives Contacted or on Site and Statement

Tony Sanchez and Gary Seeley

Names of Excavator's Representatives Contacted or on Site and Statement

n/a

Other individuals on site

n/a

Were any markings visible on the damage site upon arrival? No

Were any other indicators of facility present in the area?	No
Was the excavation within the tolerance zone of marks?	No
Extent of facility damage	steel service was damaged
Replacement Footage	4'
Was contractor assistance required? If yes, who?	No
What contractor equipment was used?	
Is the facility shown on the utility records?	No
If yes, list record numbers	



INFORMATION REQUEST

State Form 54909 (R / 3-13)

INDIANA UTILITY REGULATORY COMMISSION – PIPELINE SAFETY DIVISION

Case Number: 4474

Date of Damage (month, day, year): 2/15/2013

Location of Damage:

Address (number and street): 1543 Fisher Street

City, State and ZIP Code: Munster, IN 46321

Nearest Intersection: Fisher Street and White Oak Ave

Excavator Information:

Business Name: Hasse Construction Company Inc.

Responsible Party Personal Name: John Hasse

Title (if any): _____

Address (number and street): 10 Lincoln Ave

City, State and ZIP Code: Calumet City, IL 60409

Preferred Telephone Number (area code): 219-932-1611

Email Address: jhasse@hasseconstruction.com

Utility Information:

Utility Name: NIPSCO

Contact Person: _____

Title (if any): _____

Cause of Damage Information

Type of Equipment (*select one*):

Type of Work Performed (*select one*):

Repair Cost: \$ _____

Did a leak result from damage: Yes No

Was there ignition: Yes No

Excavator Notify 911 due to leak: Yes No

Excavator Notify 811 upon damage: Yes No

Excavator Notify Utility upon Damage: Yes No

Locate Information

Excavator Request Locate: Yes No

Indiana 811 Locate Ticket Number: 1302040681

Locate Marks Visible: Yes No

Locate Marks Correct: Yes No

Excavator "White Lined": Yes No

Was Locate Provided within Two (2) Working Days: Yes No

Utility Employees On-site during Excavation: Yes No

Incident Information:

Fire Department Response: Yes No


Police Department Response: Yes No

Ambulance Response: Yes No

Additional Information / Comments

No gas services were marked on Fisher Street. Hasse Construction was informed by Locator that the street was clear. "All the houses are served through the backyards". Well, out of the 20 plus homes on this street, one of them had a service that crossed our trench that no one knew about until it was hit.

Printed Name: Brian Staresina

Signature:  Date (month, day, year): 4/9/13

**If submitting this form electronically, typing your name in the signature box will act as an electronic signature.*

Please return completed form to:

PipelineDamageCase@urc.in.gov

Or mail to:

**Indiana Utility Regulatory Commission
Pipeline Safety Division - Case Number 4474
101 West Washington Street, 1500E
Indianapolis, IN 46204**

**Or fax to:
317-233-2410**

NORMAL NOTICE REMARK REMARK

Ticket : 1302040681 Date: 02/04/2013 Time: 09:55 Oper: BRIAN.STARESINA Chan:000
 Old Tkt: 1301170467 Date: 01/17/2013 Time: 09:24 Oper: BRIAN.STARESINA Rev: 00A

State: IN Cnty: LAKE Twp: NORTH
 Cityname: MUNSTER Inside: N Near: Y
 Subdivision:

Address :
 Street : FISHER ST
 Cross 1 : WHITE OAK AVE Within 1/4 mile: Y
 Location: LOCATE FISHER ST FROM WHITE OAK AVE TO APPROX 500 FEET WEST
 :
 Grids : 4133D8729B 4133D8729C
 Boundary: n 41.553467 s 41.552250 w -87.494118 e -87.489777


Work type : STORM SEWER
 Done for : TOWN OF MUNSTER
 Start date: 02/06/2013 Time: 10:15 Hours notice: 48/048 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
 Duration : 3 MONTHS Depth: 9 FEET

Company : HASSE CONSTRUCTION COMPANY Type: CONT
 Co addr : 10 LINCOLN AVE
 City : CALUMET CITY State: IL Zip: 60409
 Caller : BRIAN STARESINA Phone: (219)932-1611
 Contact : JOE PATRICK Phone:
 BestTime:
 Mobile : (219)746-0271
 Fax : (708)862-2455

Remarks : All tickets are taken and processed on Eastern Daylight Time
 Will you be white-lining the dig site area? NO
 :

Submitted date: 02/04/2013 Time: 09:55
 Members: COMCN IB ID6978 ID9330 NIPSCO SM

Member Name	Facility Types
AT&T - DISTRIBUTION	TELEPHONE
COMCAST NORTH	CABLE TV
MUNSTER UTILITY DEPT., THE CIVIL TOWN OF	
NIPSCO	GAS & ELECTRIC
WOLVERINE PIPELINE	PIPELINE



LOCATION OF SERVICE
THAT WAS HIT

GAS MAIN
MARKER & PAINT
LOCATE MARK



NEW GAS
VALVE



**NO LOCATE MARKS
INDICATING GAS SERVICE**





PICTURES OF REPAIR

