



INDIANA UTILITY REGULATORY COMMISSION
101 W. WASHINGTON STREET, SUITE 1500E
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

Pipeline Safety Division Investigation Report

Investigation regarding: J And S Liquid Waste Services

UPPAC Database Record ID: 4619

Report Date: 7/11/2013

Investigator: Mike Orr

Damage Date: 4/10/2013 3:29:20 PM

Damage Address: 2815 Princeton Ave, Wayne, Allen

The Parties

Excavator: J And S Liquid Waste Services

Address: 4030 Option Pass, Fort Wayne, In 46818

Facility Owner: NIPSCO

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Distribution

Type of Equipment: Backhoe/Trackhoe

Type of Work Performed: Sewer

Damage Impact

Product Release: Yes

Ignition: No

Service Interruption:

Number of Customers Affected: 1

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$

Excavator Activities/Cause of Damage Information:

Excavator Request Locates: Yes
4/8/2013

Indiana 811 Ticket Number: 1304083181

Original Start Date:

Locate Instructions: LOCATE--ENTIRE PROPERTY

Follow-Up Locate Instructions (if applicable):

Synopsis: Excavator struck and damaged an underground natural gas main while performing sewer work.

Findings: Reported by Indiana 811; excavator's response to initial notice was received on 5/10/2013. Excavator was digging outside the scope of the locate request damaging the natural gas main.

Conclusion: There was a failure to provide a more definitive location for the excavation. The location was on adjacent property.

Violation: IC 8-1-26-16(g)(out) Failure to provide notice of excavation - damage occurred outside requested locate area.



150 West Market Street, Suite 600
Indianapolis, IN 46204

May 31, 2013

[Via Electronic Transmission – PipelineDamageCase@urc.in.gov](mailto:PipelineDamageCase@urc.in.gov)

Pipeline Safety Division – Case No. 4619
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 4619

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 4/10/2013
Event Location: 2815 Princeton Ave
City: Wayne
Facility Owner: Nipsco
Excavator: J And S Liquid Waste Services
Other Party: N/A
Pipeline Division Case No. 4619

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com

IURC INFORMATION REQUEST	
Pipeline Safety Division Case No. 4619	
Date of Event	4/9/2013
Event Location	2815 Princeton Ave
Event City	Wayne
Facility Owner	Nipsco
Excavator	J and S Liquid Waste Services
Date of IURC Information Request	May 1, 2013
THE PARTIES	
EXCAVATOR:	
BUSINESS NAME	J and S Liquid Waste Services
RESPONSIBLE PARTY PERSONAL NAME	
TITLE (IF ANY)	
ADDRESS	4030 Option Pass
CITY/ STATE/ZIP	Fort Wayne / IN / 46818
PREFERRED TELEPHONE	(260)489-6021
CELL PHONE TELEPHONE	(260)246-2197
EMAIL ADDRESS	leggygalnfl@yahoo.com
FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
LOCATOR SERVICE INFORMATION	
BUSINESS NAME	USIC
RESPONSIBLE PARTY PERSONAL NAME	Morgan Thompson
TITLE (IF ANY)	Claims Coordinator
ADDRESS	9045 N. River Rd. Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	1-317-538-7301
CELL PHONE TELEPHONE	Same
EMAIL ADDRESS	morganthompson@usicinc.com
OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	
TITLE (IF ANY)	

ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
UTILITY LINE IMPACT	
LOCATION OF DAMAGE	
ADDRESS	2815 Princeton Avenue
CITY/STATE/ZIP	Fort Wayne / IN / 46808
NEAREST INTERSECTION	Yale Drive
PRODUCT TYPE (Select One)	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
FACILITY TYPE (Select One)	
DISTRIBUTION	X
GATHERING	
SERVICE/DROP	
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	2"
PRESSURE (PSIG/INCHES)	
INTERRUPTION IN SERVICE (YES/NO)	Y
NUMBER OF CUSTOMERS AFFECTED	1
EVACUATION (YES/NO)	N
IF YES, HOW MANY EVACUATED	
REPAIR COST (IF KNOWN) (\$)	
CAUSE OF DAMAGE INFORMATION:	
TYPE OF EQUIPMENT (Select One)	
Auger	
Backhoe/Trackhoe	X
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	
Probing Device	

Trencher	
Vacuum Equipment	
Unknown/Other	
TYPE OF WORK PERFORMED (Select One)	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	
Sewer (Sanitary/Storm)	X
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	
RELEASE OF PRODUCT (YES/NO)	Y
IGNITION AND/OR FIRE (YES/NO)	N
EXCAVATOR NOTIFY 811 (YES/NO)	Y – 1304103532
LOCATE INFORMATION:	
EXCAVATOR REQUEST LOCATE (YES/NO)	Y

INDIANA 811 LOCATE TICKET NUMBER	1304083181
LOCATE MARKS VISIBLE (YES/NO)	Y
LOCATE MARKS CORRECT (YES/NO)	Y
EXCAVATOR "WHITE LINED" (YES/NO)	N
MAPS USED TO MARK FACILITIES (YES/NO)	Y
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	N
INCIDENT IMPACT INFORMATION	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FATALITIES	0
FIRE DEPARTMENT RESPONSE (YES/NO)	N/A
POLICE DEPARTMENT RESPONSE (YES/NO)	N/A
AMBULANCE RESPONSE (YES/NO)	N/A
ADDITIONAL INFORMATION/COMMENTS	
<p>Notification to one-call center made but not sufficient (excavator dug outside scope of ticket).</p> <p>Emergency ticket# 1304103735.</p>	

NORTHERN INDIANA PUBLIC SERVICE COMPANY FACILITY DAMAGE REPORT

** COMPLETE FORM FOR ALL DAMAGES TO NIPSCO FACILITIES **

REPORTING OPERATING AREA Fort Wayne MAXIMO WO # M 722774
OPERATING AREA CONTACT J OTEB JOB ORDER # 564494
TRACKING NUMBER 018-2013-0410-003 LOCATE REF # 15-1-06200 1304083181
Locate Performed By: _____

DATE AND TIME OF ACCIDENT 4-10-13 2015.20 M DATE OF REPORT 4-10-13
PLACE OF DAMAGE (INCLUDE CITY) 2815 PRINCETON AVE FT WAYNE, IN 46808

DAMAGE WAS TO:

ELECTRIC - POLE / TRANSFORMER: # _____ SIZE _____ YEAR INSTALLED _____ BROKEN YES () NO ()

OTHER (DESCRIBE) _____

GAS: SERVICE () MAIN (X) SIZE 2" MATERIAL: PLASTIC (X) STEEL () METER () REG STATION () STUB ()
OTHER (DESCRIBE) _____

DEPTH OF FACILITY (inches) 30 PRESSURE (PSI) 45 Lbs.

RELEASE OF GAS: YES (X) NO () IGNITION OF GAS: YES () NO (X) EVACUATION REQUIRED: YES () # _____ NO (X)

INTERRUPTION OF SERVICE: YES (X) NO () NUMBER OF CUSTOMERS LOST: 1

DURATION OF INTERRUPTION: TIME REPORTED 15:18 TIME SHUT OFF 1710 TIME RESTORED 19:21

DIAMETER/MEASUREMENT OF HOLE IN GAS FACILITY: 2 1/2"

LOCATE MARKS ON SITE: YES (X) DISTANCE BETWEEN FACILITY AND LOCATE MARKS 1' NO ()

HOW LOCATED: PAINT () FLAGS () BOTH (X) WHITE LINED ()

PARTY THAT CAUSED DAMAGES (NAME) JESSE JENKENS J & S Excavating

ADDRESS OF PARTY (INCLUDE CITY) 4030 OPZON PASS FT WAYNE (489-602)

WHO WAS IN CHARGE OF THE WORK SITE AT TIME OF DAMAGE JESSE JENKENS

WITNESS NAME AND ADDRESS W SHEPARD / R SHODS / J OTEB

WITNESS REMARKS _____

AGENCIES NOTIFIED / ONSITE: POLICE () AGENCY _____ REPORT # _____

FIRE () AGENCY _____ REPORT # _____

OTHER () _____ Any Injuries? () YES # _____ (X) NO

PHOTOS TAKEN: YES () NO (X) TAKEN BY: _____ (ATTACH PHOTOS TO REPORT)
MEDIA ON SITE YES () NO ()

WORK IN PROGRESS WHEN FACILITY DAMAGED - CHECK APPROPRIATE CHOICE BELOW

- | | | | |
|-------------------------|----------------|-------------------|----------------------------|
| () AGRICULTURE/FARMING | () CABLE TV | () CURB/SIDEWALK | () TELECOMMUNICATIONS |
| () BLDG CONSTRUCTION | () DEMOLITION | () DRAINAGE | () WATER |
| () DRIVEWAY | () ELECTRIC | () SURVEYING | () DRAINS/CULVERTS |
| () FENCING | () GRADING | () IRRIGATION | () MOWING |
| () LANDSCAPING | () PIPELINE | () MILLING | () OTHER <u>EVACUATOR</u> |
| () POLE/SIGN POST | () ROAD WORK | (X) SEWER | |

TYPE OF EQUIPMENT USED - CHECK APPROPRIATE CHOICE BELOW

- | | | |
|-----------------------|--------------------|-----------------------|
| () AUGER | () HAND TOOLS | () BACKHOE/TRACKHOE |
| () MILLING EQUIPMENT | () PROBING DEVICE | () BORING / DRILLING |
| () EXPLOSIVES | () TRENCHER | () FARM EQUIPMENT |
| () VACCUUM EQUIPMENT | () GRADER | (X) OTHER |

REASON DAMAGE OCCURRED - CHECK APPROPRIATE CHOICE BELOW

- | | | |
|-------------------------|-----------------------------------|--|
| () AUTOMOTIVE ACCIDENT | () EXCAVATING BEFORE LOCATES DUE | () CARELESS MACHINE OPERATOR <u>outside the scope</u> |
| () NO NOTIFICATION | () MARKS DISTURBED | () STUB (X) OTHER <u>of the locate Request</u> |

SEE REVERSE SIDE FOR COMMENTS AND DIAGRAM

SN #110601 Rev. 6-12

COMMENTS :

Job Repair SEWER 22NE HLT 2" P/GAS MAIN


PERSON PREPARING REPORT W SHEPARD

FIELD SUPERVISOR [Signature]

FIELD MANAGER [Signature] 622585

- ORIGINAL REPORT AND SUPPORTING INFORMATION IS TO BE SENT TO FACILITY DAMAGE RECOVERY
- COPY OF REPORT IS TO BE SENT TO DAMAGE PREVENTION

SKETCH: - Show position of all pertinent information



FOR OFFICE USE ONLY:

- | | | |
|---|-----|----|
| • DID EXCAVATION OCCUR BEFORE LOCATES WERE DUE | YES | NO |
| • NO IN 811 LOCATE CALLED IN | YES | NO |
| • DAMAGE CAUSED FROM EXCAVATION WITHIN 24" ZONE | YES | NO |
| • EXPIRED LOCATE | YES | NO |
| • WAS WHITE LINING INDICATED ON LOCATE REQUEST | YES | NO |

COMPLETED BY: _____ DATE: _____

Fact Based Investigation Report

Notification ID 01820130410004
Damage Date 04/10/2013 15:29
Notified By DARCY STUTZ ()
Damage Address 2815 PRINCETON AVE
FORT WAYNE, IN
District Northern Indiana
Notification Date 04/10/2013 15:35

Damaged Customer NIPSCO

Investigation Date From 04/10/2013 00:00:00 **To** 04/10/2013 00:00:00

Excavator Involved J & S Liquid Waste
Type of Excavation SWER REPAIR

Orig. Locate Request 1304083181 **Start Date**
Type of Ticket Routine **Locate Req. Info** N/A

Damage Request # 1304103532 **Start Date**

Pictures Taken By ERIC BLANTON **Date** 04/10/2013 00:00
Photography Type Digital **Frame #**

Investigator Emp. # 113185 **Investigator Name** ROSS GILLESPIE
Based on your investigation, is further investigation needed? No

Fact Based Investigation Customer Information

Facility Description Low Profile **Facility ID** main - 2"

Locator Name & EMP # Blanton Eric - 134735 **Locator Not Known**

Investigation Findings

Contractor Dug Outside Marking Instructions

Other Notes

Investigation Methods

Investigator Verified Existing Marks By Hooking Up
Visual, Facility Exposed At Time Of Investigation

Investigator Statement/Causal Factors

TICKET STATED ENT PROPERTY- THE TECH LOCATED HALF WAY ACROSS PRINCETON AND
ARROWED THE SERVICE TOWARDS THE MAIN ON THE EAST SIDE OF PRINCETON (HOME IS ON THE
WEST SIDE)

Names of Utility Representatives Contacted or on Site and Statement

JASON OTIS- "LOOKS LIKE ITS ACROSS THE STREET TO ME"

Names of Excavator's Representatives Contacted or on Site and Statement

NA

Other individuals on site

NA

Were any markings visible on the damage site upon arrival? Yes

Were any other indicators of facility present in the area? Yes

Was the excavation within the tolerance zone of marks?	Yes
Extent of facility damage	2IN PL
Replacement Footage	3
Was contractor assistance required? If yes, who?	No
What contractor equipment was used?	BACKHOE
Is the facility shown on the utility records?	Yes
If yes, list record numbers	1

Facility: Transmission Lines; Folder: N/A; Assigned To: N/A

NIPSCO 01061 IUPPSa 04/10/2013 16:05:07 1304103735-00A EMER NEW STRT

EMERGENCY

Ticket : 1304103735 Date: 04/10/2013 Time: 16:02 Oper: MWALLACE Chan:043

State: IN Cnty: ALLEN Twp: WAYNE
Cityname: FORT WAYNE Inside: Y Near: N
Subdivision:

Address : 2815
Street : PRINCETON AVE
Cross 1 : YALE DR Within 1/4 mile: Y
Location: LOCATE THE ENTIRE PROPERTY
:
Grids : 4105A8510D 4106D8510D
Boundary: n 41.101804 s 41.098972 w -85.168431 e -85.166922

Work type : REPAIRING A GAS LINE
Done for : NIPSCO
Start date: 04/10/2013 Time: 16:03 Hours notice: 0/000 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 1 DAY Depth: 6 FEET

Company : NIPSCO Type: MEMB
Co addr : 801 EAST 86TH AVENUE
City : MERRILLVILLE State: IN Zip: 46410
Caller : ANNISA BAILEY Phone: (800)322-2806
Contact : JASON HANELL - CELL Phone:
BestTime:
Mobile : (260)449-1112
Fax : (219)647-4764

Remarks : All tickets are taken and processed on Eastern Daylight Time
CREW IN ROUTE

Will you be white-lining the dig site area? NO

:

Submitted date: 04/10/2013 Time: 16:02
Members: AEPIN CC FW ID8000 NIPSCO SM

Facility: Transmission Lines; Folder: N/A; Assigned To: N/A

NIPSCO 00995 IUPPSa 04/10/2013 15:29:23 1304103532-00A EMER DAMG STRT

DAMAGE SEE REMARKS

Ticket : 1304103532 Date: 04/10/2013 Time: 15:25 Oper: SFOX Chan:050

State: IN Cnty: ALLEN Twp: WAYNE
Cityname: FORT WAYNE Inside: Y Near: N
Subdivision: NORTH HIGHLANDS

Address : 2815
Street : PRINCETON AVE
Cross 1 : YALE DR Within 1/4 mile: Y
Location: LOCATE--ENTIRE PROPERTY
:
Grids : 4105A8510D 4106D8510D
Boundary: n 41.101804 s 41.098972 w -85.168431 e -85.166922

Work type : SANI SEWER REPAIR
Done for : ROBERT HURSH
Start date: 04/10/2013 Time: 15:29 Hours notice: 0/000 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 1 DAY Depth: 8 FEET

Company : J AND S LIQUID WASTE SERVICES Type: OTHR
Co addr : 4030 OPTION PASS
City : FORT WAYNE State: IN Zip: 46818
Caller : DARCY STUTZ Phone: (260)489-6021
Contact : DERRICK CEARBAUGH - CELL Phone:
BestTime:
Mobile : (260)246-2197
Fax : (260)490-0003
Email : LEGGYGALNFL@YAHOO.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
PER JESSIE JENKINS - A NIPSCO GAS LINE WAS HIT BY THE ROAD ON THE FRONT SIDE OF
THE PROPERTY - THE GAS LINE IS BLOWING - UNKNOWN SIZE - UNKNOWN COLOR - UNKNOWN
MATERIAL - 911 HAS BEEN NOTIFIED - NIPSCO HAS BEEN NOTIFIED - CREW IS ON SITE -
PREVIOUS TICKET NUMBER IS 1304083181 - THANK YOU
Will you be white-lining the dig site area? NO
:

Submitted date: 04/10/2013 Time: 15:25
Members: AEPIN CC FW ID8000 NIPSCO SM

Facility: Distribution Lines; Folder: N/A; Assigned To: USIC

NIPSCO 00895 IUPPSa 04/08/2013 15:27:16 1304083181-00A EMER NEW STRT

EMERGENCY EMERGENCY

Ticket : 1304083181 Date: 04/08/2013 Time: 15:24 Oper: BBASTIN Chan:045

State: IN Cnty: ALLEN Twp: WAYNE
Cityname: FORT WAYNE Inside: Y Near: N
Subdivision: NORTH HIGHLANDS

Address : 2815
Street : PRINCETON AVE
Cross 1 : YALE DR Within 1/4 mile: Y
Location: LOCATE--ENTIRE PROPERTY
:
Grids : 4105A8510D 4106D8510D
Boundary: n 41.101804 s 41.098972 w -85.168431 e -85.166922

Work type : SANI SEWER REPAIR
Done for : ROBERT HURSH
Start date: 04/08/2013 Time: 15:26 Hours notice: 0/000 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 1 DAY Depth: 8 FEET

Company : J AND S LIQUID WASTE SERVICES Type: OTHR
Co addr : 4030 OPTION PASS
City : FORT WAYNE State: IN Zip: 46818
Caller : DARCY STUTZ Phone: (260)489-6021
Contact : DERRICK CEARBAUGH - CELL Phone:
BestTime:
Mobile : (260)246-2197
Fax : (260)490-0003
Email : LEGGYGALNFL@YAHOO.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
CREW EN ROUTE

Will you be white-lining the dig site area? NO
:

Submitted date: 04/08/2013 Time: 15:24
Members: AEPIN CC FW ID8000 NIPSCO SM



Property of United States Infrastructure Corporation
Photo taken on 4/10/2013 5:46:55 PM

Princeton Avenue / Yale Drive, Fort Wayne, Indiana, United States

Address is approximate



Image Date: July 2011

Report a problem

Internet





Search

Owner Name

Enter Address for Search:

2815 PRINCETON

2013

Search

Tax ID Number

Duplicate Number



Property found at this location

Taxpayer Name:

[Redacted]

2815 Princeton Ave

Fort Wayne, IN 46808 -

Property Address:

2815 Princeton Ave

Fort Wayne, IN 46808 -

Tax Year / Pay Year:

2012 Payable 2013

Homestead Verification Filed: Yes

Parcel Number

02-07-34-126-025.000-074

Duplicate Number:

1847808

Taxing District:

FW Wayne

Property Type:

Real

Billed Mortgage Company:

Legal Description

Lots 75 thru 77 & Lots 102 thru 104 Cambridge Hills Add & Vac Yale Dr

(Note: Not to be used on legal documents)

Total Net Property Tax:

\$192.86

Delinquent Tax:

\$0.00

Delinquent Penalty:

\$0.00

Penalty & Fees:

\$0.00

Property Tax Adjustments:

\$0.00

Other Assessments:

Property Summary | Bill Details | Tax Summary | Tax Distribution



Streets Imagery Hybrid

Point of damage Out of scope of the locate. dug on another property per tax records.

J & S LIQUID WASTE SERVICES, INC.
P.O. BOX 12243
FORT WAYNE, IN 46863
TEL (260)489-6021
FAX (260)490-0003 WWW.JSSERVICE.COM

May 7, 2013

RECEIVED

MAY 10 2013

INDIANA UTILITY
REGULATORY COMMISSION

ATTENTION Mr. William Boyd
INDIANA UTILITY REGULATORY COMMISSION
101 W. WASHINGTON STREET, SUITE 1500E
INDIANAPOLIS, INDIANA 46204-3407

Dear Mr. Boyd,

Pursuant to your correspondence dated 5/1/2013, in regards to the excavation performed at 2815 Princeton Ave, Fort Wayne Indiana. Please let this letter serve as our response to your inquiry.

The initial call for services on this property was for a repair of a sewage lift station pump leak, bubbling up through the yard. Locates were called "locate # 1304083182" and upon further investigation it was determined that the city of Fort Wayne was responsible for crushing this customers force main.

The area in question was clearly marked. The gas line that was hit was approximately 6 feet from our excavation. All necessary procedures were performed IE/*811*911 Nipsco engineering excavating were called.

Upon further inspection it was determined that the locates performed were for a previous excavation performed and were not part of our job locates.

Due to the complexity of the "lot" lines on this property and simply not knowing that these "other" locations were not part of our job specs, we have initiated on all excavation performed to locate not only the entire property but adjacent streets easements and any other questionable areas.

I hope that the information provided assures your inquiry and please rest assured that our company ALWAYS follows procedures for utility locates.

If you have any further questions or concerns please feel free to call.


Sincerely,

Jessie J. Jenkins

J & S LIQUID WASTE SERVICES, INC.
260-489-6021



To see all the details that are visible on the screen, use the "Print" link next to the map.



"FLATS"
NIPKO
LOCATES
FROM 6 AWAY
EX.