



INDIANA UTILITY REGULATORY COMMISSION
101 W. WASHINGTON STREET, SUITE 1500E
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

Pipeline Safety Division Investigation Report

Investigation regarding: Miller Pipeline

UPPAC Database Record ID: 4860

Report Date: 8/21/2013

Investigator: Howard Friend

Damage Date: 5/24/2013 7:52:14 AM

Damage Address: Deveron Dr, Adams, Allen

The Parties

Excavator: Miller Pipeline

Address: 8850 Crawfordsville Rd, Indianapolis, In 46234

Facility Owner: NIPSCO

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Service/Drop

Type of Equipment: Backhoe/Trackhoe

Type of Work Performed: Natural Gas

Damage Impact

Product Release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 1

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$

Excavator Activities/Cause of Damage Information:

Excavator Request Locates: Yes
5/14/2013

Indiana 811 Ticket Number: 1305102039

Original Start Date:

Locate Instructions: PAINT AND FLAG ENTIRE PROPERTY 1536 1542 1548 DEVERON DR AND BOTH SIDE OF DEVERON DR

Follow-Up Locate Instructions (if applicable):

Synopsis: Excavator struck and damaged an underground natural gas service while performing natural gas work.

Findings: Reported by Indiana 811; excavator's response to initial notice was received on 7/30/2013. The excavator had a valid locate request and the facility was accurately marked. The excavator failed to maintain two (2) feet of clearance with mechanized equipment.

Conclusion: There was a failure to maintain two (2) feet of clearance with mechanized equipment.

Violation: IC 8-1-26-20(a)(2) Failure to maintain two (2) feet clearance with mechanized equipment.



150 West Market Street, Suite 600
Indianapolis, IN 46204

August 12, 2013

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 4860
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 4860

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 5/24/2013
Event Location: Deveron Dr
City: Indianapolis
Facility Owner: Nipsco
Excavator: Miller Pipe Line
Other Party: N/A
Pipeline Division Case No. 4860

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com

IURC INFORMATION REQUEST	
Pipeline Safety Division Case No. 4860	
Date of Event	5/24/2013
Event Location	Deveron Dr
Event City	Adams
Facility Owner	Nipsco
Excavator	Miller Pipe Line
Date of IURC Information Request	July 12, 2013
THE PARTIES	
EXCAVATOR:	
BUSINESS NAME	Miller Pipeline
RESPONSIBLE PARTY PERSONAL NAME	
TITLE (IF ANY)	
ADDRESS	8850 Crawfordsville Road
CITY/ STATE/ZIP	Indianapolis / IN / 46234
PREFERRED TELEPHONE	317-295-6417
CELL PHONE TELEPHONE	317-605-7828
EMAIL ADDRESS	sarah.heminger@millerpipeline.com
FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
LOCATOR SERVICE INFORMATION	
BUSINESS NAME	USIC
RESPONSIBLE PARTY PERSONAL NAME	Morgan Thompson
TITLE (IF ANY)	Claims Coordinator
ADDRESS	9045 N. River Rd. Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	1-317-538-7301
CELL PHONE TELEPHONE	Same
EMAIL ADDRESS	morganthompson@usicinc.com
OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	
TITLE (IF ANY)	

ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
UTILITY LINE IMPACT	
LOCATION OF DAMAGE	
ADDRESS	1536 Deveron Drive
CITY/STATE/ZIP	New Haven / IN /
NEAREST INTERSECTION	
PRODUCT TYPE (Select One)	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
FACILITY TYPE (Select One)	
DISTRIBUTION	
GATHERING	
SERVICE/DROP	X
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	5/8"
PRESSURE (PSIG/INCHES)	Click here to enter text.
INTERRUPTION IN SERVICE (YES/NO)	Yes
NUMBER OF CUSTOMERS AFFECTED	1
EVACUATION (YES/NO)	No
IF YES, HOW MANY EVACUATED	
REPAIR COST (IF KNOWN) (\$)	
CAUSE OF DAMAGE INFORMATION:	
TYPE OF EQUIPMENT (Select One)	
Auger	
Backhoe/Trackhoe	X
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	
Probing Device	

Trencher	
Vacuum Equipment	
Unknown/Other	
TYPE OF WORK PERFORMED (Select One)	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	
Sewer (Sanitary/Storm)	
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	X
RELEASE OF PRODUCT (YES/NO)	Yes
IGNITION AND/OR FIRE (YES/NO)	No
EXCAVATOR NOTIFY 811 (YES/NO)	Yes - 1305240230
LOCATE INFORMATION:	
EXCAVATOR REQUEST LOCATE (YES/NO)	Yes

INDIANA 811 LOCATE TICKET NUMBER	1305102039
LOCATE MARKS VISIBLE (YES/NO)	Yes
LOCATE MARKS CORRECT (YES/NO)	Yes
EXCAVATOR "WHITE LINED" (YES/NO)	No
MAPS USED TO MARK FACILITIES (YES/NO)	Yes
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	No
INCIDENT IMPACT INFORMATION	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FATALITIES	0
FIRE DEPARTMENT RESPONSE (YES/NO)	N/A
POLICE DEPARTMENT RESPONSE (YES/NO)	N/A
AMBULANCE RESPONSE (YES/NO)	N/A
ADDITIONAL INFORMATION/COMMENTS	
<p>Failure to use hand tools where required. NIPSCO Emergency Repair Ticket Number: 1305240259.</p>	

Fact Based Investigation Report

Notification ID 01820130524001
Damage Date 05/24/2013 07:52
Notified By SARAH HEMINGER ()
Damage Address DEVERON DR
NEW HAVEN, IN
District Northern Indiana
Notification Date 05/24/2013
07:55

Damaged Customer NIPSCO

Investigation Date From 05/24/2013 00:00:00 **To** 05/24/2013 00:00:00

Excavator Involved Miller Pipeline
Type of Excavation INST GAS LINE

Orig. Locate Request 1305102039 **Start Date**
Type of Ticket Ongoing Project **Locate Req. Info** N/A

Damage Request # 1305240230 **Start Date**

Pictures Taken By KARL JONES **Date** 05/24/2013 00:00
Photography Type Digital **Frame #**

Investigator Emp. # 113185 **Investigator Name** ROSS GILLESPIE
Based on your investigation, is further investigation needed? No

Fact Based Investigation Customer Information

Facility Description Low Profile **Facility ID** Gas Service
Locator Name & EMP # Gillespie Ross - 113185 **Locator Not Known**

Investigation Findings

Facility Marked Accurately
Other Notes

Investigation Methods

Investigator Verified Existing Marks By Hooking Up
Visual, Facility Exposed At Time Of Investigation

Investigator Statement/Causal Factors

MARKS GOOD-

Names of Utility Representatives Contacted or on Site and Statement

AARON KNIGHT- STATED JASON FROM MILLER PIPELINE SAID HE THOUGHT THE LINE WAS DEEPER
AND TRIED SCRAPING OFF THE TOP SOIL WITH THE BACKHOE

Names of Excavator's Representatives Contacted or on Site and Statement

NA

Other individuals on site

NA

Were any markings visible on the damage site upon arrival? Yes

Were any other indicators of facility present in the area? Yes

Was the excavation within the tolerance zone of marks?	Yes
Extent of facility damage	SERVICE
Replacement Footage	1
Was contractor assistance required? If yes, who?	No
What contractor equipment was used?	BACKHOE
Is the facility shown on the utility records?	No
If yes, list record numbers	

Facility: Transmission Lines; Folder: N/A; Assigned To: N/A

NIPSCO 00113 IUPPSa 05/24/2013 07:57:43 1305240259-00A EMER NEW STRT

EMERGENCY SEE REMARKS

Ticket : 1305240259 Date: 05/24/2013 Time: 07:55 Oper: SPOPE Chan:044

State: IN Cnty: ALLEN Twp: ADAMS
Cityname: NEW HAVEN Inside: Y Near: N
Subdivision:

Address : 1536
Street : DEVERON DR
Cross 1 : ORKNEY LN Within 1/4 mile: Y
Location: LOCATE ENTIRE PROPERTY
:
Grids : 4103C8500B 4103C8500C
Boundary: n 41.057543 s 41.056358 w -85.008371 e -85.005992

Work type : REPAIR GAS LINE
Done for : NIPSCO
Start date: 05/24/2013 Time: 07:56 Hours notice: 0/000 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 1 DAY Depth: 8 FEET

Company : NIPSCO Type: MEMB
Co addr : 801 EAST 86TH AVENUE
City : MERRILLVILLE State: IN Zip: 46410
Caller : SHERI MINKEMA Phone: (800)322-2806
Contact : JASON OTIS--CELL Phone:
BestTime:
Mobile : (260)241-3246

Remarks : All tickets are taken and processed on Eastern Daylight Time
CREW EN ROUTE

Will you be white-lining the dig site area? NO
:

Submitted date: 05/24/2013 Time: 07:55
Members: AEPIN CC FW ID4866 ID7050 ID8000 NIPSCO SM TEST04

Facility: Transmission Lines; Folder: N/A; Assigned To: N/A

NIPSCO 00735 IUPPSa 05/10/2013 13:07:26 1305102039-00A NORM NEW GRID

NORMAL NOTICE

Ticket : 1305102039 Date: 05/10/2013 Time: 13:05 Oper: SARAH.HEMINGER Chan:000

State: IN Cnty: ALLEN Twp: ADAMS
Cityname: NEW HAVEN Inside: Y Near: N
Subdivision:

Address :

Street : DEVERON DR

Cross 1 : DEVERON CT Within 1/4 mile: Y

Location: PAINT AND FLAG ENTIRE PROPERTY 1536 1542 1548 DEVERON DR AND BOTH
SIDE OF DEVERON DR

***Boring Where = DEVERON DR

:

Grids : 4103C8500B 4103C8500C

Boundary: n 41.057499 s 41.056337 w -85.010992 e -85.006087

Work type : REPLACE GAS SERVICE

Done for : NIPSCO

Start date: 05/14/2013 Time: 13:15 Hours notice: 96/048 Priority: NORM

Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N

Duration : 1 WEEK Depth: 5FT

Company : MILLER PIPE LINE Type: CONT

Co addr : 8850 CRAWFORDSVILLE RD

City : INDIANAPOLIS State: IN Zip: 46234

Caller : SARAH HEMINGER Phone: (317)295-6417

Contact : JASON HAYES--CELL Phone:

BestTime:

Mobile : (317)605-7828

Fax : (317)295-6418

Email : SARAH.HEMINGER@MILLERPIPELINE.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time

Will you be white-lining the dig site area? NO

:

Submitted date: 05/10/2013 Time: 13:05

Members: AEPIN CC FW ID4866 ID7050 ID8000 NIPSCO SM

Facility: Transmission Lines; Folder: N/A; Assigned To: N/A

NIPSCO 00109 IUPPSa 05/24/2013 07:52:16 1305240230-00A EMER DAMG GRID

DAMAGE SEE REMARKS

Ticket : 1305240230 Date: 05/24/2013 Time: 07:49 Oper: BMORRIS Chan:016

State: IN Cnty: ALLEN Twp: ADAMS
Cityname: NEW HAVEN Inside: Y Near: N
Subdivision:

Address :

Street : DEVERON DR

Cross 1 : DEVERON CT Within 1/4 mile: Y

Location: PAINT AND FLAG ENTIRE PROPERTY 1536 1542 1548 DEVERON DR AND BOTH
SIDE OF DEVERON DR

***Boring Where = DEVERON DR

:

Grids : 4103C8500B 4103C8500C

Boundary: n 41.057499 s 41.056337 w -85.010992 e -85.006087

Work type : REPLACE GAS SERVICE

Done for : NIPSCO

Start date: 05/24/2013 Time: 07:50 Hours notice: 0/000 Priority: EMER

Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: Y

Duration : 1 WEEK Depth: 5FT

Company : MILLER PIPE LINE Type: CONT

Co addr : 8850 CRAWFORDSVILLE RD

City : INDIANAPOLIS State: IN Zip: 46234

Caller : SARAH HEMINGER Phone: (317)295-6417

Contact : JASON HAYES--CELL Phone:

BestTime:

Mobile : (317)605-7828

Fax : (317)295-6418

Email : SARAH.HEMINGER@MILLERPIPELINE.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
NIPSCO GAS LINE HAS BEEN CUT IN FRONT OF 1536 DEVERON DR - GAS LINE HAS BEEN
SHUT OFF AND IS NOT BLOWING - YELLOW PLASTIC SERVICE LINE - UNSURE OF THE SIZE -
CREW IS ON SITE - HAS CALLED NIPSCO AND 911 - PREVIOUS TICKET - 1305102039
Will you be white-lining the dig site area? NO

:

Submitted date: 05/24/2013 Time: 07:49

Members: AEPIN CC FW ID4866 ID7050 ID8000 NIPSCO SM TEST04

NORTHERN INDIANA PUBLIC SERVICE COMPANY
FACILITY DAMAGE REPORT

** COMPLETE FORM FOR ALL DAMAGES TO NIPSCO FACILITIES **

REPORTING OPERATING AREA FT WAYNE ILL MAXIMO WO #

OPERATING AREA CONTACT JOTIS JOB ORDER # 603412

TRACKING NUMBER 01820130524001 LOCATE REF #

DATE AND TIME OF ACCIDENT 5-24-13 20:41 M DATE OF REPORT 5-24-13

PLACE OF DAMAGE (INCLUDE CITY) 1536 DOVERON DR NEW HAVEN

DAMAGE WAS TO: ELECTRIC - POLE / TRANSFORMER: # SIZE YEAR INSTALLED BROKEN YES () NO ()

OTHER (DESCRIBE)

GAS: SERVICE () MAIN () SIZE 78 MATERIAL: PLASTIC () STEEL () METER () REG STATION () STUB ()

DEPTH OF FACILITY (inches) 18" PRESSURE (PSI) 45 Lbs.

RELEASE OF GAS: YES () NO () IGNITION OF GAS: YES () NO () EVACUATION REQUIRED: YES () # NO ()

INTERRUPTION OF SERVICE: YES () NO () NUMBER OF CUSTOMERS LOST: 1

DURATION OF INTERRUPTION: TIME REPORTED 2:41 TIME SHUT OFF 7:55 TIME RESTORED 8:45

DIAMETER/MEASUREMENT OF HOLE IN GAS FACILITY: 1/2

LOCATE MARKS ON SITE: YES () DISTANCE BETWEEN FACILITY AND LOCATE MARKS 0 NO ()

PARTY THAT CAUSED DAMAGES (NAME) DEE THOMAS MEZLER PIPELINE

ADDRESS OF PARTY (INCLUDE CITY)

WHO WAS IN CHARGE OF THE WORK SITE AT TIME OF DAMAGE

WITNESS NAME AND ADDRESS

WITNESS REMARKS

AGENCIES NOTIFIED / ONSITE: POLICE () AGENCY NO REPORT # FIRE () AGENCY NO REPORT # OTHER () Any Injuries? () YES # () NO

PHOTOS TAKEN: YES () NO () TAKEN BY: MEDIA ON SITE YES () NO () (ATTACH PHOTOS TO REPORT)

- WORK IN PROGRESS WHEN FACILITY DAMAGED - CHECK APPROPRIATE CHOICE BELOW
() AGRICULTURE/FARMING () CABLE TV () CURB/SIDEWALK () TELECOMMUNICATIONS
() BLDG CONSTRUCTION () DEMOLITION () DRAINAGE () WATER
() DRIVEWAY () ELECTRIC () SURVEYING () DRAINS/CULVERTS
() FENCING () GRADING () IRRIGATION () MOWING Gas Work
() LANDSCAPING () PIPELINE () MILLING () OTHER
() POLE/SIGN POST () ROAD WORK () SEWER

- TYPE OF EQUIPMENT USED - CHECK APPROPRIATE CHOICE BELOW
() AUGER () HAND TOOLS () BACKHOE/TRACKHOE
() MILLING EQUIPMENT () PROBING DEVICE () BORING / DRILLING
() EXPLOSIVES () TRENCHER () FARM EQUIPMENT
() VACCUUM EQUIPMENT () GRADER () OTHER

- REASON DAMAGE OCCURRED - CHECK APPROPRIATE CHOICE BELOW
() AUTOMOTIVE ACCIDENT () EXCAVATING BEFORE LOCATES DUE () CARELESS MACHINE OPERATOR
() NO NOTIFICATION () MARKS DISTURBED () STUB () OTHER GAS WORK

COMMENTS: M2262 PZPELZNE DOING GAS WORK
CUT 5" PL GAS SERVICE


PERSON PREPARING REPORT W SHEPARD

FIELD SUPERVISOR Jason Oatis

FIELD MANAGER _____

- ORIGINAL REPORT AND SUPPORTING INFORMATION IS TO BE SENT TO FACILITY DAMAGE RECOVERY
- COPY OF REPORT IS TO BE SENT TO DAMAGE PREVENTION

SKETCH: - Show position of all pertinent information



FOR OFFICE USE ONLY:

- | | | |
|---|-----|----|
| • DID EXCAVATION OCCUR BEFORE LOCATES WERE DUE | YES | NO |
| • NO IN 811 LOCATE CALLED IN | YES | NO |
| • DAMAGE CAUSED FROM EXCAVATION WITHIN 24" ZONE | YES | NO |
| • EXPIRED LOCATE | YES | NO |
| • WAS WHITE LINING INDICATED ON LOCATE REQUEST | YES | NO |

COMPLETED BY: _____ DATE: _____



Property of United States Infrastructure Corporation
Photo taken on 5/24/2013 9:55:42 AM



Property of United States Infrastructure Corporation
Photo taken on 5/24/2013 9:56:08 AM



INFORMATION REQUEST

State Form 54909 (R / 3-13)

INDIANA UTILITY REGULATORY COMMISSION – PIPELINE SAFETY DIVISION

Case Number: 4860 _____

Date of Damage (*month, day, year*): 5/24/2013 _____

Location of Damage:

Address (*number and street*): 1536 Deveron Dr. _____

City, State and ZIP Code: New Haven, IN 49244 _____

Nearest Intersection: E. MacGreger Dr. and Deveron Dr. _____

Excavator Information:

Business Name: Miller Pipeline _____

Responsible Party Personal Name: Jason Hayes _____

Title (*if any*): Foreman _____

Address (*number and street*): 8850 Crawfordsville Rd. _____

City, State and ZIP Code: Indianapolis, IN 46234 _____

Preferred Telephone Number (area code): 317 293 0278 _____

Email Address: info@millerpipeline.com _____

Utility Information:

Utility Name: NIPSCO _____

Contact Person: _____

Title (*if any*): _____

Cause of Damage Information

Type of Equipment (*select one*):

Backhoe/Trackhoe

Type of Work Performed (*select one*):

Natural Gas

Repair Cost: \$ unknown

Did a leak result from damage: Yes No

Was there ignition: Yes No

Excavator Notify 911 due to leak: Yes No

Excavator Notify 811 upon damage: Yes No

Excavator Notify Utility upon Damage: Yes No

Locate Information

Excavator Request Locate: Yes No

Indiana 811 Locate Ticket Number: 1305102039

Locate Marks Visible: Yes No

Locate Marks Correct: Yes No *We located service*

Excavator "White Lined": Yes No

Was Locate Provided within Two (2) Working Days: Yes No

Utility Employees On-site during Excavation: Yes No

Incident Information:

Fire Department Response: Yes No


Police Department Response: Yes No

Ambulance Response: Yes No

Additional Information / Comments

While digging a bell hole we struck 1/2" plastic gas service at a depth of 12" and just below the surface of the street and curb. The back-hoe operator responsible for this no longer works for MP.

Printed Name: Ralph Miller

Signature:  Date (month, day, year): 7/29/2013

**If submitting this form electronically, typing your name in the signature box will act as an electronic signature.*

Please return completed form to:

PipelineDamageCase@urc.in.gov

Or mail to:

**Indiana Utility Regulatory Commission
Pipeline Safety Division - Case Number 4860
101 West Washington Street, 1500E
Indianapolis, IN 46204**

**Or fax to:
317-233-2410**

Woods, Janea

From: Heminger-Frazier, Sarah [Sarah.Frazier@millerpipeline.com]
Sent: Wednesday, July 24, 2013 12:11 PM
To: Miller, Ralph
Subject: FW: iupps damage ticket number deveron dr 1536

From: Heminger-Frazier, Sarah
Sent: Friday, May 24, 2013 7:54 AM
To: Hayes, Jason
Subject: iupps damage ticket number

DAMAGE SEE REMARKS

Ticket : 1305240230 Date: 05/24/2013 Time: 07:49 Oper: BMORRIS Chan:016

State: IN Cnty: ALLEN Twp: ADAMS
Cityname: NEW HAVEN Inside: Y Near: N
Subdivision:

Address :

Street : DEVERON DR

Cross 1 : DEVERON CT Within 1/4 mile: Y

Location: PAINT AND FLAG ENTIRE PROPERTY 1536 1542 1548 DEVERON DR AND BOTH
SIDE OF DEVERON DR

***Boring Where = DEVERON DR

:

Grids : 4103C8500B 4103C8500C

Boundary: n 41.057499 s 41.056337 w -85.010992 e -85.006087

Work type : REPLACE GAS SERVICE

Done for : NIPSCO

Start date: 05/24/2013 Time: 07:50 Hours notice: 0/000 Priority: EMER

Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: Y

Duration : 1 WEEK Depth: 5FT

Company : MILLER PIPE LINE Type: CONT

Co addr : 8850 CRAWFORDSVILLE RD

City : INDIANAPOLIS State: IN Zip: 46234

Caller : SARAH HEMINGER Phone: (317)295-6417

Contact : JASON HAYES--CELL Phone:

BestTime:

Mobile : (317)605-7828

Fax : (317)295-6418

Email : SARAH.HEMINGER@MILLERPIPELINE.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
NIPSCO GAS LINE HAS BEEN CUT IN FRONT OF 1536 DEVERON DR - GAS LINE HAS BEEN
SHUT OFF AND IS NOT BLOWING - YELLOW PLASTIC SERVICE LINE - UNSURE OF THE SIZE -
CREW IS ON SITE - HAS CALLED NIPSCO AND 911 - PREVIOUS TICKET - 1305102039
Will you be white-lining the dig site area? NO

:

Submitted date: 05/24/2013 Time: 07:49

Members: AEPIN CC FW ID4866 ID7050 ID8000 NIPSCO SM TEST04

Member Name	Facility Types
-------------	----------------

AMERICAN ELECTRIC POWER	ELECTRIC
COMCAST CABLEVISION - FT WAYNE	CABLE TV
FORT WAYNE, CITY OF	TRAFFIC
FRONTIER	TELEPHONE
NEW HAVEN UTILITIES, CITY OF	
NIPSCO	GAS & ELECTRIC
TEST DO NOT READ/ DO NOT CALL	OTHER
ZAYO BANDWIDTH	FIBER OPTIC

Woods, Janea

From: Heminger-Frazier, Sarah [Sarah.Frazier@millerpipeline.com]
Sent: Wednesday, July 24, 2013 12:12 PM
To: Miller, Ralph
Subject: FW:811 ticket we were digging on 1536 deveron dr

From: Heminger-Frazier, Sarah
Sent: Friday, May 10, 2013 1:06 PM
To: Hayes, Jason
Subject: Emailing: IRTH One Call.htm

If you need to call us back for any reason, your ticket number will assist us in locating this ticket.

NORMAL NOTICE

Ticket : 1305102039 Date: 05/10/2013 Time: 13:05 Oper: SARAH.HEMINGER Chan:000

State: IN Cnty: ALLEN Twp: ADAMS
Cityname: NEW HAVEN Inside: Y Near: N
Subdivision:

Address :

Street : DEVERON DR
Cross 1 : DEVERON CT Within 1/4 mile: Y
Location: PAINT AND FLAG ENTIRE PROPERTY 1536 1542 1548 DEVERON DR AND BOTH
SIDE OF DEVERON DR
***Boring Where = DEVERON DR

:
Grids : 4103C8500B 4103C8500C
Boundary: n 41.057499 s 41.056337 w -85.010992 e -85.006087

Work type : REPLACE GAS SERVICE
Done for : NIPSCO
Start date: 05/14/2013 Time: 13:15 Hours notice: 96/048 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
Duration : 1 WEEK Depth: 5FT

Company : MILLER PIPE LINE Type: CONT
Co addr : 8850 CRAWFORDSVILLE RD
City : INDIANAPOLIS State: IN Zip: 46234
Caller : SARAH HEMINGER Phone: (317)295-6417
Contact : JASON HAYES--CELL Phone:
BestTime:
Mobile : (317)605-7828
Fax : (317)295-6418
Email : SARAH.HEMINGER@MILLERPIPELINE.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
Will you be white-lining the dig site area? NO
:

Submitted date: 05/10/2013 Time: 13:05
Members: AEPIN CC FW ID4866 ID7050 ID8000 NIPSCO SM

Member Name	Facility Types
AMERICAN ELECTRIC POWER	ELECTRIC
COMCAST CABLEVISION - FT WAYNE	CABLE TV
FORT WAYNE, CITY OF	TRAFFIC
FRONTIER	TELEPHONE
NEW HAVEN UTILITIES, CITY OF	
NIPSCO	GAS & ELECTRIC
ZAYO BANDWIDTH	FIBER OPTIC