



Pipeline Safety Division Investigation Report

Investigation regarding: Midwest Underground Inc

UPPAC Database Record ID: 893

Investigator: Mike Enlow

Telephone: 317-607-8171

Report Date: 2/10/2012

The Parties

Excavator: Midwest Underground Inc.

Contact: James R. Buher

Address (City, State): 2487 E Main St. Greenfield IN. 46140

Telephone: 317- 462- 4750

Facility Owner Information:

Business Name: Vectren Energy Delivery of Indiana.

Contact: Darlene Kulhanek

Address (City, State): 1 N. Main Street, Evansville, IN 47702

Telephone: 812-491-4227

Utility Line Impact:

Damage Date: 4/6/2010

Damage Address: E. Heritage Woods Rd.

City: Bloomington IN.

County: Monroe

Pipeline Facility

Product Type: Natural Gas

Facility Type/Function: Service

Facility size: 1”

Service Interruption: Yes

Number of Customers One

Repair Cost (if known): \$520.26

Excavator Activities/Cause of damage information:

Type of Equipment: Boring

Type of work performed: Installing Fiber Optic

Product release: Yes

Ignition: No

Excavator notify 811: Yes

Locate Information:

Excavator request locates: Yes

Indiana 811 ticket Number: Previous:1003081336, Current: 1003250274

Incident Impact Information:

Injuries: No

Fatalities: No

Synopsis: A 1” natural gas service line damaged during boring operation to install fiber optic.

Findings: USIC Inc. failed to locate all gas lines in project area.

Conclusion: There was a failure by USIC to locate all lines in project area.

Violation: IC 8-1-26-18(f): Operator failed to locate or provide locate markings.

Close Window

UPPAC Database Record ID: 893

"If you have a pencil handy, I have a ticket number to provide to you. If you need to call us back for any reason, your ticket number will assist us in locating this ticket. Are you ready for your number?"

NORMAL NOTICE

Ticket : 1003081336 Date: 03/08/2010 Time: 12:13 Oper: JIM.GRAPER Chan:000

1003250277

State: IN Cnty: MONROE Twp: PERRY
Cityname: BLOOMINGTON Inside: Y Near: N
Subdivision:

Address :

Street : E HERITAGE WOODS RD
Cross 1 : ST RD 446 Within 1/4 mile: Y
Location: FROM COMMUNICATIONS HANDHOLE ON NORTH SIDE OF HERITAGE WOODS RD WEST ACROSS 446 THEN NORTH 500FT TO POLE LINE 15FT NORTH OF 1ST DRIVEWAY PAST JANET DRIVE

***Boring Where = ENTIRE JOB

:

Grids : 3909B8628C

Work type : INSTALL FIBER

Done for : SMITHVILLE TELEPHONE

Start date: 03/10/2010 Time: 12:45 Hours notice: 48/48 Priority: NORM

Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N

Duration : 3 DAYS Depth:

EXP 3-28-10

4-14-10

Company : MIDWEST UNDERGROUND Type: CONT

Co addr : 4217 EAST US RT 40

City : GREENFIELD State: IN Zip: 46140

Caller : JIM GRAPER Phone: (317)462-4750

Contact : JOEY MACK-CELL Phone:

BestTime:

Mobile : (317)294-8234

Fax : (317)462-5355

Remarks : PROPOSED ROUTE MARKED WITH WHITE FLAGS

:

Submitted date: 03/08/2010 Time: 12:13

Members: ID0002 ID1443 ID3147 ID5960 SBCIN SM SM

LOCATE RECALLED

3-25-10

GOOD

3-29-10

EXPIRE


4-14-10

Member Name

F

AT&T - DISTRIBUTION	COMMUNICATIONS
BLOOMINGTON UTILITIES, CITY OF	SEWER & WATER
COMCAST CENTRAL (BLOOMINGTON)	CABLE TV
DUKE ENERGY / FORMERLY CENERGY	ELECTRIC
VECTREN - BLOOMINGTON	GAS

STATE OF INDIANA



INDIANA UTILITY REGULATORY COMMISSION
101 W. WASHINGTON STREET, SUITE 1500E
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

September 16, 2011

Ms. Darlene Kulhanek
Vectren
1 N Main Street
Evansville, IN 47702

RECEIVED

SEP 23 2011

INDIANA UTILITY
REGULATORY COMMISSION

Subject: Investigation Request for Information

Date of Event: 4/6/2010

Event Location: E Heritage Woods Rd., Bloomington

Facility Owner: Vectren

Excavator: Midwest Underground

Other Party: N/A

Pipeline Division Case No. 893

Dear Ms. Kulhanek:

Pursuant to Indiana Code 8-1-26, the *Indiana Damage to Underground Facilities Act*, the Pipeline Safety Division of the Indiana Utility Regulatory Commission ("Pipeline Division") is required to investigate reported incidents of alleged statutory violations involving underground pipeline safety. The purpose of this statute is to promote excavation and pipeline safety and to reduce the imminent danger to life, health, property, or loss of service associated with unsafe digging practices. Please note that the investigation does not entail determining criminal liability or a civil determination of fault or damages; however, it does determine whether any statutory violations were committed regarding public safety.

The Pipeline Division received information regarding potential statutory violations regarding the date and location referenced above. You were identified as a person or entity that might have information that would assist the Pipeline Division in its investigation. Therefore, we have contacted you in order to receive the full account of information in order to make a fair determination related to the circumstances of this incident.

We have asked all involved parties, entities and witnesses to provide *written* information within *30 days* in order to meet legal deadlines to conclude our investigation. **Please consider this letter as a formal request to receive any and all information and evidence (including a narrative, documentation, maps, photographs or any other written information) you can access regarding anything you may know about the incident referenced above.**

57

Please promptly provide your information to: Pipeline Safety Division – Case No. 893, Indiana Utility Regulatory Commission, 101 West Washington Street, # 1500E, Indianapolis, IN 46204. Also, please include the Investigation Number referenced above on your materials. In the alternative, if you would prefer to scan the materials and send them electronically, please send the documents to: PipelineDamageCase@urc.in.gov.

Although you are not a formal party in this investigation, please treat this request for information seriously, because the potential civil penalties for violations include: a potential civil fine up to \$10,000.00; mandatory education and training for employees regarding pipeline safety; a required development plan to avoid future violations; or a warning letter for certain homeowner/tenants who are first time offenders. Consequently, your input will assist the Pipeline Division with its determination and may have a substantial impact on the case.

After the investigation is completed, the Pipeline Division will prepare an Investigation Report with findings and forward it to the Underground Plant Protection Advisory Committee (“Advisory Committee”). This is a statutory committee, comprised of excavators, facility operators, investor and municipal utilities, the 811 Association and facility locate marking companies, whose role is to evaluate the Pipeline Division’s findings and make a recommendation for a civil penalty. In the event there is disagreement regarding the Advisory Committee’s recommendation to the Commission, parties are entitled to request a hearing before the full Commission. If there is a violation, the Indiana Utility Regulatory Commission (“Commission”) will impose the penalty. Any fines imposed are statutorily required to be spent funding the Commission’s training and educational programming to promote excavation and pipeline safety.

Thank you for your *prompt* assistance in providing written information to the Pipeline Division regarding the previously referenced incident. Any information received after the deadlines will not be considered in the investigation, will be unavailable to the Advisory Committee and will result in a lack of full information being made available; hence, your participation is vital to serving the interests of justice and enhancing the public’s safety. In an effort to assist you, please find an enclosure entitled “Information Request.” Should you have procedural or legal questions regarding the Underground Plant Protection Advisory Committee or the Indiana Utility Regulatory Commission, please contact David L. Welch, Assistant General Counsel, at (317) 234-4715. Should you have questions regarding the pipeline damage identified above, or our investigation, please contact me at (317) 232-2718. Thank you for your assistance.

Sincerely,



William Boyd
Director, Pipeline Safety Division

Enclosure: Information Request

Information Request

Pipeline Safety Division
Indiana Utility Regulatory Commission

The Pipeline Safety Division of the Indiana Utility Regulatory Commission requests any and all information you can provide regarding the following criteria:

The Parties:

Excavator Information:

Business Name: **Midwest Underground, Inc.**

Responsible Party Personal Name: **Unknown**

Title (if any):

Address:

City, State Zip:

Preferred Telephone: *317-363-3205*

Cell Phone Number:

Email Address:

Facility Information:

Business Name: **Vectren Energy**

Responsible Party Personal Name: **Darlene Kulhanek**

Title (if any): **Manager Facilities Damages**

City, State, Zip **Evansville, IN 47711**

Address: **1 Main Street**

Preferred Telephone: **812-491-4227**

Cell Phone Number: **812-568-5235**

Email Address: **Dkulhanek@vectren.com**

Locator Service Information:

Business Name: **USIC Inc.**

Responsible Party Personal Name: **Tim Sanders**

Title (if any): **Southern Indiana District Manager**

Address: **3818 E Morgan Avenue**

City, State Zip: **Evansville, IN 47715**

Preferred Telephone: **812-479-9236**

Cell Phone Number:

Email Address: **timsanders@usicinc.com**

Other (Witness, Police, Fire, Othea-) Information: N/A

Personal Contact: Business/Organization Name: N/A

Title (if any)

Address:

City, State, Zip

Preferred Telephone:

Cell Phone Number:

Email Address:

Utility Line Impact:

Product Type (circle one):

Natural Gas

Liquid Pipeline

Unk nown/Other

Facility Type (circle one):

Distribution

Gathering

Service/Drop

Transmission

Unknown/Other

Size (Diametea-/etc.): 1"

Pressure (PSIG/Inches): 60 PSIG

Interruption in Service: Yes / No

Number of Customer's Affected: 1

Evacuation: Yes / No If yes, How Many Evacuated? 0

Repair Cost (if known): \$ 520.76

Cause of Damage Information:

Type of Equipment (circle one):

Auger

Backhoe/Trackhoe

Boring/Drilling

Directional Drilling

Explosives

Farm Equipment

Grader/Scraper

Hand Tools

Milling Equipment

Probing Device

Trencher

Vacuum Equipment

Unknown/Other

Type of Work Performed (circle one):

- Agriculture Cable
- TV Curb/Sidewalk
- Bldg. Construction
- Bldg. Demolition
- Drainage
- Driveway Electric
- Engineering/Surveying
- Fencing
- Grading
- Irrigation
- Landscaping
- Liquid Pipeline
- Milling
- Natural Gas
- Pole
- Public Transit Authority
- Railroad Maintenance
- Road Work
- Sewer (Sanitary/Stom1)
- Site Development
- Steam
- Storm Drain/Culvert
- Street Light
- Telecommunications
- Traffic Signal
- Traffic Sign
- Water
- Waterway Improvement
- Unknown/Other

Release of Product: Yes / No

Ignition and/or Fire: Yes / No

Excavator Notify 811: Yes / No UNKNOWN

Locate Information:

Excavator Request Locate: Yes / No


Indiana 811 Locate Ticket Number: 103250279

Locate Marks Visible: Yes / No

Locate Marks Correct: Yes / No

Excavator "White Lined": Yes / No

Maps Used to Mark Facilities: Yes / No UNKNOWN



VECTREN ENERGY DELIVERY OF INDIANA - NORTH

NOW DUE
\$520.76


S M & P UTILITY RESOURCES INC
13085 HAMILTON CROSSING BLVD, STE 200,
CARMEL, IN 46032

PAID

Type: GAS
Invoice: FDS0011073
BillToID: 27631
Billing Date: 4/30/2010
Date of Loss: 4/6/2010
5924 103.0510

Please return this portion with your remittance.

VECTREN ENERGY DELIVERY OF INDIANA - NORTH



Mail Payment To:
Vectren Utilities Holding Group, Inc.
1239 Reliable Parkway
Chicago, IL 60686-0012
Inquiries: 1-877-902-2934, Mon.-Fri., 8-5
Risk Management/Claims Department

S M & P UTILITY RESOURCES INC
13085 HAMILTON CROSSING BLVD, STE 200,
CARMEL, IN 46032

Type: GAS
Invoice: FDS0011073
BillToID: 27631
Billing Date: 4/30/2010
Date of Loss: 4/6/2010

NOW DUE
\$520.76

Invoice For Costs to Repair and Reconstruct Damaged Property

Address: 612 S STATE RD 446, BLOOMINGTON


1"PLASTIC SERVICE SEVERED BY BORE. NOT MARKED

*Paid \$426.85 6/4/10
(adjusted \$ 93.91)*

Material:	\$94.87
Company Labor:	\$317.51
Contract Labor:	\$0.00
Transportation/Equipment:	\$40.26
Misc:	\$0.00
Gas Loss:	\$68.12
Adjustments:	\$0.00
Payments:	\$0.00
<hr/> Total:	<hr/> \$520.76

5924 103.0510

Remember, call two (2) working days before digging. Contact I.U.P.P.S. at 1-800-382-5544.



2 VECTREN ENERGY DELIVERY OF INDIANA - NORTH


NOW DUE

\$520.76

MIDWEST UNDERGROUND INC
4217 E US 40
GREENFIELD, IN 46140

Type: GAS
Invoice: FDS0011073
BillToID: 27631
Billing Date: 4/30/2010
Date of Loss: 4/6/2010
5924 103.0510

Please return this portion with your remittance.



Mail Payment To: VECTREN ENERGY DELIVERY OF INDIANA - NORTH
Vectren Utilities Holding Group, Inc.
1239 Reliable Parkway
Chicago, IL 60686-0012
Inquiries: 1-877-902-2934, Mon.-Fri., 8-5
Risk Management/Claims Department

NOW DUE

\$520.76

MIDWEST UNDERGROUND INC
4217 E US 40
GREENFIELD, IN 46140

VOID

Type: GAS
Invoice: FDS0011073
BillToID: 27631
Billing Date: 4/30/2010
Date of Loss: 4/6/2010

Invoice For Costs to Repair and Reconstruct Damaged Property

Address: 612 S STATE RD 446, BLOOMINGTON

1"PLASTIC SERVICE SEVERED BY BORE. DID NOT ALLOW 2 FULL WORKING DAYS NOTICE.

Material:	\$94.87
Company Labor:	\$317.51
Contract Labor:	\$0.00
Transportation/Equipment:	\$40.26
Misc:	\$0.00
Gas Loss:	\$68.12
Adjustments:	\$0.00
Payments:	\$0.00
Total:	\$520.76

5924 103.0510

Remember, call two (2) working days before digging. Contact I.U.P.P.S. at 1-800-382-5544.

FACILITIES DAMAGE REPORT GAS

Vectren Corporation
Form 3112 (Rev. 10/04)

- Indiana Gas
- Sigeco
- Vectren Energy Delivery of Ohio

Task No.: _____

Capital / O&M (circle one)

FDS0001073

TIME: 11:18 AM PM

DATE OF DAMAGE: 4/6/10

Cost Center No.: 5924

DAMAGE SITE ADDRESS: 612 S 5th Rd 446

LOT #: _____ CITY: Bluffton

FACILITIES DAMAGED

- MAIN
- SERVICE
- REGULATOR STATION
- FARM TAP
- RESIDENTIAL METER
- METER INDUSTRIAL/COMMERCIAL
- OTHER

- SIZE(S)
- 0.50 INCH
 - 0.75 INCH
 - 1.00 INCH
 - 2.00 INCH
 - 4.00 INCH
 - 6.00 INCH
 - OTHER

TYPE OF MATERIAL

- PLASTIC
- STEEL
- CAST IRON
- OTHER

DAMAGE TYPE

- SEVERED
- NOT CUT
- PUNCTURE
- SIZE X

PRESSURE

- 25 PSIG
- 40 PSIG
- 50 PSIG
- 60 PSIG
- 6 WC
- OTHER

PROTECTION IN PLACE

- RAIL
- POST
- NONE
- N/A

LEAK REPORT

622170

- ONE-WAY FEED
- TWO-WAY FEED

DURATION OF ESCAPING GAS

MINUTES 20
EFV ACTIVATED YES NO

DAMAGED BY

- CONTRACTOR
- MUNICIPALITY/UTILITY
- VEHICULAR ACCIDENT
- COMPANY CREW
- UNKNOWN
- PROPERTY OWNER/TENANT
- OTHER

TYPE OF CONSTRUCTION

- SEWER/DRAIN
- WATER
- ELECTRIC
- TELEPHONE
- CEMENT/PAVING
- TV CABLE
- FENCING
- FOOTERS
- OTHER

WORKING FOR

- CITY
- STATE
- PROPERTY OWNER
- OTHER

NAME Southville

TYPE OF EQUIPMENT

- BACKHOE
- TRACKHOE
- PLOW
- TRENCHER
- BULLDOZER
- POSTHOLE DIGGERS
- BORE
- AUGER
- STAKE/SHOVEL
- OTHER

DAMAGING PARTY

- DID NOT REQUEST LOCATES
- DID NOT HAND DIG
- USED EXPIRED LOCATES
- OTHER Locates not cleared

NUMBER OF CUSTOMERS AFFECTED: _____
TOTAL HOURS SERVICE WAS OFF: 1 hr

INVOICE: YES NO

DAMAGING PARTY

NAME: Mid West Under Ground

ADDRESS: 4217 E US 40 Greenfield IN

CITY/STATE/ZIP: _____ 46140

PREPARED BY: Mark Burton DATE: 4/6/10

317-363-3205

VISUAL OBSERVATION AT DAMAGE SITE

- LOCATE NOT APPLICABLE (Above Ground Damage Only)
- FACILITIES PROPERLY MARKED
- MARKING METHODS: CONVENTIONAL OFFSET
- FLAGS PAINT STAKES WHISKERS
- LOCATE MARKINGS FADED: YES NO
- WRONG ADDRESS REQUESTED
- FACILITIES IMPROPERLY LOCATED
- QUALIFIED LOCATOR COULD NOT HAVE ACCURATELY LOCATED
- INACCURATE MAPS/CARDS
- BROKEN OR NO TRACER WIRE (PLASTIC)
- INSULATION PREVENTING ACCURATE LOCATE
- LOCATOR ERROR
- QUALIFIED LOCATOR COULD HAVE ACCURATELY LOCATED
- INCOMPLETE LOCATE
- MARKINGS OFF BY _____ (FEET/INCHES)
- INAPPROPRIATE SITE MARKINGS
- NO LOCATE PERFORMED
- FAILURE TO FOLLOW POLICY
- WRONG ADDRESS LOCATED

OBSERVATION BY: M. Burton

NAME OF LOCATOR: _____
 COPY OF MARKOUT REQUEST PROVIDED WITHIN 2 WORKING DAYS

NOTIFICATION AND OTHER DETAILS OF LOCATE

- LOCATE TICKET #: _____
- DATE: _____ TIME: _____ AM/PM
- REGULAR REQUEST EMERGENCY REQUEST
- LOCATE COMPANY NOTIFIED
- CONTACT NAME: _____
- TIME CALLED: _____ AM/PM
- TIME LOCATOR ARRIVED AT SITE: _____ AM/PM
- COMPANY NOTIFIED OF LOCATE NEAR CRITICAL FACILITIES: YES NO

CONTRACTOR REPAIRS

- CONTRACTOR WORKING FOR VECTREN MADE REPAIRS AT OWN EXPENSE
- CONTRACTOR REPAIRED DAMAGE

NAME OF CONTRACTOR: _____

OF REGULAR HOURS _____
OF OVERTIME HOURS _____

CREW TYPE _____

MATERIALS OR ROAD WORK

- METER WAS REPLACED _____ (STORES CODE)
- REGULATOR WAS REPLACED _____ (STORES CODE)
- TEMPORARY ASPHALT REPAIR _____ (SQ. FT.)
- PERMANENT ASPHALT REPAIR _____ (SQ. FT.)

PARTY TO INVOICE

NAME: Damaging party - Midwest

ADDRESS: _____

CITY/STATE/ZIP: _____

REVIEWED BY FIELD SUPERVISOR: Kanda Powers DATE: 4/16/10

Locates not cleared.

Project created 4/15 Submitter 4/20

NORMAL NOTICE JOB EXTENSION

Ticket : 1003250279 Date: 03/25/2010 Time: 07:22 Oper: JIM.GRAPER Chan:000
 Old Tkt: 1003081336 Date: 03/08/2010 Time: 12:13 Oper: JIM.GRAPER Rev: 00A

State: IN Cnty: MONROE Twp: PERRY
 Cityname: BLOOMINGTON Inside: Y Near: N
 Subdivision:

Address :
 Street : E HERITAGE WOODS RD
 Cross 1 : ST RD 446 Within 1/4 mile: Y
 Location: FROM COMMUNICATIONS HANDHOLE ON NORTH SIDE OF HERITAGE WOODS RD WEST
 ACROSS 446 THEN NORTH 500FT TO POLE LINE 15FT NORTH OF 1ST DRIVEWAY PAST JANET
 DRIVE

***Boring Where = ENTIRE JOB

:
 Grids : 3909B8628C

Work type : INSTALL FIBER
 Done for : SMITHVILLE TELEPHONE
 Start date: 03/29/2010 Time: 08:30 Hours notice: 97/49 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
 Duration : 3 DAYS Depth:

EXP 4-14-10

Company : MIDWEST UNDERGROUND Type: CONT
 Co addr : 4217 EAST US RT 40
 City : GREENFIELD State: IN Zip: 46140
 Caller : JIM GRAPER Phone: (317)462-4750
 Contact : JOEY MACK-CELL Phone:
 BestTime:
 Mobile : (317)294-8234
 Fax : (317)462-5355

Submitted date: 03/25/2010 Time: 07:22
 Members: ID0002 ID1443 ID3147 ID5960 SBCIN SM SM

Failed to get message text or map data: Object expected

Member Name	Facility Types
AT&T - DISTRIBUTION	COMMUNICATIONS
BLOOMINGTON UTILITIES, CITY OF	SEWER & WATER
COMCAST CENTRAL (BLOOMINGTON)	CABLE TV
DUKE ENERGY / FORMERLY CINERGY	ELECTRIC
VECTREN - BLOOMINGTON	GAS

[View Map](#) [Close Map](#)

View Ticket Information

District: Ticket Number:

Start
Work Date: 03/29/2010

Start
Time: 09:08

End Work
Date: 03/29/2010

End Time: 10:08

Work
Desc: High Profile Gas (1) [VECTREN N], Main (2) [VECTREN N], Service (3) [VECTREN N]

Type of
Work: INSTALL FIBER

Locator
Notes:

Locator
ID: 124168

Complete? Yes

Ticket
Text:

```

From: irth@iupps.org
Sent: Thursday, March 25, 2010 8:24 AM
To: attin2@tickets.translore.com
Subject: IUPPS SBCIN 2010/03/25 #00136 1003250279-00A NORM NEW

SBCIN 00136 IUPPSa 03/25/2010 08:24:30 1003250279-00A NORM NEW GRID

NORMAL NOTICE JOB EXTENSION

Ticket : 1003250279 Date: 03/25/2010 Time: 07:22 Oper: JIM.GRAPER Chan:000 Old Tkt: 1003081336 Date: 03/08/2010

State: IN Cnty: MONROE Twp: PERRY
Cityname: BLOOMINGTON Inside: Y Near: N
Subdivision:

Address :
Street : E HERITAGE WOODS RD
Cross 1 : ST RD 446 Within 1/4 mile: Y
Location: FROM COMMUNICATIONS HANDHOLE ON NORTH SIDE OF HERITAGE WOODS RD WEST ACROSS 446 THEN NORTH 500FT TO
:
Grids : 3909B8628C

Work type : INSTALL FIBER
Done for : SMITHVILLE TELEPHONE
Start date: 03/29/2010 Time: 08:30 Hours notice: 97/49 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
Duration : 3 DAYS Depth:

Company : MIDWEST UNDERGROUND Type: CONT Co addr : 4217 EAST US RT 40
City : GREENFIELD State: IN Zip: 46140
Caller : JIM GRAPER Phone: (317)462-4750 Contact : JOEY MACK-CELL Phone:
BestTime:
Mobile : (317)294-8234
Fax : (317)462-5355

Submitted date: 03/25/2010 Time: 07:22
Members: ID0002 ID1443 ID3147 ID5960 SBCIN SM SM

```

MISCELLANEOUS CASH RECEIPT

(PLEASE ATTACH A COPY OF ALL CHECKS TO THIS FORM AND
USE PAPER CLIPS/DO NOT STAPLE CHECKS TO FORM)

PROCESS ROUTING FOR ALL VECTREN COMPANIES INCLUDING UTILITIES
AND NON REGULATED SUBSIDIARIES: SEND COMPLETED FORM,
ORIGINAL CHECK AND COPY OF CHECK TO REBECCA MINEAR IN
FINANCIAL ACCOUNTING, BRAUN BUILDING, EVANSVILLE. RETAIN COPY
OF CHECK AND FORM FOR YOUR RECORDS. PLEASE INCLUDE PROPER
ACCOUNTING SO RECEIPT MAY BE CREDITED ACCURATELY. PLEASE
INCLUDE YOUR PHONE NUMBER SO THE RECEIPT MAY BE EASILY
RESEARCHED BY THE FINANCIAL ACCOUNTING GROUP.

Activity Date: **6/9/2010**
12:00:00 AM

Your Name, not your initials (employee): **Pam Barber**

Your Phone Number (employee): **812-491-4734**

Party Check Received From (Check Payor):

Address of Check Writer (Check Payor):

BATCH120-US INFRASTRUCTURE CORP

Check Number **85696**

Amount of Check **\$426.85**

Utility/Company Name **VECTREN ENERGY DELIVERY OF INDIANA - NORTH**

Task Number **103.0510**

Job Number **FDS0011073**

Date Printed: 6/10/2010

U. S. INFRASTRUCTURE CORP.
Holding company for SM&P and Central Locating Service, Ltd.
13085 Hamilton Crossing Blvd #200
Carmel, IN 46032

BANK OF AMERICA
Chicago, IL 60661
70-2302/919

00085696

Date 06/04/2010


Pay Amount \$3,537.28***

Pay

THREE THOUSAND FIVE HUNDRED THIRTY-SEVEN AND 28 / 100 DOLLAR

To The
Order Of

VECTREN ENERGY DELIVERY OF INDIANA NORTH
1239 RELIABLE PKWY
CHICAGO, IL 60686-0012



Authorized Signature

⑈00085696⑈ ⑆071923284⑆ .5590104682⑈

Check Date: 06/04/2010

Check No. 00085696

Invoice Number	Invoice Date	Voucher ID	Gross Amount	Discount Available	Paid Amount
DM1120100327003 INV# FDS0011002	04/23/2010	00047997	1,717.65	0.00	1,717.65
DM1220100406001 INV# FDS0011073	04/30/2010	00047996	426.85	0.00	426.85
DM1820100415013 INV# FDS0011078	04/30/2010	00045844	1,392.78	0.00	1,392.78

Vendor Number	Name		Total Discounts		
0000004286	VECTREN ENERGY DELIVERY OF INDIANA NORTH		\$0.00		
Check Number	Date	Total Amount	Discounts Taken	Total Paid Amount	
00085696	06/04/2010	\$3,537.28	\$0.00	\$3,537.28	

Information Request

Pipeline Safety Division Indiana Utility Regulatory Commission

The Pipeline Safety Division of the Indiana Utility Regulatory Commission requests any and all information you can provide regarding the following criteria:

The Parties:

Excavator Information:

Business Name: **MIDWEST UNDERGROUND INC.**

Responsible Party Personal Name: **JAMES R. BUHEL**

Title (if any): **FOLEMAN**

Address: **2487 E. MAIN ST**

City, State Zip: **COBLENFIELD IN 46140**

Preferred Telephone: **317-462-4750**

Cell Phone Number: **317-363-3205**

Email Address:

Facility Information:

Business Name: **VECTREN**

Responsible Party Personal Name:

Title (if any):

City, State, Zip

Address:

Preferred Telephone:

Cell Phone Number:

Email Address:

Locator Service Information:

Business Name: **SMP**

Responsible Party Personal Name:

Title (if any):

Address:

City, State Zip:

Preferred Telephone:

Cell Phone Number:

Email Address:

RECEIVED

SEP 27 2011

INDIANA UTILITY
REGULATORY COMMISSION

Other (Witness, Police, Fire, Other) Information:

Personal Contact: SCOTT CLARK

Business/Organization Name: MIDWEST UNDERGROUND

Title (if any) OPERATOR

Address:

City, State, Zip

Preferred Telephone:

Cell Phone Number:

Email Address:

Utility Line Impact:

Product Type (circle one):

Natural Gas

Liquid Pipeline

Unknown/Other

Facility Type (circle one):

Distribution

Gathering

Service/Drop

Transmission

Unknown/Other

Size (Diameter/etc.): 3/4"

Pressure (PSIG/Inches): _____

Interruption in Service: Yes/No

Number of Customers Affected: unknown

Evacuation: Yes No If yes, How Many Evacuated? None

Repair Cost (if known): \$ unknown

Cause of Damage Information:

Type of Equipment (circle one):

Auger

Backhoe/Trackhoe

Boring /Drilling

Directional Drilling

Explosives

Farm Equipment

Grader/Scraper

Hand Tools

Milling Equipment

Probing Device

Trencher

Vacuum Equipment

Unknown/Other

Type of Work Performed (circle one):

- Agriculture
- Cable TV
- Curb/Sidewalk
- Bldg. Construction
- Bldg. Demolition
- Drainage
- Driveway
- Electric
- Engineering/Surveying
- Fencing
- Grading
- Irrigation
- Landscaping
- Liquid Pipeline
- Milling
- Natural Gas
- Pole
- Public Transit Authority
- Railroad Maintenance
- Road Work
- Sewer (Sanitary/Storm)
- Site Development
- Steam
- Storm Drain/Culvert
- Street Light
- Telecommunications
- Traffic Signal
- Traffic Sign
- Water
- Waterway Improvement
- Unknown/Other

Release of Product: Yes / No

Ignition and/or Fire: Yes / No

Excavator Notify 811: Yes / No

Locate Information:

Excavator Request Locate: Yes / No


Indiana 811 Locate Ticket Number: SEE ATTACHED

Locate Marks Visible: Yes / No

Locate Marks Correct: Yes / No

Excavator "White Lined": Yes / No

Maps Used to Mark Facilities: Yes / No



MATERIAL TOTAL	
BFD 48	= 3,046
1.25" DUCT	= 3,956
HH 3x4	= 4
GROUND POL	= 3
LOCATE POST	= 2
10 M. STRAND	= 646'
RISER GUARD	= 2
DOWN GUY	= 4
LASKOR	= 4
GUY GUARD	= 4
PAN DUT BOX	= 1
"D" CLOSURE	= 1 "B" = 3
4 FIBER	= 574'
TRACER WIRE	= 480'

TRAFFIC CONTROL
 THERE WILL BE NO CONSTRUCTION ON THE PAVED ROAD SURFACE. NO TRAFFIC CONTROL BEYOND THE NORMAL POSTING OF SIGNS IS ANTICIPATED.

317-462 4756

9/22/2011

ON APRIL 6TH, 2010, I WAS BORING
ON STATE ROAD 446 BY HERITAGE WOODS
APARTMENTS, AND HIT A UNMARKED GAS
LINE THAT FED THE APARTMENT COMPLEX.
OUR LOCATE TICKET WAS GOOD, AND
THE LOCATOR JUST DIDNT MARK IT.
THAT WAS ALL OBSERVED BY SMIP,
GAS COMPANY, AND MIDWEST UNDERGROUND.
THE SUPERVISOR FROM SMIP ASKED IF
WE HAD A GOOD TICKET, AND I HANDED
HIM OUR TICKET REQUEST, WHICH WAS
GOOD. THE HIT GAS LINE WAS CLEARLY
JUST NOT MARKED, CAUSE ALL OF THE
OTHER GAS LINES WERE MARKED. WE
WERE NOT AT FAULT ON THIS

SINCERLY

JAMES R. BUHRE



Close Window

"If you have a pencil handy, I have a ticket number to provide to you. If you need to call us back for any reason, your ticket number will assist us in locating this ticket. Are you ready for your number?"

NORMAL NOTICE

Ticket : 1003081336 Date: 03/08/2010 Time: 12:13 Oper: JIM.GRAPER Chan:000

1003250277

State: IN Cnty: MONROE Twp: PERRY
Cityname: BLOOMINGTON Inside: Y Near: N
Subdivision:

Address :
Street : E HERITAGE WOODS RD
Cross 1 : ST RD 446 Within 1/4 mile: Y
Location: FROM COMMUNICATIONS HANDHOLE ON NORTH SIDE OF HERITAGE WOODS RD WEST ACROSS 446 THEN NORTH 500FT TO POLE LINE 15FT NORTH OF 1ST DRIVEWAY PAST JANET DRIVE

***Boring Where = ENTIRE JOB

Grids : 3909B8628C

Work type : INSTALL FIBER
Done for : SMITHVILLE TELEPHONE
Start date: 03/10/2010 Time: 12:45 Hours notice: 48/48 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: Y Railroad: N Emergency: N
Duration : 3 DAYS Depth:

Exp 3-28-10
Company : MIDWEST UNDERGROUND Type: CONT
Co addr : 4217 EAST US RT 40
City : GREENFIELD State: IN Zip: 46140
Caller : JIM GRAPER Phone: (317)462-4750
Contact : JOEY MACK-CELL Phone:
BestTime:
Mobile : (317)294-8234
Fax : (317)462-5355

Remarks : PROPOSED ROUTE MARKED WITH WHITE FLAGS

Submitted date: 03/08/2010 Time: 12:13
Members: ID0002 ID1443 ID3147 ID5960 SBCIN SM SM

LOCATE RECALLED

3-25-10

GOOD

3-29-10

EXPIRE

4-14-10

Member Name

F

AT&T - DISTRIBUTION	COMMUNICATIONS
BLOOMINGTON UTILITIES, CITY OF	SEWER & WATER
COMCAST CENTRAL (BLOOMINGTON)	CABLE TV
DUKE ENERGY / FORMERLY CENERGY	ELECTRIC
VECTREN - BLOOMINGTON	GAS