



Pipeline Safety Division Investigation Report

Investigation regarding: Hill T Excavating

UPPAC Database Record ID: 2993

Investigator: Howard Friend

Telephone: (317) 650-9105

Report Date: 8/9/12

The Parties

Excavator: Hill T Excavating

Contact: Jeff Hilty, Owner

Address (City, State): 64200 SR 19, Goshen, IN 46526

Telephone: 574-202-2300

Facility Owner Information:

Business Name: NIPSCO

Contact: Luke Selking

Address (City, State): 1501 Hale Avenue, Fort Wayne, IN 46802

Telephone: (260) 439-1290

Utility Line Impact:

Damage Date: 5/23/12

Damage Address: 64720 Co Rt 21

City: Goshen

County: Elkhart

Pipeline Facility

Product Type: Natural Gas

Facility Type/Function: Service

Facility size: 5/8"

Service Interruption: Yes

Number of Customers 3

Repair Cost (if known): Unknown

Excavator Activities/Cause of damage information:

Type of Equipment: Unknown

Type of work performed: Sewer

Product release: Yes

Ignition: No

Excavator notify 811: Yes

Locate Information:

Excavator request locates: Yes

Indiana 811 ticket Number: 1205221146

Incident Impact Information:

Injuries: None

Fatalities: None

Synopsis: A natural gas main was damaged during excavation for a sewer line.

Findings: This is the second damage at this address on the same day. The facility was properly marked due to the first damage of the day.

Conclusion: There was a failure to maintain two (2) feet clearance with mechanized equipment.

Violation: IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment.

NOTE: The excavator has not responded to the information request from the IURC dated 6/21/12. The summary is based on information provided by the Operator and the locating contractor.

NO

LOCATE

TICKET

PROVIDED



101 West Ohio Street, Suite 1707
Indianapolis, IN 46204

July 25, 2012

Via Electronic Transmission – PipelineDamageCase@urc.in.gov

Pipeline Safety Division – Case No. 2993
Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 East
Indianapolis, Indiana 46204

RE: Investigation Request for Information; Pipeline Division Case No. 2993

To Whom It May Concern:

Attached please find Northern Indiana Public Service Company's ("NIPSCO") written information, and supporting documentation, relating to the following event:

Date of Event: 5/23/2012

Event Location: 64720 Co Rt 21, Goshen

Facility Owner: Northern Indiana Public Service Company

Excavator: Hill T Excavating

Other Party: N/A

Pipeline Division Case No. 2993

NIPSCO has reviewed its recovery and damage prevention files for this matter and has provided answers, when known, to the list of questions set forth in the Information Request. To the extent available, NIPSCO is also providing a copy of the Damage Information Report – Pipeline Safety Division previously submitted by NIPSCO to IURC Pipeline Safety as well as additional documentation relating to this Event Location.

Upon completion of the investigation, NIPSCO requests that it be provided with a copy of the Pipeline Division's Investigation Report with findings that will be forwarded to the Underground Plant Protection Advisory Committee. If there are any additional questions, please contact the undersigned.

Very truly yours,

A handwritten signature in black ink, appearing to read "Christopher Earle".

Christopher C. (Kit) Earle
NiSource Corporate Services - Legal
Phone: 317-684-4904
Fax: 317-684-4918
Email: cearle@nisource.com

IURC INFORMATION REQUEST	
Pipeline Safety Division Case No. 2993	
Date of Event	5/23/2012
Event Location	64720 Co Rt 21, Goshen
Facility Owner	Northern Indiana Public Service Company
Excavator	Hill T Excavating
Date of IURC Information Request	7/5/2012
THE PARTIES	
EXCAVATOR:	
BUSINESS NAME	Hill T. Trucking & Excavating
RESPONSIBLE PARTY PERSONAL NAME	Jeff Hilty
TITLE (IF ANY)	Owner
ADDRESS	64200 SR 19
CITY/ STATE/ZIP	Goshen, IN 46526
PREFERRED TELEPHONE	574 862-1222
CELL PHONE TELEPHONE	574 202-2300
EMAIL ADDRESS	
FACILITY INFORMATION - OWNER/OPERATOR OF UTILITY LINE:	
BUSINESS NAME	NORTHERN INDIANA PUBLIC SERVICE COMPANY
RESPONSIBLE PARTY PERSONAL NAME	LUKE SELKING
TITLE	
ADDRESS	1501 HALE AVENUE
CITY/STATE/ZIP	FORT WAYNE, IN 46802
PREFERRED TELEPHONE	260/439-1290
SECONDARY TELEPHONE	
EMAIL ADDRESS	LSELKING@NISOURCE.COM
LOCATOR SERVICE INFORMATION	
BUSINESS NAME	USIC Locating Service
RESPONSIBLE PARTY PERSONAL NAME	
TITLE (IF ANY)	
ADDRESS	9045 North River Road, Suite 300
CITY/ STATE/ZIP	Indianapolis, IN 46240
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
OTHER (WITNESS, POLICE, FIRE, OTHER) INFORMATION	
PERSONAL CONTACT	
BUSINESS/ORGANIZATION NAME	
TITLE (IF ANY)	

ADDRESS	
CITY/ STATE/ZIP	
PREFERRED TELEPHONE	
CELL PHONE TELEPHONE	
EMAIL ADDRESS	
UTILITY LINE IMPACT	
LOCATION OF DAMAGE	
ADDRESS	64720 CR 21
CITY/STATE/ZIP	Goshen, IN
NEAREST INTERSECTION	
PRODUCT TYPE (Select One)	
NATURAL GAS	X
LIQUID PIPELINE	
UNKNOWN/OTHER	
FACILITY TYPE (Select One)	
DISTRIBUTION	
GATHERING	
SERVICE/DROP	X
TRANSMISSION	
UNKNOWN/OTHER	
SIZE (DIAMETER/ETC.)	5/8"
PRESSURE (PSIG/INCHES)	Medium
INTERRUPTION IN SERVICE (YES/NO)	Yes
NUMBER OF CUSTOMERS AFFECTED	3
EVACUATION (YES/NO)	Yes
IF YES, HOW MANY EVACUATED	7
REPAIR COST (IF KNOWN) (\$)	
CAUSE OF DAMAGE INFORMATION:	
TYPE OF EQUIPMENT (Select One)	
Auger	
Backhoe/Trackhoe	
Boring/Drilling	
Directional Drilling	
Explosives	
Farm Equipment	
Grader/Scraper	
Hand Tools	
Milling Equipment	
Probing Device	

Trancher	
Vacuum Equipment	
Unknown/Other	X
TYPE OF WORK PERFORMED (Select One)	
Agriculture	
Cable TV	
Curb/Sidewalk	
Bldg. Construction	
Bldg. Demolition	
Drainage	
Driveway	
Electric	
Engineering/Surveying	
Fencing	
Grading	
Irrigation	
Landscaping	
Liquid Pipeline	
Milling	
Natural Gas	
Pole	
Public Transit Authority	
Railroad Maintenance	
Road Work	
Sewer (Sanitary/Storm)	X
Site Development	
Steam	
Storm Drain/Culvert	
Street Light	
Telecommunications	
Traffic Signal	
Traffic Sign	
Water	
Waterway Improvement	
Unknown/Other	
RELEASE OF PRODUCT (YES/NO)	Yes
IGNITION AND/OR FIRE (YES/NO)	No
EXCAVATOR NOTIFY 811 (YES/NO)	Yes 1205233499
LOCATE INFORMATION:	
EXCAVATOR REQUEST LOCATE (YES/NO)	Yes

INDIANA 811 LOCATE TICKET NUMBER	1205190420
LOCATE MARKS VISIBLE (YES/NO)	Y
LOCATE MARKS CORRECT (YES/NO)	Y
EXCAVATOR "WHITE LINED" (YES/NO)	Y
MAPS USED TO MARK FACILITIES (YES/NO)	Y
OPERATOR EMPLOYEES ON-SITE DURING EXCAVATION (YES/NO)	No
INCIDENT IMPACT INFORMATION	
NUMBER OF OUTPATIENT TREATED	0
NUMBER OF INPATIENT TREATED	0
NUMBER OF FACILITIES	
FIRE DEPARTMENT RESPONSE (YES/NO)	
FPOLICE DEPARTMENT RESPONSE (YES/NO)	
AMBULANCE RESPONSE (YES/NO)	
ADDITIONAL INFORMATION/COMMENTS	
Excavator hit accurately marked service Nipsco emergency repair ticket #: 1205233768	

Fact Based Investigation Report

01820120523013

Northern IN

5/23/2012 2:57:00 PM

5/23/2012 3:05:09 PM

JEFF HILLTY

64720 CO RT 21

GOSHEN

ST: IN ZIP:

NOTIFICATION ID:

DISTRICT:

DAMAGE DATE:

NOTIFICATION DATE:

NOTIFIED BY:

DAMAGE ADDRESS:

CITY:

NIPSCO

DAMAGED CUSTOMER:

05/23/2012

INVESTIGATION DATE:

16:00:00

FROM:

16:30:00

TO:

HILL T TRUCKING AND EXCAVATING

EXCAVATOR INVOLVED:

SEWER

TYPE OF EXCAVATION:

1205221146

ORIG. LOCATE REQ.:

Routine

START DATE/TIME:

TYPE OF TICKET:

LOCATE REQ. INFO N/A:

1205233499

DIG UP/DAMAGE REQ.:

5/23/2012 4:00:00 PM

START DATE/TIME:

SCOTT SCHOOLEY

PICTURES TAKEN BY:

5/23/2012 4:00:00 PM

DATE/TIME:

Digital

PHOTOGRAPHY TYPE:

FRAME #:

125980

INVESTIGATOR EMP#:

SCOTT SCHOOLEY

INVESTIGATOR NAME:

BASED ON YOUR INVESTIGATION, IS FURTHER INVESTIGATION NEEDED?

No

Fact Based Investigation Customer Information

01820120523013

NIPSCO

(optional)

NOTIFICATION ID:

SELECT A CUSTOMER:

CUSTOMER #:

LOWPROF

Gas Service

Schooley Scott - 125980

FACILITY DESCRIPTION:

FACILITY ID:

LOCATOR NAME & EMP #:

LOCATOR NOT KNOWN:

CHECK ALL THAT APPLY TO INVESTIGATION:

Facility Marked Accurately

Other:

CHECK ALL THAT APPLY TO METHOD OF INVESTIGATION (at least one must be checked):

Visual, Facility Exposed At Time Of Investigation,
Investigation Results Verified By Utility Representative

INVESTIGATOR STATEMENT/CAUSAL FACTORS:

MARKED CORRECTLY, DITCH CAVED IN PULLIN SERVICE OUT OF MAIN

NAMES OF UTILITY REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:

N/A

NAMES OF EXCAVATOR'S REPRESENTATIVES CONTACTED OR ON SITE AND STATEMENT:

N/A

LIST ANY OTHER INDIVIDUALS ON SITE:

N/A

WERE ANY MARKINGS VISIBLE ON THE DAMAGE SITE UPON ARRIVAL?

Yes

WERE ANY OTHER INDICATORS OF FACILITY PRESENT IN THE AREA?

Yes

WAS THE EXCAVATION WITHIN THE TOLERANCE ZONE OF MARKS?

Yes

EXTENT OF FACILITY DAMAGE

SERVICE PULLED OUT OF MAIN

REPLACEMENT FOOTAGE

1 FOOT

WAS CONTRACTOR ASSISTANCE REQUIRED? IF YES, WHO?

No

WHAT CONTRACTOR EQUIPMENT WAS USED?

NO

IS THE FACILITY SHOWN ON THE UTILITY RECORDS?

No

IF YES, PLEASE LIST RECORD #(S)

NIPSCO 01148 IUPPSa 05/23/2012 15:00:13 1205233499-00A EMER DAMG GRID

DAMAGE DAMAGE

Ticket : 1205233499 Date: 05/23/2012 Time: 14:57 Oper: LPORTER Chan:046

State: IN Cnty: ELKHART Twp: ELKHART
Cityname: GOSHEN Inside: N Near: Y
Subdivision:

#2993

Address : 64720
Street : CO RT 21
Cross 1 : CO RT 38 Within 1/4 mile: N
Location: THIS IS SKYVIEW MOBLE HOME PARK - LOTS 291 292 293 294 AND 295 -
LOCATE THE ENTIRE PROPERTIES AND BOTH SIDES OF THE ROAD IN FRONT OF THE
PROPERTIES

:
Grids : 4133C8550A
Boundary: n 41.556385 s 41.554798 w -85.848381 e -85.846451

Work type : SEWER LINE INSTALL
Done for : SKYVIEW MOBILE HOME PARK
Start date: 05/23/2012 Time: 14:57 Hours notice: 0/0 Priority: EMER
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
Duration : 2 WEEKS Depth: 10 FEET

Company : HILL T EXCAVATING Type: CONT
Co addr : 64200 INDIANA STATE ROAD 19
City : GOSHEN State: IN Zip: 46526
Caller : JEFF HILTY Phone: (574)202-2300
Contact : JEFF HILTY--CELL Phone:
BestTime:
Mobile : (574)202-2300
Fax : (574)862-4648
Email : HILTYJA@JUNO.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
PER JEFF HILTY - PULLED A NIPSCO GAS LINE - GAS IS BLOWING -HAS NOT CALLED 911
- CREW STILL ON SITE - DIGGING BEHIND LOT 295- TRENCH CAVED IN AND PULLED LINE
- JEFF HILTY TO CONTACT 911 AND HAS CALLED NIPSCO - - PREVIOUS TICKET
1205221146

Will you be white-lining the dig site area? YES
:

Submitted date: 05/23/2012 Time: 14:57
Members: COMCN ID2178 ID8000 NIPSCO SM

NIPSCO 00352 IUPPSa 05/22/2012 09:58:38 1205221146-00A NORM NEW GRID

NORMAL NOTICE

Ticket : 1205221146 Date: 05/22/2012 Time: 09:55 Oper: BLIEVERTZ Chan:001

State: IN Cnty: ELKHART Twp: ELKHART
Cityname: GOSHEN Inside: N Near: Y
Subdivision:

#2993

Address : 64720
Street : CO RT 21
Cross 1 : CO RT 38 Within 1/4 mile: N
Location: THIS IS SKYVIEW MOBLE HOME PARK - LOTS 291 292 293 294 AND 295 -
LOCATE THE ENTIRE PROPERTIES AND BOTH SIDES OF THE ROAD IN FRONT OF THE
PROPERTIES

:
Grids : 4133C8550A
Boundary: n 41.556385 s 41.554798 w -85.848381 e -85.846451

Work type : SEWER LINE INSTALL
Done for : SKYVIEW MOBILE HOME PARK
Start date: 05/24/2012 Time: 10:15 Hours notice: 48/48 Priority: NORM
Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
Duration : 2 WEEKS Depth: 10 FEET

Company : HILL T EXCAVATING Type: CONT
Co addr : 64200 INDIANA STATE ROAD 19
City : GOSHEN State: IN Zip: 46526
Caller : JEFF HILTY Phone: (574)202-2300
Contact : JEFF HILTY--CELL Phone:
BestTime:
Mobile : (574)202-2300
Fax : (574)862-4648
Email : HILTYJA@JUNO.COM

Remarks : All tickets are taken and processed on Eastern Daylight Time
Will you be white-lining the dig site area? YES
:

Submitted date: 05/22/2012 Time: 09:55
Members: COMCN ID2178 ID8000 NIPSCO SM

NO
EXCAVATOR
RESPONSE
PROVIDED