



Pipeline Safety Division Investigation Report

Investigation regarding: **Town Of Fishers**

UPPAC Database Record ID: 3256

Investigator: Howard Friend

Report Date: 08/27/2012

Damage Date: 06/21/2012

Damage Address: 1 Municipal Drive

City: Fishers

County: Hamilton

The Parties

Excavator: **Town Of Fishers**

Contact: Nick Powell

Address: 10200 Eller Road, Fishers, In 46038

Telephone: 317-595-3160

Facility Owner: Vectren

Contact: Darlene Kulhanek

Address: 1 N Main Street, Evansville, IN 47702

Pipeline Facility

Facility Type: Natural Gas

Facility Function: Distribution

Investigation regarding: Town Of Fishers

UPPAC Database Record ID: 3256

Damage Impact

Product release: Yes

Ignition: No

Service Interruption: True

Number of Customers Affected: 4

Injuries: 0

Fatalities: 0

Repair Cost (if known): \$2033.05

Excavator Activities/Cause of damage information:

Excavator request locates: Yes Indiana 811 ticket Number: 1206200179

Type of Equipment: Trencher

Type of work performed: Irrigation

Synopsis: A two inch plastic gas main was damaged during excavation with a trencher.

Findings: Reported by Vectren Corporation; excavator has not responded to initial notice that was mailed on 07/13/2012. Vectren reports that work being done was for irrigation, the normal notice locate request states work type 'Paving'. Excavator did not wait two working days prior to beginning to work; locate contractor had not completed the request.

Conclusion: By not waiting two working days after the initial request, the excavator failed to provide notice of excavation.

Violation: IC 8-1-26-16(g): Failure to provide notice of excavation.



DAMAGE INFORMATION REPORT – PIPELINE SAFETY DIVISION

State Form 54122 (R2 / 7-11)

INDIANA UTILITY REGULATORY COMMISSION

Submitted to IURC-Pipeline Safety on: Jun 26, 2012

Who is submitting this information?

Name of person providing this information: Gary Rooker (Vectren)

Business address (*number and street*): 16000 Allisonville Rd

City, State, and ZIP code: Noblesville, IN 46060

Telephone number (*area code*): 317-776-5544

Fax number (*area code*): 317-776-5554

E-mail address: grooker@vectren.com

Excavator Information, if known

Full name: Town of Fishers c/o Nick Powell

Business address (*number and street*): 10200 Eller Road

City, State, and ZIP code: Fishers, IN 46038

Telephone number (*area code*): 317-595-3160

Fax number (*area code*): _____

E-mail address: _____

Excavation or Demolition Information

Excavator type: Municipality

Excavation or demolition equipment: Trencher

Type of work performed: Road Work

Date and Location of Damage

Date of damage (*month, day, year*): Jun 21, 2012

County: Hamilton

City: Fishers

Street address (*number and street, city, state, and ZIP code*):
1 Municipal Drive

Nearest intersection: 116th St

Right of way where damage occurred: Public - City Street

Was there a release of product? Yes

If yes, was there an ignition of product? No

Were evacuations necessary as a result of release? Yes

If yes, how many evacuated? _____

Was there a customer service interruption? Yes

If yes, how many affected? 6

Time to restore service (*in hours*): 2

Enter number of injuries, if applicable and known: 0

Enter number of fatalities, if applicable and known: 0

Property damage, Estimate \$ 2,000

Affected Facility Information

What type of pipeline was damaged? Natural Gas

What was the affected facility? Distribution

What was the depth of the facility, in inches? 32

Notification, Locating, Marking

Did excavator request locates prior to commencing work? Yes

Enter Indiana 811 ticket number, if known: 1206200179

Was the locate request completed within two working days? No

If locates were performed, were they done so by a contractor or pipeline employee? Contract Locator

If a contractor locator, enter the company name, if known: USIC

Were facility marks visible in the area of excavation? No

Were facilities marked correctly? Unknown/Other

Type of markings used: Other

If other, please specify: Excavator may have dug before locates performed

Was site marked by "White Lining"? No

Were special instructions part of the locate request? Unknown/Other

Were maps used to complete the locate request? Unknown/Other

Were pipeline company representatives on site during excavation? No

Did the excavator notify the operator in the event of this damage? Unknown/Other

Did the excavator notify Indiana 811 in the event of this damage? No

Did the excavator notify 911 in the event of a release of product? Unknown/Other

Description of Cause

Select from the list the most accurate cause for the damage: --No notification made to the one-call center

Additional Comments

Excavator started digging before locate request was mature, therefore the Locator (USIC) had not marked the gas lines in the area yet.

The IN811 Locate ticket was a normal notice having a start date of 6/22/2012 at 07:45. Excavator started work without allowing two (2) full working days for locates to be provided by the gas operator. Excavator did not notify IN811 following the occurrence of damage in accordance with IC 8-1-26. MAO 6/28/2012.

STATE OF INDIANA



INITIAL DOCUMENTS -
OPERATOR

INDIANA UTILITY REGULATORY COMMISSION
101 W. WASHINGTON STREET, SUITE 1500E
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

July 13, 2012

Ms. Darlene Kulhanek
Vectren
1 N Main Street
Evansville, IN 47702

Subject: Investigation Request for Information

Date of Event: 6/21/2012

Event Location: 1 Municipal Drive, Fishers

Facility Owner: Vectren

Excavator: Town Of Fishers C/o Nick Powell

Other Party: N/A

Pipeline Division Case No. 3256

Dear Ms. Kulhanek:

Pursuant to Indiana Code 8-1-26, the *Indiana Damage to Underground Facilities Act*, the Pipeline Safety Division of the Indiana Utility Regulatory Commission ("Pipeline Division") is required to investigate reported incidents of alleged statutory violations involving underground pipeline safety. The purpose of this statute is to promote excavation and pipeline safety and to reduce the imminent danger to life, health, property, or loss of service associated with unsafe digging practices. Please note that the investigation does not entail determining criminal liability or a civil determination of fault or damages; however, it does determine whether any statutory violations were committed regarding public safety.

The Pipeline Division received information regarding potential statutory violations regarding the date and location referenced above. You were identified as a person or entity that might have information that would assist the Pipeline Division in its investigation. Therefore, we have contacted you in order to receive the full account of information in order to make a fair determination related to the circumstances of this incident.

We have asked all involved parties, entities and witnesses to provide *written* information within *30 days* in order to meet legal deadlines to conclude our investigation. **Please consider this letter as a formal request to receive any and all information and evidence (including a narrative, documentation, maps, photographs or any other written information) you can access regarding anything you may know about the incident referenced above.**



DAMAGE INFORMATION REPORT – PIPELINE SAFETY DIVISION

State Form 54122 (R2 / 7-11)
INDIANA UTILITY REGULATORY COMMISSION

Submitted to IURC-Pipeline Safety on: 07-18-2012

Who is submitting this information?

Name of person providing this information: Darlene Kulhanek

Business address (*number and street*): 1 Main Street

City, State, and ZIP code: Evansville, IN 47711

Telephone number (*area code*): 812-491-4227

Fax number (*area code*): 812-491-4504

E-mail address: dkulhanek@vectren.com

Excavator Information, if known

Full name: Town of Fishers

Business address (*number and street*): 10200 Eller Road

City, State, and ZIP code: Fishers, IN 46038

Telephone number (*area code*): 317-595-3168

Fax number (*area code*): Unknown

E-mail address: Unknown

Excavation or Demolition Information

Excavator type: Municipality

Excavation or demolition equipment: Trencher

Type of work performed: Irrigation

Date and Location of Damage

Date of damage (month, day, year): 6-21-2012

County: Hamilton

City: Fishers

Street address (number and street, city, state, and ZIP code):
1 Municipal Drive, Fishers, IN

Nearest intersection: Unknown

Right of way where damage occurred: Dedicated Public Utility Easement

Was there a release of product? Yes

If yes, was there an ignition of product? No

Were evacuations necessary as a result of release? No

If yes, how many evacuated? 0

Was there a customer service interruption? Yes

If yes, how many affected? 4

Time to restore service (in hours): 3.5

Enter number of injuries, if applicable and known: 0

Enter number of fatalities, if applicable and known: 0

Property damage, Estimate \$ 2,033.05

Affected Facility Information

What type of pipeline was damaged? Natural Gas

What was the affected facility? Distribution

What was the depth of the facility, in inches?

Notification, Locating, Marking

Did excavator request locates prior to commencing work? Yes

Enter Indiana 811 ticket number, if known: 1206200179

Was the locate request completed within two working days? Unknown/Other

If locates were performed, were they done so by a contractor or pipeline employee? Contract Locator

If a contractor locator, enter the company name, if known: USIC _____

Were facility marks visible in the area of excavation? No

Were facilities marked correctly? Unknown/Other

Type of markings used: Other

If other, please specify: None _____

Was site marked by "White Lining"? Yes

Were special instructions part of the locate request? Unknown/Other

Were maps used to complete the locate request? Unknown/Other

Were pipeline company representatives on site during excavation? No

Did the excavator notify the operator in the event of this damage? Yes

Did the excavator notify Indiana 811 in the event of this damage? No


Did the excavator notify 911 in the event of a release of product? Unknown/Other

Description of Cause

Select from the list the most accurate cause for the damage: --Wrong information provided

Additional Comments

2" plastic main damaged by trencher. Did not allow 2 full working days notice.



2 VECTREN ENERGY DELIVERY OF INDIANA - NORTH



\$2,033.05


FISHERS TOWN PUBLIC WORKS
1 MUNICIPAL DRIVE,
FISHERS, IN 46038

Type: GAS
Invoice: FDS0016430
BillToID: 32132
Billing Date: 7/13/2012
Date of Loss: 6/21/2012
5830 103.0509

Please return this portion with your remittance.



Mail Payment To:
Vectren Utilities Holding Company
1239 Reliable Parkway
Chicago, IL 60686-0012
Inquiries: 1-877-902-2934, Mon.-Fri., 8-5
Risk Management/Claims Department



\$2,033.05

FISHERS TOWN PUBLIC WORKS
1 MUNICIPAL DRIVE,
FISHERS, IN 46038

Type: GAS
Invoice: FDS0016430
BillToID: 32132
Billing Date: 7/13/2012
Date of Loss: 6/21/2012

Invoice For Costs to Repair and Reconstruct Damaged Property

Address: 1 MUNICIPAL DR, FISHERS

2 PLASTIC MAIN DAMAGED BY TRENCHER DID NOT ALLOW 2 FULL WORKING DAYS NOTICE.

Material:	\$110.33
Company Labor:	\$1,168.86
Contract Labor:	\$0.00
Transportation/Equipment:	\$174.23
Misc:	\$0.00
Gas Loss:	\$579.63
Adjustments:	\$0.00
Payments:	\$0.00
Total:	\$2,033.05

5830 103.0509

Remember, call two (2) working days before digging. Contact I.U.P.P.S. at 1-800-382-5544.

Task No: 103.0509 Capital (O & M) (circle one)
Date of Damage 6/21/12
Cost Center # 5830
Time Occurred 1:40 am / pm
Time Found 1:38 PM am / pm
Latitude 39.958013 Longitude: 86.011596

Vectren Claim Number: _____
Police Report /MO #: _____

Vectren Claims Camera:
VE01331
Form 3112

FACILITIES DAMAGE REPORT

GAS

DAMAGE SITE:
Address 1 Municipal Dr. Lot # _____
County HAMILTON City FISHERS State IN Township DELAWARE

FACILITY TYPE:
 Distribution Propane
 Service Storage
 Transmission: (include supplemental report)

FACILITIES DAMAGED:	ORIFICE SIZE(S):	(1)	(2)	(3)
<input type="checkbox"/> Farm Tap	0.50 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Heater	5/8 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> Main	0.75 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Meter (Residential)	1.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Meter (Industrial / Commercial)	1.25 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Odorizer	2.00 inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Regulator Station	3.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Relief Valve	4.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Riser	5.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Service Line	6.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Valve	10.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	12.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	16.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Other _____	20.00 inch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Other			

VISUAL OBSERVATION AT DAMAGE SITE:
Visual Observation: Above Ground
 Below Ground
Locate Applicable Yes No N/S
Facilities Properly Marked Yes No N/S
Marking Methods: Conventional Flags None
 Offset Paint Stakes Whiskers
Locate Marking Faded: Yes No N/S
Wrong Address Requested Yes No N/S

TYPE OF MATERIAL: Cast Iron Plastic (HDPE) Plastic (MDPE) Steel Other _____
DAMAGE TYPE: Severed Not Cut Severed
Size 1.00" x 1.50"
PRESSURE: 25 PSIG 40 PSIG 50 PSIG 55 PSIG 60 PSIG 6 WC (.2163) 7 WC (.252) Other _____

Facilities Improperly Located:
 Qualified Locator Could Not Have Accurately Located
 Inaccurate Maps / Cards
 Broken or No Tracer Wire (Plastic)
 Insulation Preventing Accurate Locate
Locator Error:
 Failure to Follow Policy
 Inappropriate Site Markings
 Incomplete Locate
 No Locates Performed
 Qualified Locator Could Have Accurately Located
 Wrong Address Located
 Marking Off By: _____ (Feet / Inches)

PROTECTION IN PLACE:
 Building Fence None
 Post Rail Vault N/A
 Other _____

DURATION OF ESCAPING GAS:
Minutes: 75 min

Were Facility Marks Visible Yes No
Was Area White Lined Yes No Destroyed
Positive Response Yes No Destroyed
Tolerance Zone Violated Yes No
Part of Project Yes No
Company Representative On-Site Yes No

LEAK REPORT NUMBER: 01080

EFV Activated Yes No N/S

Observation by (ID#): _____

FEED TYPE:
 One-Way Feed
 Two-Way Feed

Number of Customers Affected: 4
Total Hours Service _____
Was Off: _____

Name of Locator: GEORGE SULLIVAN
LOCATING ORGANIZATION:
 Contract Locator
 Unknown / Other
 Utility Owner

SERVICE ORDER NUMBER: N5285900

DAMAGED BY:
 Company Crew
 Contractor
 County
 Developer
 Farmer
 Municipality
 Property Owner/ Tenant
 Railroad
 State
 Unknown
 Utility
 Vehicle Accident
 Other _____

TYPE OF CONSTRUCTION:
 Agriculture
 Building Construction
 Building Demolition
 Cable TV
 Curbs / Sidewalk
 Drainage
 Driveway
 Electric
 Engineering / Surveying
 Fencing
 Grading
 Irrigation
 Landscaping
 Liquid Pipeline
 Milling
 Pole
 Natural Gas
 Public Transit Authority
 Railroad Maintenance
 Other _____

NOTIFICATIONS AND OTHER DETAILS OF LOCATE:

Locate Ticket: 100200179
Date: _____ Time: _____ am / pm

TYPE OF REQUEST:
 Regular Request Emergency Request
 Locate Company Notified
Contact Name: _____
Time Called: _____ am / pm
Time Locator Arrived at the Site: _____ am / pm

Company Notified of Locate Near Critical Facilities
 Yes No N/S

Copy of Mark Out Request Provided Within 2 Working Days
 Yes No N/S

ONE-CALL CENTER:
 IUPPS
 OUPS
 Unknown

TYPE OF EQUIPMENT:

- Auger
- Backhoe / Track hoe
- Boring
- Drilling
- Explosives
- Farm Equipment
- Grader / Scraper
- Hand Tools
- Milling Equipment
- Plow
- Probing Device
- Trencher
- Vacuum Equipment
- Vehicle
- Other _____

ROOT DAMAGING CAUSE:

- Abandoned Facility
- Deteriorated Facility
- Facility Could Not be Found/ Located
- Facility Was Not Located / Marked
- Failure to Maintain Clearance
- Failure to Maintain Marks
- Failure to Support Exposed Facility
- Failure to Use Hand Tools Where Required
- Improper Backfilling
- Incorrect Records / Maps
- Marking or Location Not Sufficient
- No Notification Made to One-Call
- One-Call Notification Error
- Previous Damage
- Wrong Information Provided
- Other _____

CONTRACTOR REPAIRS:

- Contractor Working for Vectren Made Repairs at Own Expense
 Yes No N/S
- Contractor Repaired Damage
 Yes No N/S

Name of Contractor: _____
 # of Regular Hours; _____
 # of Overtime Hours; _____
 # of Regular Hours; _____
 Crew Type: _____

MATERIALS OR ROAD WORK:

- Meter was replaced _____ (Stores Code)
- Regulator Was Replaced _____ (Stores Code)
- Temporary Asphalt Repair: _____ (sq. ft.)
- Permanent Asphalt Repair: _____ (sq. ft.)

Did Excavator Notify You

- Yes No

Excavation Required

- Yes No

Media at Site

- Yes No

Was There Ignition of Gas?

- Yes No

INVOICE:

- Yes No N/S

RIGHT OF WAY:

- Dedicated Utility Easement
- Federal Utility Easement
- Pipeline
- Power / Transmission Line
- Private - Business
- Private - Easement
- Private - Land Owner
- Public - County Road
- Public - Interstate Highway
- Public - Other
- Public - State Highway
- Public - City Street
- Unknown

DAMAGING PARTY:

Name: FISHERS Dept. of Public Works
 Address: 1. MUNICIPAL DR.
 City/ State/ Zip: FISHERS, IN
 Phone: (317) 595-3160
KEVIN RUSSELL 6-21-12
 Prepared / Investigated By: Date:

PARTY TO INVOICE:

Name: Sand
 Address: _____
 City/ State/ Zip: _____
 Phone: () _____
[Signature] 6-22-12
 Reviewed by Field Supervisor: Date:

Contractor was digging in area before local ticket was good.

NORMAL NOTICE

Ticket : 1206200179 Date: 06/20/2012 Time: 07:33 Oper: MMOELLER Chan:039

State: IN Cnty: HAMILTON Twp: DELAWARE
 Cityname: FISHERS Inside: Y Near: N
 Subdivision:

Address : 1
 Street : MUNICIPAL DR
 Cross 1 : 116TH ST Within 1/4 mile: Y
 Location: LOCATE AT THE ENTRANCE TO THE BIG GRASS PARKING LOT - ON THE SOUTHWEST
 SIDE OF THE PROPERTY - AREA IS MARKED WITH GREEN PAINT
 :
 Grids : 3957C8600A 3957B8600A 3957C8601D 3957B8601D

Work type : PAVING
 Done for : TOWN OF FISHERS
 Start date: 06/22/2012 Time: 07:45 Hours notice: 48/048 Priority: NORM
 Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: N
 Duration : 2 DAYS Depth: 6 INCHES

Company : TOWN OF FISHERS Type: OTHR
 Co addr : 10200 ELLER ROAD
 City : FISHERS State: IN Zip: 46038
 Caller : NICK POWELL Phone: (317)595-3168
 Contact : NICK POWELL-CELL Phone:
 BestTime:
 Mobile : (317)292-2771
 Email : POWELLN@FISHERS.IN.US

Remarks : All tickets are taken and processed on Eastern Daylight Time
 Will you be white-lining the dig site area? NO
 :

Submitted date: 06/20/2012 Time: 07:33
 Members: ID0002 ID0022 ID0103 ID0660 ID1501 ID3162 ID4866 ID5117 ID9979 SBCIN
 SM

Failed to get message text or map data: Object expected

Member Name	Facility Types
AT&T - DISTRIBUTION	COMMUNICATIONS
CITIZENS WATER / FORMERLY VEOLIA WATER	WATER
COMCAST NORTHEAST (NOBLESVILLE)	CABLE TV
DUKE ENERGY / FORMERLY CINERGY	ELECTRIC
FIBERTECH	FIBER OPTIC
FISHERS, TOWN OF	
MARATHON PIPE LINE CO. - CLERMONT	PIPELINE
PAETEC / FORMERLY MCCLEOD USA	FIBER OPTIC
VECTREN - NOBLESVILLE #1	GAS
ZAYO BANDWIDTH	FIBER OPTIC

[View Map](#)

[Close Map](#)

EMERGENCY SEE REMARKS

Ticket : 1206212571 Date: 06/21/2012 Time: 14:00 Oper: CJODOM Chan:056

State: IN Cnty: HAMILTON Twp: DELAWARE
 Cityname: FISHERS Inside: Y Near: N
 Subdivision:

Address :
 Street : MUNICIPAL DR
 Cross 1 : 116TH ST Within 1/4 mile: Y
 Location: LOCATE THE NORTHWEST CORNER OF ABOVE INTERSECTION EXTENDING NORTH
 APPROX 1000 FEET ON THE WEST SIDE OF MUNICIPAL DR
 :
 Grids : 3957C8600A 3957C8601D 3957B8601D

Work type : REPAIR CUT GAS LINE
 Done for : VECTERN
 Start date: 06/21/2012 Time: 14:01 Hours notice: 0/000 Priority: EMER
 Ug/Oh/Both: U Blasting: N Boring: N Railroad: N Emergency: Y
 Duration : 1 DAY Depth: 5 FEET

Company : VECTREN Type: MEMB
 Co addr : 1600 ALLISONVILLE ROAD
 City : NOBLESVILLE State: IN Zip: 46060
 Caller : STEVE KALK Phone: (317)776-5594
 Contact : STEVE KALK - CELL Phone:
 BestTime:
 Mobile : (317)997-4101
 Fax : (317)776-5554

Remarks : All tickets are taken and processed on Eastern Daylight Time
 CREW ON SITE
 Will you be white-lining the dig site area? NO
 :

Submitted date: 06/21/2012 Time: 14:00
 Members: ID0002 ID0022 ID0103 ID0660 ID1501 ID3162 ID4866 ID5117 ID9979 SBCIN
 SM

Failed to get message text or map data: Object expected

Member Name	Facility Types
AT&T - DISTRIBUTION	COMMUNICATIONS
CITIZENS WATER / FORMERLY VEOLIA WATER	WATER
COMCAST NORTHEAST (NOBLESVILLE)	CABLE TV
DUKE ENERGY / FORMERLY CINERGY	ELECTRIC
FIBERTECH	FIBER OPTIC
FISHERS, TOWN OF	
MARATHON PIPE LINE CO. - CLERMONT	PIPELINE
PAETEC / FORMERLY MCCLEOD USA	FIBER OPTIC
VECTREN - NOBLESVILLE #1	GAS
ZAYO BANDWIDTH	FIBER OPTIC

[View Map](#)

[Close Map](#)

Service Order Status

Thursday, June 28, 2012

Enter Service Order Number:

5285900



[Clear Form](#) [Refresh Data](#)

Banner Instance: CS03PROD CS01PROD CS02PROD
Order Number: N5285900
Order Type: LEAK
Order Status: Completed

Customer: 600092865 - TOWN OF FISHERS
Prem: 5122476 - 1 MUNICIPAL DR

Technician: 2912 - Russell, Kevin

Order Dates and Times

Need Date: 6/21/2012 1:39:00 PM
Time Created: 6/21/2012 1:24:50 PM
Time Dispatched: 6/21/2012 1:24:50 PM
Time In Route: 6/21/2012 2:11:53 PM
Time On-Site: 6/21/2012 2:11:54 PM
Tech Complete: 6/21/2012 3:50:15 PM
Time Closed: 6/21/2012 3:50:15 PM

Events Performed/Completion Code

LKOT - CMP

Meter Information

Current ReadStatus
Old Meter: 00041 Active
New Meter:

Completion Notes

ARRIVED AT 1:38PM.FOUND 02.000PL.GAS MAIN DAMAGED BY TOWN OF FISHERS DEPT.OF PUB LIC WORKS.CO.CREW IS ON SITE TO COMPLETE REPAIRS.LINE WAS SHUT DOWN AT 2:38PM. AND AREA MADE SAFE.

Request Notes

NICK POWELL WITH THE CITY OF FISHERS SD HIT GAS LINE AND GAS IS BLOWINGCONT 317-292-2771... JASON BECKER IS ONSITE... NOT SURE OF LINE SIZE... NO PETXST 116TH ST... LOC # 1206200179... 50 YARDS FOR BUILDING...

MDSI Event Dates and Times

Event	Date/Time	User
AsnAssignmentManualAck_evt	6/21/2012 1:25:05 PM	Russell, Kevin
AsnAssignmentEnRoute_evt	6/21/2012 2:11:53 PM	Russell, Kevin
AsnAssignmentOnSite_evt	6/21/2012 2:11:54 PM	Russell, Kevin
OrdOrderComplete_evt	6/21/2012 3:50:15 PM	Russell, Kevin

NOTE:The Reporting database replicates in near real-time; it has been approximately 2 minute(s) since the last transaction replicated.