

**ORIGINAL**

*MS*  
*ES*  
*CM*  
*ADW*

**STATE OF INDIANA**  
**INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER )**  
**APPROVING ADVISORY COMMITTEE )**  
**RECOMMENDATIONS PURSUANT TO )**  
**INDIANA CODE CHAPTER 8-1-26. )**

**APPROVED: JUN 30 2014**

**ORDER OF THE COMMISSION**

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

**IT IS SO ORDERED.**

**STEPHAN, MAYS, WEBER AND ZIEGNER CONCUR:**  
**WEBER NOT PARTICIPATING IN THOSE MATTERS INVOLVING VECTREN**

**APPROVED: JUN 30 2014**

**I hereby certify that the above is a true and correct copy of the Order as approved.**

*Brenda A. Howe*  
**Brenda A. Howe**  
**Secretary to the Commission**

**PSD Case Index for Conference on June 30, 2014**

<b>Case No.</b>	<b>Respondent</b>	<b>Other Party</b>	<b>Recommended Penalty</b>
2912	Citizens Energy Group	Citizens Water	Training
3678	Citizens Energy Group	Meade Electric	Training
3768	Citizens Energy Group	Citizens Water	Training
3779	Citizens Energy Group	James Lohman	Training
3788	Citizens Energy Group	Merryman Excavation	Training
3790	Citizens Energy Group	Calumet Civil Contractors	Training
3882	Citizens Energy Group	Marksmen Construction	Training
3885	Citizens Energy Group	Citizens Water	Training
3890	Community Natural Gas	All Bore	Training
4243	Citizens Energy Group	Robinson Trenching	Training
4300	NIPSCO	LaPorte County Highway	Training
4353	Citizens Energy Group	Mr. Rooter Plumbing	Training
4374	NIPSCO	Hoosier Rock Excavating	Training
4375	NIPSCO	Infrasource Underground	Training
4408	NIPSCO	Ryko Enterprises	Training
4410	NIPSCO	Elkhart City Public Works	Training
4447	NIPSCO	Fort Wayne City Utilities	Training
4449	NIPSCO	Fort Wayne City Utilities	Training
4450	Citizens Energy Group	Wilson Water & Sewer	Training
4455	NIPSCO	Kosciusko R.E.M.C.	Training
4466	Citizens Energy Group	Greenwald Enterprises	Training
4491	Citizens Energy Group	M&C Excavating	Training
4492	Citizens Energy Group	Acculevel	Training
4509	NIPSCO	Keith Sullivan Excavating	Training

**PSD Case Index for Conference on June 30, 2014**

<b>Case No.</b>	<b>Respondent</b>	<b>Other Party</b>	<b>Recommended Penalty</b>
4517	NIPSCO	Indiana Water Company	Training
4523	NIPSCO	Rex Construction	Training
4529	NIPSCO	Kent's Excavating	Training
4545	NIPSCO	NIPSCO	Training
4551	NIPSCO	Fort Wayne City Utilities	Training
4565	NIPSCO	Grabers Well Drilling	Training
4567	NIPSCO	Young plumbing	Training
4579	NIPSCO	D and M Excavating	Training
4583	Citizens Energy Group	Morphey Construction	Training
4589	Citizens Energy Group	Adams Water and Sewer	Training
4603	NIPSCO	Ferguson Michiana	Training
4621	NIPSCO	Quality Excavating	Training
4628	NIPSCO	NIPSCO	Training
4639	NIPSCO	NIPSCO	Training
4641	NIPSCO	Ironclad Excavating	Training
4648	Grimmer Construction Co.	NIPSCO	Training
4649	NIPSCO	Fort Wayne City Utilities	Training
4659	Gatlin Plumbing	NIPSCO	Training
4665	NIPSCO	Meyers Plumbing	Training
4668	GE Marshall	NIPSCO	Training
4676	NIPSCO	Valparaiso Water Dept.	Training
4688	NIPSCO	Akins Excavating	Training
4704	NIPSCO	Auburn Electric	Training
4714	NIPSCO	Goshen Water and Sewer	Training

**PSD Case Index for Conference on June 30, 2014**

<b>Case No.</b>	<b>Respondent</b>	<b>Other Party</b>	<b>Recommended Penalty</b>
4715	NIPSCO	D and R Site Services	Training
4738	NIPSCO	Indiana American Water	Training
4740	NIPSCO	Merrill Properties	Training
4742	NIPSCO	B and W Drilling	Training
4744	NIPSCO	Yoder Concrete	Training
4752	NIPSCO	F & K Construction	Training
4778	Kreager Bros. Excavating	NIPSCO	Training
4780	NIPSCO	Earth Construction	Training
4795	Affordable Sprinklers	Citizens Energy Group	Training
4811	Selge Construction Co.	NIPSCO	Training
4814	NIPSCO	C and E Excavating	Training
4816	NIPSCO	American Electric Power	Training
4818	NIPSCO	Creek Enterprises	Training
4829	Walsh and Kelly-Griffith	NIPSCO	Training
4834	NIPSCO	B and D Sewer	Training
4840	NIPSCO	Boyd Construction	Training
4852	NIPSCO	B and W Drilling	Training
4858	NIPSCO	Anthony Irrigation	Training
4884	Robert Henry Corp.	NIPSCO	Training
4891	Columbia City Water	NIPSCO	Training
4897	Rieth-Riley Construction	NIPSCO	Training
4932	NIPSCO	Auburn Water Dept.	Training
4940	H and G Underground	NIPSCO	Training
4944	NIPSCO	R and R Excavating	Training

**PSD Case Index for Conference on June 30, 2014**

<b>Case No.</b>	<b>Respondent</b>	<b>Other Party</b>	<b>Recommended Penalty</b>
4954	NIPSCO	Hawk Enterprises	Training
5023	Miller Pipeline	NIPSCO	Training
5036	Underground Contractors	NIPSCO	Training
5046	NIPSCO	McAllister General	Training
5047	Hoffman Brothers	NIPSCO	Training
5058	NIPSCO	Deichman Excavating	Training
5062	C and E Excavating	NIPSCO	Training
5085	NIPSCO	Hipskind Concrete	Training
5087	NIPSCO	Creek Enterprise	Training
5090	Indiana Dept. of Transp.	NIPSCO	Training
5095	NIPSCO	Gatlin Plumbing	Training
5097	NIPSCO	Indiana American Water	Training
5098	Rieth-Riley	NIPSCO	Training
5103	NIPSCO	Bercot, Inc.	Training
5107	NIPSCO	Reichelt Plumbing	Training
5109	NIPSCO	Ferguson Michiana	Training
5120	Austgen Electric	NIPSCO	Training
5129	NIPSCO	Knott Drainage	Training
5135	NIPSCO	Akins Excavating	Training
5227	NIPSCO	NIPSCO	Training
5269	NIPSCO	Creek Enterprise	Training
5271	NIPSCO	Central Sewer and Water	Training
5285	NIPSCO	C A T Excavating	Training
5289	NIPSCO	Gatlin Plumbing	Training

**PSD Case Index for Conference on June 30, 2014**

<b>Case No.</b>	<b>Respondent</b>	<b>Other Party</b>	<b>Recommended Penalty</b>
5317	NIPSCO	Carlisle Utility Contractors	Training
3845	Vectren	Town of Cloverdale	Training
4276	Vectren	Hi Speed Utility	Training
4316	Hi Speed Utility	Vectren	Training
4328	Vectren	J.D.H. Contracting	Training
4452	Vectren	Chris James	Training
4570	Vectren	Environmental Construct.	Training
4576	Vectren	DR Watson Company	Training
4631	Vectren	Westport Water	Training
4661	Vectren	QC Communications	Training
4691	Vectren	Daystar Directional Drilling	Training
4793	Penny Powill	Vectren	Warning Letter
4821	Rieth-Riley	Vectren	Training
4832	Carrcrete LLC	Vectren	Warning Letter
4844	Vectren	Sun Communications	Training
4912	Dave O'Mara Contractor	Vectren	Training
4916	Vectren	Kings Trucking and Excav.	Training
4918	Vectren	J. Daming Excavating	Training
4968	Vectren	Spiker Excavating	Training
5021	QC Communications	Vectren	Training
5030	Case Construction	Vectren	Training
5052	Vectren	C4 Communications	Training
5054	Vectren	Midwest Underground	Training
5064	Vectren	Rininger Excavating	Training

**PSD Case Index for Conference on June 30, 2014**

<b>Case No.</b>	<b>Respondent</b>	<b>Other Party</b>	<b>Recommended Penalty</b>
5066	Vectren	Capitol City Fence	Training
5072	Vectren	Mr. Rooter Plumbing	Training
5089	Vectren	RT More	Training
5101	Vectren	J D S Lawn Care	Training
5166	Vectren	Miller Pipeline	Training
5199	Miller Pipeline	Vectren	Training
5211	Vectren	A and G Drain and Sewer	Training
5241	Dave O'Mara Contractor	Vectren	Training
5247	Vectren	Midwest Underground	Training
5265	Miller Pipeline	Vectren	Training
5299	Vectren	Dave O'Mara Contractor	Training
5301	Sun Communications	Vectren	Training
5311	Olco, Inc.	Vectren	Warning Letter
5319	Vectren	Electricom Incorp.	Training
5337	Dave O'Mara Contractor	Vectren	Training

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Citizens Water Company**  
Case No.: **2912**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **5/3/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**  \_\_\_\_\_  
(initialed) Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Meade Electric**  
Case No.: **3678**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **8/29/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**  \_\_\_\_\_  
(initialed) Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Citizens Water**  
Case No.: **3768**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **8/30/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **James Lohman**  
Case No.: **3779**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **9/29/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**  \_\_\_\_\_  
(initialed) Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Merryman Excavation**  
Case No.: **3788**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **6/23/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Calumet Civil Contractors**  
Case No.: **3790**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **9/7/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Marksmen Construction**  
Case No.: **3882**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **7/16/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Community Natural Gas, Inc.**  
Other Party: **All Bore, Inc.**  
Case No.: **3890**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **10/31/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Laporte County Highway Department**  
Case No.: **4300**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, December 18, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Mr. Rooter Plumbing**  
Case No.: **4353**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, December 04, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Warren abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** \_\_\_\_\_

(initialed)

  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Hoosier Rock Excavating**  
Case No.: **4374**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, October 26, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Infrasource Underground Construction**  
Case No.: **4375**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, October 30, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** 

---

(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Ryko Enterprises**  
Case No.: **4408**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, December 14, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Elkhart City Public Work**  
Case No.: **4410**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, December 26, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Fort Wayne City Utilities**  
Case No.: **4447**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, January 31, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Fort Wayne City Utilities**  
Case No.: **4449**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, February 04, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Kosciusko Remc**  
Case No.: **4455**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, February 07, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Greenwald Enterprises Inc.**  
Case No.: **4466**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, February 12, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Warren abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman



# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Acculevel**  
Case No.: **4492**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, January 10, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Warren abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** 

---

(initialed) Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Keith Sullivan Excavating**  
Case No.: **4509**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, October 24, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Indiana American Water Company**  
Case No.: **4517**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, January 09, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Rex Construction**  
Case No.: **4523**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, February 05, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Kent'S Excavating**  
Case No.: **4529**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, February 15, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **NIPSCO**  
Case No.: **4545**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, March 08, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Fort Wayne City Utilities**  
Case No.: **4551**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, March 14, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Grabers Well Drilling**  
Case No.: **4565**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, March 18, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Young Plumbing**  
Case No.: **4567**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, March 18, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **D And M Excavating Inc.**  
Case No.: **4579**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, March 26, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Morphey Construction Inc**  
Case No.: **4583**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, March 27, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Warren abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

  
\_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Citizens Energy Group**  
Other Party: **Adams Water And Sewer Service Inc**  
Case No.: **4589**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, March 29, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Warren abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) \_\_\_\_\_  
Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Ferguson Michiana Inc.**  
Case No.: **4603**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **4/4/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Quality Excavating**  
Case No.: **4621**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, April 12, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **NIPSCO**  
Case No.: **4628**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **4/15/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **NIPSCO**  
Case No.: **4639**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, April 17, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** 

---

(initialed)

Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Ironclad Excavating Inc**  
Case No.: **4641**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **4/18/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Grimmer Construction Company**  
Other Party: **NIPSCO**  
Case No.: **4648**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **4/19/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Fort Wayne City Utilities**  
Case No.: **4649**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, April 19, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Gatlin Plumbing Inc**  
Other Party: **NIPSCO**  
Case No.: **4659**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **4/24/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Meyers Plumbing**  
Case No.: **4665**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, April 25, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **GE Marshall Inc.**  
Other Party: **NIPSCO**  
Case No.: **4668**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **April 26, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

Training

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---


---

---

---

---

**APPROVED:**



(initialed)

Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Valparaiso Water Department**  
Case No.: **4676**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, April 30, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Akins Excavating**  
Case No.: **4688**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, May 02, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Auburn Electric**  
Case No.: **4704**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, March 04, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Goshen Water And Sewer Department**  
Case No.: **4714**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, June 27, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **D And R Site Services**  
Case No.: **4715**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, April 04, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Indiana American Water Northwest**  
Case No.: **4738**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, December 26, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Merrill Properties, Llc**  
Case No.: **4740**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, March 19, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **B and W Drilling**  
Other Party: **NIPSCO**  
Case No.: **4742**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **April 9, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(1) - failure to plan to minimize damage or interference**

The Advisory Committee recommends the following penalty:

*Training*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

APPROVED: 

---

(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Yoder Concrete**  
Case No.: **4744**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, January 30, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **F & K Construction**  
Case No.: **4752**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, September 25, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Kreager Brothers Excavating Inc.**  
Other Party: **NIPSCO**  
Case No.: **4778**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **July 25, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(3)(b) - failure to notify of illegible marks**

The Advisory Committee recommends the following penalty:

*Warning*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

*Ben Warren*  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Earth Construction**  
Case No.: **4780**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, October 16, 2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---


---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Affordable Sprinklers LLC**  
Other Party: **Citizens Energy Group**  
Case No.: **4795**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **May 3, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

*Training*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Warren abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** *DM*  
(initialed) Dan Meiners  
Vice Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Selge Construction Company Inc**  
Other Party: **NIPSCO**  
Case No.: **4811**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **5/13/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-16(g)(prior)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **C And E Excavating Inc**  
Case No.: **4814**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **American Electric Power**  
Case No.: **4816**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Creek Enterprise**  
Case No.: **4818**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Walsh And Kelly - Griffith**  
Other Party: **NIPSCO**  
Case No.: **4829**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **5/16/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **B And D Sewer And Backhoe**  
Case No.: **4834**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, May 17, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Boyd Construction**  
Case No.: **4840**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **B And W Drilling**  
Case No.: **4852**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, May 22, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Anthony Irrigation**  
Case No.: **4858**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, May 23, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Robert Henry Corporation**  
Other Party: **NIPSCO**  
Case No.: **4884**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **5/31/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Columbia City Water Department**  
Other Party: **NIPSCO**  
Case No.: **4891**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **June 3, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

*Seaming*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** 

---

(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth Riley Construction Co**  
Other Party: **NIPSCO**  
Case No.: **4897**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **6/4/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Auburn Water Department**  
Case No.: **4932**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, June 14, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **H and G Underground Utilities LLC**  
Other Party: **NIPSCO**  
Case No.: **4940**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **June 17, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

*Warning*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **R And R Excavating**  
Case No.: **4944**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, June 18, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Hawk Enterprises**  
Case No.: **4954**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, June 19, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipe Line**  
Other Party: **NIPSCO**  
Case No.: **5023**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **6/27/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Underground Contractors Inc.**  
Other Party: **NIPSCO**  
Case No.: **5036**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **July 1, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) -failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

*Warning.*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Mcallister General Contractors Inc**  
Case No.: **5046**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, July 03, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** 

---

(initialed)

Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hoffman Brothers**  
Other Party: **NIPSCO**  
Case No.: **5047**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **July 3, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

*Gravim*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Deichman Excavating**  
Case No.: **5058**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, July 09, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

**APPROVED:** 

(initialed)

Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **C and E Excavating Inc.**  
Other Party: **NIPSCO**  
Case No.: **5062**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **July 9, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(3)(b) - failure to notify of illegible marks**

The Advisory Committee recommends the following penalty:

*Tramung*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)



Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Hipskind Concrete**  
Case No.: **5085**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) **Ben Warren**  
**Chairman**

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Creek Enterprise**  
Case No.: **5087**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Indiana Department of Transportation**  
Other Party: **NIPSCO**  
Case No.: **5090**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-16(g)(out) failure to provide notice of excavation - (outside locate area)**

The Advisory Committee recommends the following penalty:

*Warning*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

APPROVED:  
(initialed)

*Ben Warren*  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Gatlin Plumbing**  
Case No.: **5095**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Indiana American Water Company**  
Case No.: **5097**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:** 

---

(initialed)

Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth Riley Construction**  
Other Party: **NIPSCO**  
Case No.: **5098**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **7/17/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Bercot Inc**  
Case No.: **5103**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, July 17, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Reichelt Plumbing**  
Case No.: **5107**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:** 

---

(initialed)

Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Ferguson Michiana**  
Case No.: **5109**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Austgen Electric Inc.**  
Other Party: **NIPSCO**  
Case No.: **5120**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **June 4, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

*Framing.*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Knott Drainage & Excavating Inc**  
Case No.: **5129**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, June 04, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Akins Excavating Inc**  
Case No.: **5135**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, June 24, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **NIPSCO**  
Case No.: **5227**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, August 01, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Creek Enterprise**  
Case No.: **5269**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, August 08, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

---

**Ben Warren**  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Central Sewer And Water**  
Case No.: **5271**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, August 08, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**  
(initialed)

  
\_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **C A T Excavating And Construction**  
Case No.: **5285**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, August 14, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: **Selking abstains**

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Gatlin Plumbing**  
Case No.: **5289**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, August 15, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **NIPSCO**  
Other Party: **Carlisle Utility Contractors**  
Case No.: **5317**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, August 21, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: Selking abstains

---

---

---

---

---

---

---

---

---

---

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Town Of Cloverdale**  
Case No.: **3845**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **9/19/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Hi Speed Utility**  
Case No.: **4276**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **12/10/2012**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Hi Speed Utility**  
Other Party: **Vectren**  
Case No.: **4316**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **January 7, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment**

The Advisory Committee recommends the following penalty:

*Seaming*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **J.D.H. Contracting**  
Case No.: **4328**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, January 15, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Chris James**  
Case No.: **4452**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, February 06, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Environmental Construction**  
Case No.: **4570**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, March 21, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **D R Watson Company**  
Case No.: **4576**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Saturday, March 23, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Westport Water And Sewer**  
Case No.: **4631**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, April 16, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Qc Communications, Inc.**  
Case No.: **4661**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, April 25, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Daystar Directional Drilling Inc**  
Case No.: **4691**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, May 02, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Penny Powill**  
Other Party: **Vectren**  
Case No.: **4793**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, April 23, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-16(g)(prior)**

The Advisory Committee recommends the following penalty:  
**Warning Letter**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Rieth Riley Construction**  
Other Party: **Vectren**  
Case No.: **4821**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **5/14/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Carrcrete Llc**  
Other Party: **Vectren**  
Case No.: **4832**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Friday, May 17, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-16(g)**

The Advisory Committee recommends the following penalty:  
**Warning Letter**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Sun Communications**  
Case No.: **4844**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**  \_\_\_\_\_  
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dave Omara Contractor**  
Other Party: **Vectren**  
Case No.: **4912**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **6/10/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Kings Trucking And Excavation Inc**  
Case No.: **4916**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, June 11, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting</b>	<b>811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>		

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **J Daming Excavating**  
Case No.: **4918**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, June 11, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Spiker Excavating**  
Case No.: **4968**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Qc Communications Inc**  
Other Party: **Vectren**  
Case No.: **5021**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **6/26/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Case Construction**  
Other Party: **Vectren**  
Case No.: **5030**  
Date of Advisory Meeting: **November 26, 2013**  
Date of Damage: **June 28, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(1) - failure to plan to minimize damage or interference**

The Advisory Committee recommends the following penalty:

*Warning.*

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **C4 Communications And Construction**  
Case No.: **5052**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**  \_\_\_\_\_  
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Midwest Underground**  
Case No.: **5054**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**  \_\_\_\_\_  
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Rininger Excavating Incorporated**  
Case No.: **5064**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, July 09, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Capitol City Fence Company**  
Case No.: **5066**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, July 10, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Mr Rooter Plumbing Of Central Indiana**  
Case No.: **5072**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Thursday, July 11, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Rt Moore**  
Case No.: **5089**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **J D S Lawn Care**  
Case No.: **5101**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, July 17, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:

**Training**

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipe Line**  
Other Party: **Vectren**  
Case No.: **5166**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **7/19/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipe Line**  
Other Party: **Vectren**  
Case No.: **5199**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **7/26/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **A And G Drain And Sewer Service**  
Case No.: **5211**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dave Omara Contractor**  
Other Party: **Vectren**  
Case No.: **5241**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **8/2/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(2)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Midwest Underground**  
Case No.: **5247**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, August 05, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Miller Pipe Line**  
Other Party: **Vectren**  
Case No.: **5265**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **8/8/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Dave Omara Contractor**  
Case No.: **5299**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Monday, August 19, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Sun Communications Inc**  
Other Party: **Vectren**  
Case No.: **5301**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **8/19/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Olco Inc**  
Other Party: **Vectren**  
Case No.: **5311**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Tuesday, August 20, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-16(g)(expire)**

The Advisory Committee recommends the following penalty:  
**Warning Letter**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Vectren**  
Other Party: **Electricom Incorporated**  
Case No.: **5319**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **Wednesday, August 21, 2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-18(f)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman

# Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

---

Respondent: **Dave Omara Contractor**  
Other Party: **Vectren**  
Case No.: **5337**  
Date of Advisory Meeting: **March 25, 2014**  
Date of Damage: **8/27/2013**

The IURC Pipeline Safety Division finds the following violation:  
**IC 8-1-26-20(a)(1)**

The Advisory Committee recommends the following penalty:  
**Training**

---

<i>Special instructions if warning letter:</i>	<b>White Lining</b>	<b>Potholing</b>	<b>Contacting 811</b>
<b>Clearance Zone (Two-Foot Rule)</b>	<b>Damaging Lines</b>	<b>Self Repair</b>	

---

Additional Information: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**APPROVED:**   
(initialed) \_\_\_\_\_  
Ben Warren  
Chairman