

ORIGINAL

CM
[Signature]
ARW

**STATE OF INDIANA
INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE) APPROVED: MAY 21 2014
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

MAYS, WEBER AND ZIEGNER CONCUR; STEPHAN ABSENT:

APPROVED: MAY 21 2014

I hereby certify that the above is a true and correct copy of the Order as approved.

Brenda A. Howe
**Brenda A. Howe
Secretary to the Commission**

PSD Case Index for Conference on May 21, 2014
(Date of Advisory Committee Meetings: November 26 and December 17, 2014)

| <u>Case No.</u> | <u>Respondent</u> | <u>Case No.</u> | <u>Respondent</u> |
|-----------------|---------------------------------|-----------------|---------------------------------|
| 4202 | Bill Risner | 4766 | Keith Yoder |
| 4516 | Burlington Construction | 4767 | Joann Stratton |
| 4521 | Andy Gray Plumbing | 4768 | Temple Contractors |
| 4530 | Tiger Concrete Construction Co. | 4772 | Don Willson |
| 4575 | Don Lors Electronics | 4773 | Samuel Eicher Construction |
| 4624 | Anthony Hofspra | 4774 | Andrew Silvernail |
| 4643 | Jose Santos | 4775 | Brian Givens |
| 4560 | Eric Swartz | 4777 | Marshall County Highway Dept. |
| 4677 | Brent Rohr | 4781 | Meyers Development |
| 4679 | Thomas Ward | 4782 | Justin Anderson |
| 4683 | Garver Utilities Services | 4784 | Horizon Electric |
| 4687 | Fulton County R.E.M.C. | 4785 | Solar Energy Systems |
| 4699 | Deschepper Farms | 4786 | Vernon Tillema |
| 4702 | Gift Septic Service | 4792 | Union City, Ind. Street Dept. |
| 4706 | DNR Site Services | 4796 | American Residential Services |
| 4707 | Julio Molina | 4802 | Hinse Plumbing |
| 4709 | Dogwood Hills Tree Farm | 4805 | Royko Concrete |
| 4710 | Leroy Odell | 4810 | Hoffman Brothers |
| 4712 | Sterling Contracting LLC | 4817 | Economy Fence |
| 4713 | Robert Mathews | 4819 | Brian Allen |
| 4717 | Earth Construction, Inc. | 4825 | Tom Neuenschwander |
| 4718 | M and S Electric | 4833 | Kandoo, Inc. |
| 4719 | Henderson Construction | 4859 | Shawn Merritt |
| 4720 | Lunz Excavating | 4870 | Jack C. Smith |
| 4733 | J M Industrial Services | 4883 | Kopriva Builders |
| 4735 | Kovilic Construction | 4886 | Steve Carlock |
| 4736 | Jeremy Hinrichsen | 4888 | Aaron Martin |
| 4741 | Town of Highland Public Works | 4890 | Larry Spore |
| 4745 | Riley Construction | 4909 | Maple City Underground |
| 4746 | Jose Contreras | 4920 | Lakeland Plumb. & Well Drilling |
| 4748 | Tom St. Clair | 4926 | Evorik Electric |
| 4750 | Diehls Landscaping | 4933 | C and E Excavating |
| 4751 | Mares Fence | 4934 | Ervin Mullins |
| 4756 | Casondra Albertson | 4936 | Northwest Indiana Fence |
| 4758 | Harold Lee Construction | 4949 | Skyway Trucking, Inc. |
| 4760 | Jessica Arthur Hultz | 4952 | Karen Montoya |
| 4762 | Freedom Lawns | 5011 | Robert Neises Construction |
| 4763 | Accu-Dig | 5038 | Jason Vanderwoude |
| 4764 | David Zarse | 5056 | Town and Country Remodeling |
| 4765 | Five Star Excavating | 5070 | Phend and Brown, Inc. |

PSD Case Index for Conference on May 21, 2014
(Date of Advisory Committee Meetings: November 26 and December 17, 2014)

| <u>Case No.</u> | <u>Respondent</u> | <u>Case No.</u> | <u>Respondent</u> |
|-----------------|------------------------------------|-----------------|-------------------|
| 5083 | Paul Rhodes | | |
| 5096 | Tom Anderson | | |
| 5104 | LaPorte County Highway Depart. | | |
| 5105 | Indiana Earth Incorporated | | |
| 5116 | Derek David | | |
| 5117 | Jordan Walter | | |
| 5118 | County Line Tile & Excavating LLC | | |
| 5119 | Art The Handyman | | |
| 5121 | Tom Baron | | |
| 5122 | Tom Zerkel | | |
| 5123 | Jeff Bishop | | |
| 5125 | Sandford Yoder | | |
| 5126 | Afiya Epps | | |
| 5127 | Tricia Moore | | |
| 5128 | Knott Drainage & Excavating, Inc. | | |
| 5133 | Lawn & Turf Landscaping. Inc. | | |
| 5214 | T and D Excavating | | |
| 5217 | Electricom Incorporated | | |
| 5229 | Paul Davis Restoration | | |
| 5231 | Acorn Fence and Construction, Inc. | | |
| 5292 | Ed Graber | | |
| 5320 | Dennis Conley | | |
| 5321 | David Christopher | | |
| 5327 | Bunn Trucking and Excavating | | |
| 5340 | H and G Underground Utilities LLC | | |
| 5344 | South Bend Water Works | | |
| 5353 | James White | | |

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bill Risner Jr.**
Other Party: **Rensselaer Municipal Gas System**
Case No.: **4202**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **November 28, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Burlington Construction**
Other Party: **NIPSCO**
Case No.: **4516**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **January 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Andy Gray Plumbing**
Other Party: **NIPSCO**
Case No.: **4521**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **February 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:
(initialed)

B Wa
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tiger Concrete Constructions Inc.**
Other Party: **Citizens Energy Group**
Case No.: **4530**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **March 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Warren abstains**

APPROVED: 

(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Don Lors Electronics**
Other Party: **NIPSCO**
Case No.: **4575**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **March 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Anthony Hofspira**
Other Party: **NIPSCO**
Case No.: **4624**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{FA}
Date of Damage: **April 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

B. Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jose Santos**
Other Party: **NIPSCO**
Case No.: **4643**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **April 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eric Swartz**
Other Party: **NIPSCO**
Case No.: **4650**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **April 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brent Rohr**
Other Party: **NIPSCO**
Case No.: **4677**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **May 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:

Ben Warren

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Thomas Ward**
Other Party: **NIPSCO**
Case No.: **4679**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Garver Utilities Services**
Other Party: **Citizens Energy Group**
Case No.: **4683**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **May 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Warren abstains**

APPROVED: _____

(initialed)

DM
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fulton County R.E.M.C.**
Other Party: **NIPSCO**
Case No.: **4687**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **May 2, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Deschepper Farms**
Other Party: **NIPSCO**
Case No.: **4699**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{AC}
Date of Damage: **May 5, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gift Septic Service**
Other Party: **NIPSCO**
Case No.: **4702**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{AL}*
Date of Damage: **May 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **DNR Site Services**

Other Party: **NIPSCO**

Case No.: **4706**

Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{HC}*

Date of Damage: **September 25, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Julio Molina**
Other Party: **NIPSCO**
Case No.: **4707**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{RC}
Date of Damage: **October 22, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|----------------|-------------|------------|-----|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dogwood Hills Tree Farm**
Other Party: **NIPSCO**
Case No.: **4709**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Leroy Odell**
Other Party: **NIPSCO**
Case No.: **4710**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sterling Contracting LLC**
Other Party: **NIPSCO**
Case No.: **4712**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **April 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

B Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Mathews**
Other Party: **NIPSCO**
Case No.: **4713**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*^{ac}
Date of Damage: **April 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Earth Construction, Inc.**
Other Party: **NIPSCO**
Case No.: **4717**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **March 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **M and S Electric**
Other Party: **NIPSCO**
Case No.: **4718**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{cc}
Date of Damage: **March 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Henderson Construction**
Other Party: **NIPSCO**
Case No.: **4719**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec. 17, 2013*
Date of Damage: **April 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lunz Excavating**
Other Party: **NIPSCO**
Case No.: **4720**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **April 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: *Ben Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **J M Industrial Services**
Other Party: **NIPSCO**
Case No.: **4733**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{7c}*
Date of Damage: **September 14, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Wa*
(initialled) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kovilic Construction**
Other Party: **NIPSCO**
Case No.: **4735**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **February 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeremy Hinrichsen**
Other Party: **NIPSCO**
Case No.: **4736**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **November 30, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|----------------|-------------|----------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *[Signature]*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town of Highland Public Works**
Other Party: **NIPSCO**
Case No.: **4741**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **April 3, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Riley Construction**
Other Party: **NIPSCO**
Case No.: **4745**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{PC}
Date of Damage: **March 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jose Contreras**
Other Party: **NIPSCO**
Case No.: **4746**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec. 17, 2013*
Date of Damage: **April 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tom St. Clair**
Other Party: **NIPSCO**
Case No.: **4748**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Diehls Landscaping**
Other Party: **NIPSCO**
Case No.: **4750**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mares Fence**
Other Party: **NIPSCO**
Case No.: **4751**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **April 5, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Casondra Albertson**

Other Party: **NIPSCO**

Case No.: **4756**

Date of Advisory Meeting: ~~August 27, 2013~~ ^{Dec 17, 2013} *pu*

Date of Damage: **April 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(other) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Harold Lee Construction**
Other Party: **NIPSCO**
Case No.: **4758**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **December 7, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter Reinvestigate for proper Respondent/
excavate Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jessica Arthur Hultz**

Other Party: **NIPSCO**

Case No.: **4760**

Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*

Date of Damage: **April 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Freedom Lawns**
Other Party: **NIPSCO**
Case No.: **4762**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **March 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|-----------------------|--------------------|-------------------|------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Accu-Dig**
Other Party: **NIPSCO**
Case No.: **4763**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **April 3, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David Zarse**
Other Party: **NIPSCO**
Case No.: **4764**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Five Star Excavating**
Other Party: **NIPSCO**
Case No.: **4765**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013 ac*
Date of Damage: **March 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Keith Yoder**
Other Party: **NIPSCO**
Case No.: **4766**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **April 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|-----------------------|--------------------|-------------------|------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Joann Stratton**
Other Party: **NIPSCO**
Case No.: **4767**
Date of Advisory Meeting: ~~August 27, 2013~~ *Nov 17, 2013*
Date of Damage: **October 21, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|-----------------------|--------------------|-------------------|------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Temple Contractors**
Other Party: **NIPSCO**
Case No.: **4768**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **February 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(out) failure to provide notice of excavation - (outside locate area)

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Don Willson**
Other Party: **NIPSCO**
Case No.: **4772**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Samuel Eicher Construction**
Other Party: **NIPSCO**
Case No.: **4773**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|----------------|-------------|------------|-----|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Andrew Silvernail**

Other Party: **NIPSCO**

Case No.: **4774**

Date of Advisory Meeting: ~~August 27, 2013~~ ^{Dec 17, 2013}

Date of Damage: **April 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brian Givens**

Other Party: **NIPSCO**

Case No.: **4775**

Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{AC}

Date of Damage: **May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Marshall County Highway Department**
Other Party: **NIPSCO**
Case No.: **4777**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Meyers Development**
Other Party: **NIPSCO**
Case No.: **4781**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **October 19, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1) - failure to plan to minimize damage or interference

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Justin Anderson**
Other Party: **NIPSCO**
Case No.: **4782**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **April 6, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

B Warren

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Horizon Electric**
Other Party: **NIPSCO**
Case No.: **4784**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **October 4, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Solar Energy Systems**
Other Party: **NIPSCO**
Case No.: **4785**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* *FL*
Date of Damage: **April 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire) - failure to provide notice of excavation (expired ticket)

The Advisory Committee recommends the following penalty:

Warning Letter -

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | <i>Expired tkt</i> |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vernon Tillema**
Other Party: **NIPSCO**
Case No.: **4786**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 12, 2013*
Date of Damage: **December 24, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Union City, Indiana Street Department**
Other Party: **Ohio Valley Gas**
Case No.: **4792**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **April 23, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **American Residential Services**
Other Party: **Citizens Gas**
Case No.: **4796**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **May 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Warren abstains**

APPROVED:
(initialed)

DM

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hinse Plumbing**
Other Party: **NIPSCO**
Case No.: **4802**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{TC}
Date of Damage: **May 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|-----------------------|--------------------|-------------------|------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Royko Concrete**
Other Party: **NIPSCO**
Case No.: **4805**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hoffman Brothers**
Other Party: **NIPSCO**
Case No.: **4810**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **May 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1) - failure to plan to minimize damage or interference

The Advisory Committee recommends the following penalty:

Warning letter.

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Economy Fence**
Other Party: **Citizens Gas**
Case No.: **4817**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **May 13, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire) - failure to provide notice of excavation (expired)

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Warren abstains**

APPROVED: 

(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brain Allen**
Other Party: **NIPSCO**
Case No.: **4819**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tom Neuenschwander**
Other Party: **NIPSCO**
Case No.: **4825**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{7c}*
Date of Damage: **May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire) - failure to provide notice of excavation (expired ticket)

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kandoo Inc.**
Other Party: **NIPSCO**
Case No.: **4833**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Shawn Merritt**
Other Party: **NIPSCO**
Case No.: **4859**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013rd*
Date of Damage: **May 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|-----------------------|--------------------|-------------------|------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jack C Smith**
Other Party: **Citizens Gas**
Case No.: **4870**
Date of Advisory Meeting: ~~August 27, 2013~~ *Jan 17, 2013*
Date of Damage: **May 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Warren abstains**

APPROVED: *DM*
(initialed) **Dan Meiners**
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kopriva Builders**
Other Party: **NIPSCO**
Case No.: **4883**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **May 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Steve Carlock**

Other Party: **NIPSCO**

Case No.: **4886**

Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{TC}*

Date of Damage: **May 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letters

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

B Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Aaron Martin**
Other Party: **NIPSCO**
Case No.: **4888**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013²⁰*
Date of Damage: **June 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Larry Spore**
Other Party: **NIPSCO**
Case No.: **4890**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **June 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Wa*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Maple City Underground**
Other Party: **NIPSCO**
Case No.: **4909**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| Special instructions if warning letter: | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lakeland Pump and Well Drilling**
Other Party: **NIPSCO**
Case No.: **4920**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(out) - failure to provide notice of excavation (outside ticket)

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|---------------------------|------------------------|---------------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Evorik Electric**
Other Party: **NIPSCO**
Case No.: **4926**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

0

| | | | |
|--|-----------------------|--------------------|-----------------------|
| Special instructions if warning letter: | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C and E Excavating**
Other Party: **NIPSCO**
Case No.: **4933**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Ervin Mullins**
Other Party: **NIPSCO**
Case No.: **4934**
Date of Advisory Meeting: ~~August 27, 2013~~ *Nov 17, 2013*
Date of Damage: **June 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

Ben Wa

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northwest Indiana Fence**
Other Party: **NIPSCO**
Case No.: **4936**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|----------------|-------------|----------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| <u>Clearance Zone (Two-Foot Rule)</u> | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Skyway Trucking Inc.**
Other Party: **NIPSCO**
Case No.: **4949**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Karen Montoya**
Other Party: **NIPSCO**
Case No.: **4952**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **June 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

B Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Neises Construction Corporation**
Other Party: **NIPSCO**
Case No.: **5011**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{cc}
Date of Damage: **June 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain two feet clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Vanderwoude**
Other Party: **NIPSCO**
Case No.: **5038**
Date of Advisory Meeting: ~~August 27, 2013~~ ^{RU} *Dec 17, 2013*
Date of Damage: **July 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town and Country Remodeling**
Other Party: **NIPSCO**
Case No.: **5056**
Date of Advisory Meeting: ~~August 27, 2013~~ ^{Dec 17, 2013}
Date of Damage: **July 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Phend and Brown Inc.**
Other Party: **NIPSCO**
Case No.: **5070**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <u>Special instructions if warning letter:</u> | White Lining | Potholing | Contacting 811 |
| <u>Clearance Zone (Two-Foot Rule)</u> | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paul Rhodes**
Other Party: **NIPSCO**
Case No.: **5083**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*^{RL}
Date of Damage: **July 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

**Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC**

Respondent: **Tom Anderson**
Other Party: **NIPSCO**
Case No.: **5096**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Laporte County Highway Department**
Other Party: **NIPSCO**
Case No.: **5104**
Date of Advisory Meeting: **August 27, 2013** *Dec 17, 2013* ^{DC}
Date of Damage: **July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire) - failure to provide notice of excavation (expired ticket)

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *Ben Warren*

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indiana Earth Incorporated**
Other Party: **NIPSCO**
Case No.: **5105**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|---------------------------|----------------------|---------------------------|
| Special instructions if warning letter: | White Lining | Potholing | Contacting 811 |
| <u>Clearance Zone (Two-Foot Rule)</u> | Damaging Lines | <u>Self Repair</u> | |

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Derek David**
Other Party: **NIPSCO**
Case No.: **5116**
Date of Advisory Meeting: ~~August 27, 2013~~ *Nov 17, 2013*
Date of Damage: **June 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jordan Walter**
Other Party: **NIPSCO**
Case No.: **5117**
Date of Advisory Meeting: ~~August 27, 2013~~ *Nov 19, 2013^{rc}*
Date of Damage: **June 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **County Line Tile & Excavating LLC**
Other Party: **NIPSCO**
Case No.: **5118**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 6, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:
(initialed)

BW

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Art The Handyman**

Other Party: **NIPSCO**

Case No.: **5119**

Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013²⁰*

Date of Damage: **June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Tom Baron**
Other Party: **NIPSCO**
Case No.: **5121**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{oc}*
Date of Damage: **June 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Wa*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tom Zerkel**
Other Party: **NIPSCO**
Case No.: **5122**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{rc}*
Date of Damage: **June 9, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | | |
|--|-----------------------|--------------------|-------------------|------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting | 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | | |

Additional Information: Selking abstains

APPROVED:
(initialed)

BW
Ben Warren
Chairman

Wa

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Bishop**
Other Party: **NIPSCO**
Case No.: **5123**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{7c}*
Date of Damage: **June 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sandford Yoder**
Other Party: **NIPSCO**
Case No.: **5125**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*²⁴
Date of Damage: **June 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Afiya Epps**
Other Party: **NIPSCO**
Case No.: **5126**
Date of Advisory Meeting: ~~August 27, 2013~~ / *Dec 17, 2013*
Date of Damage: **June 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|----------------|-------------|----------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tricia Moore**
Other Party: **NIPSCO**
Case No.: **5127**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **June 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Knott Drainage & Excavating Inc.**
Other Party: **NIPSCO**
Case No.: **5128**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 3, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawn & Turf Landscaping Inc**
Other Party: **NIPSCO**
Case No.: **5133**
Date of Advisory Meeting: ~~August 27, 2013~~ *Nov 17, 2013*
Date of Damage: **June 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **T and D Excavating**
Other Party: **NIPSCO**
Case No.: **5214**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|----------------|-------------|----------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| <u>Clearance Zone (Two-Foot Rule)</u> | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Electricom Incorporated**
Other Party: **NIPSCO**
Case No.: **5217**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paul Davis Restoration**

Other Party: **NIPSCO**

Case No.: **5229**

Date of Advisory Meeting: ~~August 27, 2013~~ ^{7/20/13} *7/20/13*

Date of Damage: **August 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Acorn Fence and Construction Inc.**
Other Party: **NIPSCO**
Case No.: **5231**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **August 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ed Graber**
Other Party: **NIPSCO**
Case No.: **5292**
Date of Advisory Meeting: ~~August 27, 2013~~ ^{Dec 17, 2013}
Date of Damage: **Augsut 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dennis Conley**
Other Party: **NIPSCO**
Case No.: **5320**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **August 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) **Ben Warren**
Chairman

~~Indiana Underground Plant Protection Advisory Committee Recommendation to IURC~~

Respondent: **David Christopherson**
Other Party: **NIPSCO**
Case No.: **5321**
Date of Advisory Meeting: ~~August 27, 2013~~ *Nov 17, 2013*
Date of Damage: **August 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bunn Trucking and Excavating Inc.**
Other Party: **NIPSCO**
Case No.: **5327**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **August 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:

(initialed)

B Warren

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **H and G Underground Utilities LLC**
Other Party: **NIPSCO**
Case No.: **5340**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **August 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **South Bend Water Works**
Other Party: **NIPSCO**
Case No.: **5344**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **August 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

warning letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: **Selking abstains**

APPROVED:

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James White**
Other Party: **NIPSCO**
Case No.: **5353**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **August 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

Warning Letter

| | | | |
|--|-----------------------|--------------------|-----------------------|
| <i>Special instructions if warning letter:</i> | White Lining | Potholing | Contacting 811 |
| Clearance Zone (Two-Foot Rule) | Damaging Lines | Self Repair | |

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman