

ORIGINAL

MS
ES
CM
APW

**STATE OF INDIANA
INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: JUN 30 2014

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

**STEPHAN, MAYS, WEBER AND ZIEGNER CONCUR:
WEBER NOT PARTICIPATING IN THOSE MATTERS INVOLVING VECTREN**

APPROVED: JUN 30 2014

**I hereby certify that the above is a true
and correct copy of the Order as approved.**

Brenda A. Howe

**Brenda A. Howe
Secretary to the Commission**

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Citizens Water Company**
Case No.: **2912**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **5/3/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Meade Electric**
Case No.: **3678**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **8/29/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Citizens Water**
Case No.: **3768**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **8/30/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **James Lohman**
Case No.: **3779**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **9/29/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Merryman Excavation**
Case No.: **3788**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/23/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Calumet Civil Contractors**
Case No.: **3790**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **9/7/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Marksmen Construction**
Case No.: **3882**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **7/16/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Citizens Water Co.**
Case No.: **3885**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, August 23, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Community Natural Gas, Inc.**
Other Party: **All Bore, Inc.**
Case No.: **3890**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **10/31/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Robinson Trenching**
Case No.: **4243**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, November 26, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Laporte County Highway Department**
Case No.: **4300**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, December 18, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Mr. Rooter Plumbing**
Case No.: **4353**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, December 04, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hoosier Rock Excavating**
Case No.: **4374**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, October 26, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Infrasource Underground Construction**
Case No.: **4375**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, October 30, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ryko Enterprises**
Case No.: **4408**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, December 14, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Elkhart City Public Work**
Case No.: **4410**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, December 26, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4447**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, January 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4449**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, February 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Kosciusko Reme**
Case No.: **4455**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, February 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Greenwald Enterprises Inc.**
Case No.: **4466**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, February 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **M&C Excavating**
Case No.: **4491**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, January 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Keith Sullivan Excavating**
Case No.: **4509**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, October 24, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Indiana American Water Company**
Case No.: **4517**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, January 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Rex Construction**
Case No.: **4523**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, February 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Kent'S Excavating**
Case No.: **4529**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, February 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4545**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, March 08, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4551**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, March 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Grabers Well Drilling**
Case No.: **4565**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, March 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Young Plumbing**
Case No.: **4567**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, March 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **D And M Excavating Inc.**
Case No.: **4579**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, March 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Morphey Construction Inc**
Case No.: **4583**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, March 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Adams Water And Sewer Service Inc**
Case No.: **4589**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, March 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ferguson Michiana Inc.**
Case No.: **4603**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **4/4/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Quality Excavating**
Case No.: **4621**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, April 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4628**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **4/15/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4639**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, April 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ironclad Excavating Inc**
Case No.: **4641**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **4/18/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Grimmer Construction Company**
Other Party: **NIPSCO**
Case No.: **4648**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **4/19/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4649**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, April 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gatlin Plumbing Inc**
Other Party: **NIPSCO**
Case No.: **4659**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **4/24/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Meyers Plumbing**
Case No.: **4665**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, April 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **GE Marshall Inc.**
Other Party: **NIPSCO**
Case No.: **4668**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **April 26, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Valparaiso Water Department**
Case No.: **4676**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, April 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Akins Excavating**
Case No.: **4688**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, May 02, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Auburn Electric**
Case No.: **4704**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, March 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Goshen Water And Sewer Department**
Case No.: **4714**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, June 27, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **D And R Site Services**
Case No.: **4715**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, April 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Indiana American Water Northwest**
Case No.: **4738**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, December 26, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: _____

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Merrill Properties, Llc**
Case No.: **4740**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, March 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B and W Drilling**
Other Party: **NIPSCO**
Case No.: **4742**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **April 9, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1) - failure to plan to minimize damage or interference

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Yoder Concrete**
Case No.: **4744**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, January 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **F & K Construction**
Case No.: **4752**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, September 25, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kreager Brothers Excavating Inc.**
Other Party: **NIPSCO**
Case No.: **4778**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 25, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(3)(b) - failure to notify of illegible marks

The Advisory Committee recommends the following penalty:

Warning

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Earth Construction**
Case No.: **4780**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, October 16, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Affordable Sprinklers LLC**
Other Party: **Citizens Energy Group**
Case No.: **4795**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **May 3, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)

DM

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Selge Construction Company Inc**
Other Party: **NIPSCO**
Case No.: **4811**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **5/13/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **C And E Excavating Inc**
Case No.: **4814**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **American Electric Power**
Case No.: **4816**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Creek Enterprise**
Case No.: **4818**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Walsh And Kelly - Griffith**
Other Party: **NIPSCO**
Case No.: **4829**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **5/16/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **B And D Sewer And Backhoe**
Case No.: **4834**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, May 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Boyd Construction**
Case No.: **4840**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **B And W Drilling**
Case No.: **4852**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, May 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Anthony Irrigation**
Case No.: **4858**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, May 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Henry Corporation**
Other Party: **NIPSCO**
Case No.: **4884**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **5/31/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Columbia City Water Department**
Other Party: **NIPSCO**
Case No.: **4891**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 3, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Seaming

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rieth Riley Construction Co**
Other Party: **NIPSCO**
Case No.: **4897**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/4/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Auburn Water Department**
Case No.: **4932**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, June 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **H and G Underground Utilities LLC**
Other Party: **NIPSCO**
Case No.: **4940**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **R And R Excavating**
Case No.: **4944**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, June 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hawk Enterprises**
Case No.: **4954**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, June 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipe Line**
Other Party: **NIPSCO**
Case No.: **5023**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/27/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Underground Contractors Inc.**
Other Party: **NIPSCO**
Case No.: **5036**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) -failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Mcallister General Contractors Inc**
Case No.: **5046**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, July 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hoffman Brothers**
Other Party: **NIPSCO**
Case No.: **5047**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 3, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Deichman Excavating**
Case No.: **5058**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, July 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C and E Excavating Inc.**
Other Party: **NIPSCO**
Case No.: **5062**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 9, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(3)(b) - failure to notify of illegible marks

The Advisory Committee recommends the following penalty:

Framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hipskind Concrete**
Case No.: **5085**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Creek Enterprise**
Case No.: **5087**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indiana Department of Transportation**
Other Party: **NIPSCO**
Case No.: **5090**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(out) failure to provide notice of excavation - (outside locate area)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Gatlin Plumbing**
Case No.: **5095**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Indiana American Water Company**
Case No.: **5097**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rieth Riley Construction**
Other Party: **NIPSCO**
Case No.: **5098**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **7/17/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Bercot Inc**
Case No.: **5103**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, July 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Reichelt Plumbing**
Case No.: **5107**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ferguson Michiana**
Case No.: **5109**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Austgen Electric Inc.**
Other Party: **NIPSCO**
Case No.: **5120**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Framing.

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Knott Drainage & Excavating Inc**
Case No.: **5129**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, June 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Akins Excavating Inc**
Case No.: **5135**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, June 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **5227**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, August 01, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Creek Enterprise**
Case No.: **5269**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, August 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Central Sewer And Water**
Case No.: **5271**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, August 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **C A T Excavating And Construction**
Case No.: **5285**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, August 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Gatlin Plumbing**
Case No.: **5289**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, August 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Carlisle Utility Contractors**
Case No.: **5317**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, August 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Town Of Cloverdale**
Case No.: **3845**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **9/19/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Hi Speed Utility**
Case No.: **4276**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **12/10/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hi Speed Utility**
Other Party: **Vectren**
Case No.: **4316**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **January 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **J.D.H. Contracting**
Case No.: **4328**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, January 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Chris James**
Case No.: **4452**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, February 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Environmental Construction**
Case No.: **4570**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, March 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **D R Watson Company**
Case No.: **4576**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Saturday, March 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Westport Water And Sewer**
Case No.: **4631**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, April 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Qc Communications, Inc.**
Case No.: **4661**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, April 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Daystar Directional Drilling Inc**
Case No.: **4691**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, May 02, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Penny Powill**
Other Party: **Vectren**
Case No.: **4793**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, April 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:
Warning Letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rieth Riley Construction**
Other Party: **Vectren**
Case No.: **4821**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **5/14/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Carrcrete Llc**
Other Party: **Vectren**
Case No.: **4832**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Friday, May 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:
Warning Letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Sun Communications**
Case No.: **4844**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dave Omara Contractor**
Other Party: **Vectren**
Case No.: **4912**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Kings Trucking And Excavation Inc**
Case No.: **4916**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, June 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **J Daming Excavating**
Case No.: **4918**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, June 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Spiker Excavating**
Case No.: **4968**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Qc Communications Inc**
Other Party: **Vectren**
Case No.: **5021**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/26/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Case Construction**
Other Party: **Vectren**
Case No.: **5030**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **June 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1) - failure to plan to minimize damage or interference

The Advisory Committee recommends the following penalty:

Warning.

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **C4 Communications And Construction**
Case No.: **5052**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Midwest Underground**
Case No.: **5054**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Rininger Excavating Incorporated**
Case No.: **5064**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, July 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Capitol City Fence Company**
Case No.: **5066**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, July 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Mr Rooter Plumbing Of Central Indiana**
Case No.: **5072**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Thursday, July 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Rt Moore**
Case No.: **5089**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **J D S Lawn Care**
Case No.: **5101**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, July 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipe Line**
Other Party: **Vectren**
Case No.: **5166**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **7/19/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipe Line**
Other Party: **Vectren**
Case No.: **5199**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **7/26/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **A And G Drain And Sewer Service**
Case No.: **5211**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dave Omara Contractor**
Other Party: **Vectren**
Case No.: **5241**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **8/2/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Midwest Underground**
Case No.: **5247**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, August 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipe Line**
Other Party: **Vectren**
Case No.: **5265**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **8/8/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Dave Omara Contractor**
Case No.: **5299**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Monday, August 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sun Communications Inc**
Other Party: **Vectren**
Case No.: **5301**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **8/19/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Olco Inc**
Other Party: **Vectren**
Case No.: **5311**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Tuesday, August 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:
Warning Letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Electricom Incorporated**
Case No.: **5319**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **Wednesday, August 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dave Omara Contractor**
Other Party: **Vectren**
Case No.: **5337**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **8/27/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman