

ORIGINAL

[Handwritten signatures]

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE) APPROVED:
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED. OCT 16 2013

ATTERHOLT, BENNETT, LANDIS, MAYS AND ZIEGNER CONCUR; MAYS NOT PARTICIPATING IN THOSE MATTERS INVOLVING VECTREN:

APPROVED:

OCT 16 2013

I hereby certify that the above is a true and correct copy of the Order as approved.

[Handwritten signature: Brenda A. Howe]

Brenda A. Howe
Secretary to the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Thomas Furgason**
Other Party: **Citizens Gas**
Case No.: **3757**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **June 16, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fast Signs 98**
Other Party: **Citizens Gas**
Case No.: **3764**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **August 17, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter.

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Citizens Gas**
Other Party: **Calumet Civil Contractors**
Case No.: **3770**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **September 11, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-20(a)(2) - failure to provide 2 foot clearance

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: **Warren abstains**

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent:

Citizens Gas

Other Party:

Calumet Civil Contractors

Case No.:

3834

Date of Advisory Meeting: August 27, 2013

Date of Damage: September 18, 2012

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-20(a)(2) - failure to provide 2 foot clearance

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: Warren abstains

APPROVED: _____

(initialed)


Dan Meiners

Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Rieth Riley Construction**
Case No.: **3839**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **September 19, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-20(a)(2) - failure to provide 2 foot clearance

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: Crone abstains (absent).
Sontag opposed.

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hasse Construction Company**
Case No.: **3847**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **September 20, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dan Bledsoe**
Other Party: **Citizens Gas**
Case No.: **3878**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **July 26, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: Warren abstains

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jo Ann Brown**
Other Party: **Citizens Gas**
Case No.: **3880**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **August 23, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: **Warren abstains**

APPROVED:
(initialed)

DM

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Community Natural Gas**
Other Party: **Dave O'Mara Contractor, Inc.**
Case No.: **3888**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **September 28, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **Lewis Backhoe, Inc.**
Other Party: **NIPSCO**
Case No.: **3925**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **August 14, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: BW
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **3941**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **August 31, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paul Holtkamp Builders**
Other Party: **Indiana Natural Gas Corporation**
Case No.: **3951**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 23, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fleming Excavating**
Case No.: **3982**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 1, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Asplundh Construction**
Case No.: **3992**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 3, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Geiger Excavating**
Case No.: **3995**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 4, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (score)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Grimmer Construction Company**
Case No.: **3996**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 4, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Custom and Moore Tree Experts Inc**
Case No.: **3999**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 5, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Grimmer Construction Company**
Case No.: **4012**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 9, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **L G S Plumbing Incorporated**
Case No.: **4013**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 9, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *BW.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hasse Construction Company**
Case No.: **4039**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 17, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Second)

Additional Information: _____

APPROVED: BW
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Kathy Smith**
Case No.: **4046**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 21, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (scored)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Aays Rental**
Case No.: **4049**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 22, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Steve Siuda Sewer and Septic Service**
Case No.: **4075**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 30, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Desabatine Brothers Excavating**
Case No.: **4082**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 31, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: rw.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **HRP Construction**
Case No.: **4088**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 1, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Pirtano**
Case No.: **4124**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 15, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Miller Pipeline**
Case No.: **4129**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **August 27, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **J C Ripberger Construction Co.**
Other Party: **Citizens Gas**
Case No.: **4164**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 9, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: Warren abstains

APPROVED: _____

(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wharton Construction**
Other Party: **Citizens Gas**
Case No.: **4168**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 26, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: **Warren abstains**

APPROVED:
(initialed)

DM

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Phend & Brown Inc**
Case No.: **4189**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 1, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Woodruff And Sons**
Case No.: **4203**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **September 18, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **C & E Excavating**
Case No.: **4204**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **September 17, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *BW.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Superior Construction**
Other Party: **NIPSCO**
Case No.: **4209**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 12, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Beer & Slabaugh Inc**
Case No.: **4211**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 10, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *BW*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **LAND ELECTRIC C/O KEN B HAYES**
Other Party: **Citizens Gas**
Case No.: **4213**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 13, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: Warren abstains

APPROVED: _____

(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **ST Bancroft Electric**
Other Party: **NIPSCO**
Case No.: **4221**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 16, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-20(a)(2) - failure to maintain two (2) feet clearance with mechanized equipment

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4233**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 20, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Phend & Brown, Inc**
Case No.: **4246**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 27, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Electric**
Other Party: **NIPSCO**
Case No.: **4248**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 28, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-20(a)(2) - failure to provide 2 foot clearance

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **QC Communications, Inc.**
Case No.: **4252**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 29, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: BW.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4255**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 30, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Bayers Plumbing Incorporated**
Case No.: **4256**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 30, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Grade-Rite Excavating**
Case No.: **4261**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 4, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *BW.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hoosier Cable**
Case No.: **4264**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 5, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: BW
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Miller Pipe Line**
Case No.: **4266**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 5, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hasse Construction Company**
Case No.: **4281**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 11, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Robinson Trenching**
Case No.: **4282**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 12, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Second)

Additional Information: _____

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Rt Moore**
Case No.: **4285**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 12, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Indiana American Water Northwest**
Case No.: **4298**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 17, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bonar Well Drilling**
Other Party: **NIPSCO**
Case No.: **4302**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 19, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **QC Communications, Inc.**
Case No.: **4304**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 19, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4308**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 30, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Sword)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rodney Frohock**
Other Party: **NIPSCO**
Case No.: **4313**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 5, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Fairview Park Water Utility**
Case No.: **4314**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **B And T Drainage**
Case No.: **4321**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 9, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Illinois Underground**
Case No.: **4322**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 9, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ironclad Excavating**
Case No.: **4326**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Second)

Additional Information: _____

APPROVED: P.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4338**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective Action Plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Stacy Shay**
Other Party: **NIPSCO**
Case No.: **4360**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 31, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Walsh Construction**
Other Party: **NIPSCO**
Case No.: **4365**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 29, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Training

Additional Information: _____

APPROVED: *B.W.*
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Harold Hardesty**
Other Party: **NIPSCO**
Case No.: **4371**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **October 20, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Delbert Allen**
Other Party: **NIPSCO**
Case No.: **4382**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 21, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: *B.W.*
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sue Laymon**
Other Party: **NIPSCO**
Case No.: **4386**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 24, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: *B.W.*
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Indiana American Water**
Case No.: **4390**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 12, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Miller Pipeline**
Case No.: **4395**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 29, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (Record)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ruich Brothers Landscaping**
Other Party: **NIPSCO**
Case No.: **4413**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 27, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: BW
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Delta III, Inc**
Case No.: **4418**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **November 29, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Delta III, Inc.**
Case No.: **4419**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 4, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Laporte County Highway Department**
Case No.: **4421**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 18, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ferguson Michiana Inc.**
Case No.: **4437**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective Action Plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **K 1 Well Drilling**
Case No.: **4440**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4441**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective Action Plan

Additional Information: _____

APPROVED: _____
(initialed)

B.W.
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Daniel Hershberger**
Other Party: **NIPSCO**
Case No.: **4442**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: *B.W.*
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Grimmer Construction Company**
Case No.: **4445**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: Rereview finding
unused & unattached line
that was hit.

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Miller Pipeline**
Case No.: **4446**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective Action Plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **QC Communications, Inc.**
Case No.: **4453**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 6, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **4458**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **K and F Construction Inc**
Other Party: **NIPSCO**
Case No.: **4459**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **SDP Manufacturing**
Other Party: **Vectren**
Case No.: **4461**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (outside area)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Baseline Communications**
Case No.: **4462**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective Action Plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4467**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hasse Construction Company**
Case No.: **4474**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Underground Contractors Inc**
Case No.: **4477**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **City Of Decatur Water Utility**
Case No.: **4483**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **February 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B. W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Steve Holifield**
Other Party: **NIPSCO**
Case No.: **4504**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **December 8, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **QC Communications, Inc.**
Case No.: **4518**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **January 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-18(f) - failure to locate or mislocate

The Advisory Committee recommends the following penalty:

Corrective action plan

Additional Information: _____

APPROVED: B.W.

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Valparaiso Department of Waterworks**
Other Party: **NIPSCO**
Case No.: **4610**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 5, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town Of Huntertown**
Other Party: **NIPSCO**
Case No.: **4618**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 9, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Respondent: **J and S Liquid Waste Services**
Other Party: **NIPSCO**
Case No.: **4619**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (outside area)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: *B.W.*
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Thomas Losher**
Other Party: **NIPSCO**
Case No.: **4630**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: BW.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Action Fence**
Other Party: **NIPSCO**
Case No.: **4633**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: *B.W.*

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Albright Properties and Construction Services**
Other Party: **NIPSCO**
Case No.: **4640**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Dosmann**
Other Party: **NIPSCO**
Case No.: **4651**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (outside area)

The Advisory Committee recommends the following penalty:

warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fort Wayne City Utilities**
Other Party: **NIPSCO**
Case No.: **4653**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **April 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **QC Communications**
Other Party: **Vectren**
Case No.: **4843**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Training (second)

Additional Information: _____

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **TSI Paving**
Other Party: **Vectren**
Case No.: **4929**
Date of Advisory Meeting: **August 27, 2013**
Date of Damage: **June 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC IC 8-1-26-16(g) - failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

Additional Information: _____

APPROVED: B.W.
(initialed) Ben Warren
Chairman