

ORIGINAL

[Handwritten signatures and initials in blue ink]

**STATE OF INDIANA
INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: NOV 05 2014

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

**STEPHAN, MAYS-MEDLEY, HUSTON, WEBER AND ZIEGNER CONCUR;
WEBER NOT PARTICIPATING IN THOSE MATTERS INVOLVING VECTREN;**

APPROVED: NOV 05 2014

**I hereby certify that the above is a true
and correct copy of the Order as approved.**

[Handwritten signature of Brenda A. Howe]
**Brenda A. Howe
Secretary to the Commission**

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
5662	NIPSCO	Miller Pipeline	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5663	Larry Norman	NIPSCO	Warning Letter	No prior
5665	NIPSCO	Miller Pipeline	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5667	NIPSCO	GE Marshall	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5671	NIPSCO	Precision Trenching	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5672	Hoosier Property Maintenance	NIPSCO	Warning Letter	No prior
5675	J&B West Construction	NIPSCO	Training	Warning Letter
5676	Green Thumb Landscaping	Jasper Muni Gas	Warning Letter	No Prior
5678	NIPSCO	Habitat for Humanity	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5682	NIPSCO	Lee Excavating	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5683	Lawson Electric	NIPSCO	Warning Letter	No prior
5686	Mike Thompson	NIPSCO	Warning Letter	No prior
5688	NIPSCO	H & G Underground Utilities	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5692	Skyway Trucking	NIPSCO	Training	Warning Letter

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
5696	NIPSCO	Pavey Excavating	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5698	NIPSCO	Grimmer Construction	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5699	NIPSCO	Grimmer Construction	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5701	Kihn Concrete	Community Natural Gas	Warning Letter	No prior
5702	Hoosier Fence and Deck	NIPSCO	Warning Letter	No prior
5704	Pfister Sprinkler	NIPSCO	Training	314 priors (Warning Letter, Training, Written Plan)
5706	Ben Potis	NIPSCO	Warning Letter	No prior
5708	NIPSCO	Hoosier Fence & Deck	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5709	NIPSCO	Pete Saint Mary	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5710	NIPSCO	Fort Wayne City Utilities	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5711	NIPSCO	Schneck Excavating	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5712	Earth Construction	NIPSCO	Training	Warning Letter
5718	Valparaiso Sewer	NIPSCO	Training	Warning Letter

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
5721	NIPSCO	Earth Construction	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5728	NIPSCO	Indiana Earth Inc.	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5729	Citizens Energy Group	Millennium	\$1,000	59 (Warning Letter, Training)
5731	Michael Hough	NIPSCO	Warning Letter	No prior
5734	Lagrange County REMC	NIPSCO	Warning Letter	No prior
5735	NIPSCO	Kankakee Valley REMC	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5739	NIPSCO	Riccis Landscape Management	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5741	NIPSCO	Kline Excavating Inc.	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5743	NIPSCO	GE Marshall	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5747	Middlebury Septic	NIPSCO	Warning Letter	No prior
5749	NIPSCO	NIPSCO	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5751	NIPSCO	Advance Irrigation	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5752	Citizens Energy Group	K and K Fence	\$1,000	59 (Warning Letter, Training)

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
5755	NIPSCO	LGS Plumbing Inc.	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5757	NIPSCO	B and W Specialized Drilling	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5768	Rebecca Cartwright	NIPSCO	Warning Letter	No prior
5784	Rothenberger Co.	NIPSCO	Warning Letter	No prior
5785	Rieth-Riley	NIPSCO	\$3,000	19 priors (Warning Letter, Training)
5788	Van Gordon Construction	NIPSCO	Warning Letter	No prior
5799	Migul Becerril	NIPSCO	Warning Letter	No prior
5800	Zach Raymond	NIPSCO	Warning Letter	No prior
5801	NIPSCO	Rivers Edge Construction	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5808	NIPSCO	Walsh and Kelly (Griffith)	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5811	NIPSCO	B and W Specialized Drilling	\$1,000	314 priors (Warning Letter, Training, Written Plan)
5812	Bieson Excavating	Rensselaer Muni Gas	Warning Letter	No prior
6313	Qualkenbush Bros.	Indiana Natural Gas Corp.	Training	Warning Letter
6329	Conwell Construction	Indiana Natural Gas Corp.	Warning Letter	No prior
6330	Qualkenbush Bros.	Indiana Natural Gas Corp.	\$500 + training	Training
6331	Jerry Hammond	Midwest Natural Gas Corp.	Warning Letter	No prior

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
6334	Service Experts Heating & Air	NIPSCO	Warning Letter	No prior
6340	Walsh and Kelly (Griffith)	NIPSCO	Training	5 priors (Warning Letter, Training)
7385	NIPSCO	C&E Excavating	Training	314 priors (Warning Letter, Training, Written Plan)
7386	NIPSCO	Haskins Excavating	Training	314 priors (Warning Letter, Training, Written Plan)
7389	NIPSCO	Henry Electric	Training	314 priors (Warning Letter, Training, Written Plan)
7391	Zachary Black	NIPSCO	Warning Letter	No prior
7392	Anthis Career Center/Fort Wayne	NIPSCO	Warning Letter	No prior
7394	Mark Stevens	NIPSCO	Warning Letter	No prior
7396	Montgomery Well Drill	NIPSCO	Warning Letter	No prior
7397	Gordon Myers	NIPSCO	Warning Letter	No prior
7398	Hugh McPartland	NIPSCO	Warning Letter	No prior
7401	Lawnscape Land Management	NIPSCO	Warning Letter	No prior
7403	Century Builders	NIPSCO	Warning Letter	No prior
7404	Jarrod Hill	NIPSCO	Warning Letter	No prior
7406	Alicia Gilliard	NIPSCO	Warning Letter	No prior
7407	Kent Gilmer	NIPSCO	Warning Letter	No prior

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
3166	Vectren	QC Communications	Training	134 priors (Warning Letter, Training, Written Plan)
3547	Vectren	QC Communications	Training	134 priors (Warning Letter, Training, Written Plan)
3618	Vectren	Miller Pipeline	Training	134 priors (Warning Letter, Training, Written Plan)
4036	Vectren	Rivertown Construction	Training	134 priors (Warning Letter, Training, Written Plan)
4448	Vectren	Environmental Construction	Training	134 priors (Warning Letter, Training, Written Plan)
4568	Vectren	Rininger Excavating	Training	134 priors (Warning Letter, Training, Written Plan)
4587	C and J Construction	Vectren	Warning Letter	No prior
4602	Vectren	Meade Incorporated	Training	134 priors (Warning Letter, Training, Written Plan)
4606	Vectren	Meade Incorporated	Training	134 priors (Warning Letter, Training, Written Plan)
4616	Double Bee Fence Co.	Vectren	Warning Letter	No prior
4620	QC Communications	Vectren	Training (or \$750 if fail to train)	9 priors (Warning Letter, Training)
4638	QC Communications	Vectren	Training (or \$750 if fail to train)	9 priors (Warning Letter, Training)
4965	DK Concrete	Vectren	Warning Letter	No prior

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
4967	Price Excavating	Vectren	Training (or \$750 if fail to train)	No priors (escalated to training for multiple dangerous practices failure to timely notify operator of damage and self-repair.
5153	Vectren	3D Company	Training	134 priors (Warning Letter, Training, Written Plan)
5156	Double Bee Fence Co.	Vectren	Training (or \$750 if fail to train)	1 prior (Warning Letter)
5159	B.L. Brown Construction	Vectren	Training (or \$750 if fail to train)	1 prior (Warning Letter)
5161	Vectren	Lykins Contracting	Training	134 priors (Warning Letter, Training, Written Plan)
5163	Vectren	Lykins Contracting	Training	134 priors (Warning Letter, Training, Written Plan)
5164	Vectren	Lineal Contracting	Training (or \$750 if fail to train)	134 priors (Warning Letter, Training, Written Plan)
5180	Lunar Construction	Vectren	Warning Letter	No prior
5187	Lykins Contracting	Vectren	Warning Letter	No prior
5188	Lunar Construction	Vectren	Training (or \$750 if fail to train)	1 prior (Warning letter)
5190	BL Brown Construction	Vectren	Training (or \$750 if fail to train)	1 prior (Warning letter)
5191	Jason Elpers	Vectren	Warning Letter	No prior
5197	Central Fence	Vectren	Warning Letter	No prior

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
5219	Bynum Fanyo Utility	Vectren	Warning Letter	No prior
5646	Tecton Construction	Vectren	Training (or \$750 if fail to train)	1 prior (Warning Letter)
5664	Vectren	Foley Foundations	\$1,000	146 priors (Warning Letter, Training, Written Plan)
5674	Finzel Irrigation	Vectren	Warning Letter	No prior
5687	Vectren	Pendleton P&L	\$1,000	146 priors (Warning Letter, Training, Written Plan)
5689	Rotor Rooter	Vectren	Warning Letter	No prior
5694	Vectren	Calumet Civil Contractors	\$1,000	146 priors (Warning Letter, Training, Written Plan)
5715	Environmental Construction	Vectren	Warning Letter	No prior
5716	Vectren	Dave O'Mara Contractor	\$1,000	146 priors (Warning Letter, Training, Written Plan)
5753	J.D.H Contracting	Vectren	Training	146 priors (Warning Letter, Training, Written Plan)
5756	Terry Pool Company	Vectren	Warning Letter	No prior
5772	Vectren	Sub Surface of Indiana	\$1,000	146 priors (Warning Letter, Training, Written Plan)
5778	Lineal Contracting	Vectren	\$3,000	5 priors (Warning Letter, Training)
5782	F X Underground	Vectren	Training	Warning Letter

PSD Case Index for Conference on November 5, 2014

Case No.	Respondent	Other Party	Recommended Penalty	Prior Penalties
5802	Vectren	Miller Pipeline	\$1,000	146 priors (Warning Letter, Training, Written Plan)
5804	Swinney Brothers	Vectren	Warning Letter	No prior
5809	Teds Plumbing	Vectren	Warning Letter	No prior
5814	Bloomington Utilities	Vectren	Warning Letter	No prior
6041	Roger Wallace	Vectren	\$500 + training	No prior. Escalated penalty. Excavator clamped off the line and failed to notify operator of leak for 2weeks
6044	John McClintic	Vectren	Warning Letter	No prior
6050	Vectren	Town of Plainfield	\$1,000	146 priors (Warning Letter, Training, Written Plan)
6058	Gilliland Trucking	Vectren	Warning Letter	No prior
6059	Slater Construction	Vectren	Warning Letter	No prior
6064	Vectren	Poisel Construction	\$1,000	146 priors (Warning Letter, Training, Written Plan)
6066	Vectren	Evansville Water/Sewer	\$1,000	146 priors (Warning Letter, Training, Written Plan)
6067	Randy's Tree Service	Vectren	Warning Letter	No prior
6068	Mr. Fence	Vectren	Warning Letter	No prior
7502	Brian Spencer	Vectren	Warning Letter	No prior

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **QC Communications**
Other Party: **Vectren**
Case No.: **4620**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **4/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$750 civil penalty if fail to take training
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **QC Communications**
Other Party: **Vectren**
Case No.: **4638**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **4/17/2014**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$750 civil penalty if fail to take training
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Acorn Landscaping**
Case No.: **4956**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **April 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f): mislocate or failure to locate

The Advisory Committee recommends the following penalty:

*training or \$750 if fail
to train*

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Coahran, Lisa

From: Erich, Kelsey
Sent: Monday, December 01, 2014 10:04 AM
To: Coahran, Lisa
Subject: RE: 4956 - No Investigative Summary

Lisa,

It appears Mike changed the case to a No Violation. He put notes in the database indicating this, but I don't have any additional information.

Thanks,

Kelsey Erich

Indiana Utility Regulatory Commission
101 West Washington Street, Suite 1500 E
Indianapolis, IN 46204

Confidentiality Notice: This e-mail transmission may contain deliberative, confidential or other legally privileged information that is not subject to public disclosure under Ind. Code § 5-14-3-4(b), and is intended only for the individual or entity named in the e-mail address. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or reliance upon the contents of this e-mail is strictly prohibited.

From: Coahran, Lisa
Sent: Monday, December 01, 2014 9:56 AM
To: Erich, Kelsey
Subject: 4956 - No Investigative Summary

Kelsey,

There is a Recommendation Form for 4956 in the folder for this case, but no Investigative Summary. I need the summary to merge with form for the Commissioners.
Can you locate and forward?

Thanks.

Lisa Coahran
Legal Assistant - General Counsel
Indiana Utility Regulatory Commission
101 W. Washington St., Ste. 1500 E.
Indianapolis, IN 46204
Tel: (317) 233-6140

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Miller Pipe Line**
Case No.: **5662**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Larry Norman**
Other Party: **NIPSCO**
Case No.: **5663**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren

Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Foley Foundations**
Case No.: **5664**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Miller Pipe Line**
Case No.: **5665**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **GE Marshall Inc**
Case No.: **5667**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Precision Trenching Inc**
Case No.: **5671**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED:



(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hoosier Property Maintenance And Snow Removal Inc**
Other Party: **NIPSCO**
Case No.: **5672**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<u>Special instructions if warning letter:</u>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: Finzel Irrigation
Other Party: Vectren
Case No.: 5674
Date of Advisory Meeting: 6/24/14
Date of Damage: 9/5/13

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:
Trainin Warning letter

Additional Information: _____

APPROVED: 
(initialed)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **J & B West Construction And Remodeling**
Other Party: **NIPSCO**
Case No.: **5675**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Training or \$5000 if fail to mitigate from

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Green Thumb Landscaping**
Other Party: **Jasper Municipal Gas**
Case No.: **5676**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: _____

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Habitat For Humanity**
Case No.: **5678**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Lee Excavating**
Case No.: **5682**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawson Electric**
Other Party: **NIPSCO**
Case No.: **5683**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mike Thompson**
Other Party: **NIPSCO**
Case No.: **5686**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Pendleton Power & Light**
Case No.: **5687**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **H & G Underground Utilities LLC**
Case No.: **5688**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Roto Rooter - Indianapolis**
Other Party: **Vectren**
Case No.: **5689**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<u>Special instructions if warning letter:</u>	White Lining	Potholing	Contacting 811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Skyway Trucking Inc**
Other Party: **NIPSCO**
Case No.: **5692**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Training or \$5000 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Calumet Civil Contractors**
Case No.: **5694**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Pavey Excavating Incorporated**
Case No.: **5696**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Grimmer Construction Company**
Case No.: **5698**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Grimmer Construction Company**
Case No.: **5699**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kihn Concrete**
Other Party: **Community Natural Gas, Inc.**
Case No.: **5701**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Note: driving is considered "excavation" under the statute.

APPROVED:

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hoosier Fence And Deck Incorporated**
Other Party: **NIPSCO**
Case No.: **5702**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Pfister Sprinkler Systems**
Other Party: **NIPSCO**
Case No.: **5704**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$5000 if fail
to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ben Potis**
Other Party: **NIPSCO**
Case No.: **5706**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Saturday, September 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hoosier Fence & Deck Incorporated**
Case No.: **5708**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Pete Saint Mary**
Case No.: **5709**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **5710**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Schneck Excavating Incorporated**
Case No.: **5711**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Earth Construction Inc.**
Other Party: **NIPSCO**
Case No.: **5712**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Training or \$5000 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Environmental Construction**
Other Party: **Vectren**
Case No.: **5715**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Dave O'Mara Contractor**
Case No.: **5716**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$ 1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Of Valparaiso Sewer Department**
Other Party: **NIPSCO**
Case No.: **5718**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$ 5000 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Earth Construction Inc.**
Case No.: **5721**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Indiana Earth Incorporated**
Case No.: **5728**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Millenium Contractors**
Case No.: **5729**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Saturday, September 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Michael Hough**
Other Party: **NIPSCO**
Case No.: **5731**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Saturday, September 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lagrange County Remc**
Other Party: **NIPSCO**
Case No.: **5734**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Kankakee Valley Remc**
Case No.: **5735**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Riccis Landscape Management**
Case No.: **5739**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Kline Excavating Inc**
Case No.: **5741**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, September 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ge Marshall Inc**
Case No.: **5743**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Middlebury Septic Inc**
Other Party: **NIPSCO**
Case No.: **5747**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **5749**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Advanced Irrigation**
Case No.: **5751**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **K And K Fence Company**
Case No.: **5752**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **J.D.H. Contracting**
Other Party: **Vectren**
Case No.: **5753**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Training or \$5000 if fail
to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **L G S Plumbing Inc**
Case No.: **5755**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Terry Pool Company**
Other Party: **Vectren**
Case No.: **5756**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **B And W Specialized Drilling**
Case No.: **5757**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Sub Surface Of Indiana Inc**
Case No.: **5772**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lineal Contracting**
Other Party: **Vectren**
Case No.: **5778**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, October 01, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

\$3000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED:  _____
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **F X Underground**
Other Party: **Vectren**
Case No.: **5782**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, October 02, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Training or \$5000 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rothenberger Company Inc**
Other Party: **NIPSCO**
Case No.: **5784**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, October 02, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rieth Riley Construction**
Other Party: **NIPSCO**
Case No.: **5785**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, October 02, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

\$ 3000 -

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Van Gordon Construction Incorporated**
Other Party: **NIPSCO**
Case No.: **5788**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, October 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Zach Raymond**
Other Party: **NIPSCO**
Case No.: **5800**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Sunday, October 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Rivers Edge Construction**
Case No.: **5801**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, October 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Miller Pipe Line**
Case No.: **5802**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, October 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Miller abstains.

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Swinney Brothers**
Other Party: **Vectren**
Case No.: **5804**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, October 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Walsh And Kelly - Griffith**
Case No.: **5808**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, October 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Teds Plumbing**
Other Party: **Vectren**
Case No.: **5809**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, October 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **B And W Specialized Drilling**
Case No.: **5811**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, October 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bieson Excavating Inc.**
Other Party: **Rennselaer Municipal Gas System, City Of**
Case No.: **5812**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, October 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Of Bloomington Utilities**
Other Party: **Vectren**
Case No.: **5814**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wallace, Roger**
Other Party: **Vectren**
Case No.: **6041**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

\$500 + training or \$5000 if
fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mc Clintic, John**
Other Party: **Vectren**
Case No.: **6044**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Sunday, September 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Plainfield, Town Of**
Case No.: **6050**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gilliland, Robert Trucking & Excavating**

Other Party: **Vectren**

Case No.: **6058**

Date of Advisory Meeting: **June 24, 2014**

Date of Damage: **Wednesday, September 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Slater Construction**
Other Party: **Vectren**
Case No.: **6059**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Poisel Construction**
Case No.: **6064**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, September 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Evansville Water & Sewer Dept**
Case No.: **6066**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, September 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

\$1000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mr Fence, Inc**
Other Party: **Vectren**
Case No.: **6068**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, September 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Randys Tree Service**
Other Party: **Vectren**
Case No.: **6067**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, September 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Qualkenbush Brothers Isral Qualkenbush**

Other Party: **Indiana Natural Gas Corporation**

Case No.: **6313**

Date of Advisory Meeting: **June 24, 2014**

Date of Damage: **Friday, October 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

training or \$5000 if fail
to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Same training as
case no. 6330. Do not have to
take training \$wice.

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Conwell Construction**
Other Party: **Indiana Natural Gas Corporation**
Case No.: **6329**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, October 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Qualkenbush Brothers Isral Qualkenbush**

Other Party: **Indiana Natural Gas Corporation**

Case No.: **6330**

Date of Advisory Meeting: **June 24, 2014**

Date of Damage: **Thursday, October 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

\$ 500 + training or \$5000 . f
fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jerry Hammond**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **6331**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Saturday, October 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Service Experts Heating & Air Conditioning**
Other Party: **NIPSCO**
Case No.: **6334**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, October 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: *h wa*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **R & R Excavating**
Other Party: **NIPSCO**
Case No.: **6338**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, October 14, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Walsh And Kelly - ~~South Bend~~ Griffith OK**
Other Party: **NIPSCO**
Case No.: **6340**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, October 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$5000 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **C & E Excavating**
Case No.: **7385**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Wednesday, July 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training or \$750 if fail

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Haskins Excavating**
Case No.: **7386**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, July 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training or \$750 if fail

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Henry Electric**
Case No.: **7389**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training or \$ 750 if fail

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:



(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Zachary R. Black**
Other Party: **NIPSCO**
Case No.: **7391**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Saturday, July 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Anthis Career Center/Fort Wayne
Construction Trades**
Other Party: **NIPSCO**
Case No.: **7392**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mark Stevens**
Other Party: **NIPSCO**
Case No.: **7394**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, July 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Montgomery Well Drrill**
Other Party: **NIPSCO**
Case No.: **7396**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Thursday, July 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gordon Myers**
Other Party: **NIPSCO**
Case No.: **7397**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hugh Mcpartland**
Other Party: **NIPSCO**
Case No.: **7398**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lawnscape Land Management**
Other Party: **NIPSCO**
Case No.: **7401**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Century Builders**
Other Party: **NIPSCO**
Case No.: **7403**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Saturday, July 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jarrood Hill**
Other Party: **NIPSCO**
Case No.: **7404**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Saturday, July 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Alicia Gilliard**
Other Party: **NIPSCO**
Case No.: **7406**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, July 16, 2013**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kent Gilmer**
Other Party: **NIPSCO**
Case No.: **7407**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Tuesday, July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brian Spencer**
Other Party: **Vectren**
Case No.: **7502**
Date of Advisory Meeting: **June 24, 2014**
Date of Damage: **Friday, July 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<i>Clearance Zone (Two-Foot Rule)</i>	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Key Concrete, Inc.**
Other Party: **NIPSCO**
Case No.: **5209**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **July 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain two (2) feet of clearance with mechanized equipment.

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$750 civil penalty if fail to take training
- Civil penalty of \$_____
- Other_____

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Qc Communications, Inc.**
Case No.: **3166**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, June 08, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Qc Communications, Inc.**
Case No.: **3547**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, August 08, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **VECTREN**
Other Party: **MILLER PIPELINE**
Case No.: **3618**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **8/23/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Miller abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **VECTREN**
Other Party: **RIVERTOWN CONSTRUCTION**
Case No.: **4036**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **10/16/2012**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **VECTREN**
Other Party: **ENVIRONMENTAL CONSTRUCTION**
Case No.: **4448**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **2/1/2013**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

_____ *Training* _____

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Rininger Excavating Incorporated**
Case No.: **4568**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, March 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C And J Construction**
Other Party: **Vectren**
Case No.: **4587**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, March 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: *Miller abstains*

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Meade Incorporated**
Case No.: **4602**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, April 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Meade Incorporated**
Case No.: **4606**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, April 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Double Bee Fence Company**
Other Party: **Vectren**
Case No.: **4616**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, April 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *AW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **QC COMMUNICATIONS, INC.**
Other Party: **VECTREN**
Case No.: **4620**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **4/10/2013**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **QC COMMUNICATIONS, INC.**
Other Party: **VECTREN**
Case No.: **4638**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **4/17/2013**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dk Concrete - Daniel Padilla Perez**
Other Party: **Vectren**
Case No.: **4965**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, May 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Miller abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Price Excavating**
Other Party: **Vectren**
Case No.: **4967**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, June 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$ 750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Escalated to training due to multiple dangerous practices including but not limited to failure to notify operator of damage, timely and self-repair of line.

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **3D Company**
Case No.: **5153**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, June 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Double Bee Fence Co**
Other Party: **Vectren**
Case No.: **5156**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Training or \$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: _____

(initialed)

h W
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B.L. Brown Construction & Excavation**
Other Party: **Vectren**
Case No.: **5159**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Friday, July 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$750 fee to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Lykins Contracting**
Case No.: **5161**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, July 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Lykins Contracting**
Case No.: **5163**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, July 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *BW*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lineal Contracting**
Other Party: **Vectren**
Case No.: **5164**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

training or \$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lunar Construction**
Other Party: **Vectren**
Case No.: **5180**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, July 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lykins Contracting**
Other Party: **Vectren**
Case No.: **5187**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, July 02, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED:  _____

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lunar Construction**
Other Party: **Vectren**
Case No.: **5188**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Thursday, July 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Training or \$750 fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **BI Brown Construction & Excavation**
Other Party: **Vectren**
Case No.: **5190**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, July 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training or \$ 750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Elpers**
Other Party: **Vectren**
Case No.: **5191**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, July 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: *Miller abstains.*

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Central Fence**
Other Party: **Vectren**
Case No.: **5197**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Wednesday, July 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: *Miller abstains.*

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bynum Fanyo Utility**
Other Party: **Vectren**
Case No.: **5219**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Tuesday, July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Tecton Construction**
Other Party: **Vectren**
Case No.: **5646**
Date of Advisory Meeting: **May 20, 2014**
Date of Damage: **Monday, June 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Training or \$ 750 fine to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman