

ORIGINAL

CP
AB
JH
MM

**STATE OF INDIANA
INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED:

DEC 10 2014

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

STEPHAN, MAYS-MEDLEY, HUSTON AND ZIEGNER CONCUR; WEBER ABSENT:

APPROVED: **DEC 10 2014**

**I hereby certify that the above is a true
and correct copy of the Order as approved.**

Brenda A. Howe
**Brenda A. Howe
Secretary to the Commission**

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Merryman Excavating**
Other Party: **Citizens Energy Group**
Case No.: **3883**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **8/1/2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to properly complete training

	Potholing	Contacting 811
<i>DM</i>	Self Repair	

Additional Information: **Warren abstains**

APPROVED: *DM*
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Columbia City Water Department**
Other Party: **Nipsco**
Case No.: **4703**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **5/15/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining Potholing Contacting 811**
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$750 civil penalty if fail to take training
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Gary**
Other Party: **NIPSCO**
Case No.: **4731**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013* ^{RL}
Date of Damage: **December 12, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

_____ Training or \$750 if fail to properly complete training *in timely*
Special instruction _____
Clearance Zone (1 _____
B.S.W.

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **St. Joseph County Highway Department**
Other Party: **NIPSCO**
Case No.: **4732**
Date of Advisory Meeting: **August 27, 2013** *Dec 17, 2013^{ac}*
Date of Damage: **February 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

_____ Training or \$750 if fail to properly complete training *imely train*
Special instructions _____
Clearance Zone (Tv _____ **ontacting 811**
B.S.W.

Additional Information: Selking abstains

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Grade-Rite**
Other Party: **NIPSCO**
Case No.: **4761**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013^{7c}*
Date of Damage: **June 8, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g) - failure to provide notice of excavation

The Advisory Committee recommends the following penalty:

_____ Training or \$750 if fail to properly complete training *mely train*
Special ins _____ ing Contacting 811
Clearance _____ repair
B.S.W.

Additional Information: Selking abstains

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Key Concrete, Inc.**
Other Party: **NIPSCO**
Case No.: **5209**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **July 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain two (2) feet of clearance with mechanized equipment.

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: White Lining Potholing Contacting 811
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$750 civil penalty if fail to take training
- Civil penalty of \$_____
- Other_____

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indiana Earth Incorporated**
Other Party: **NIPSCO**
Case No.: **5215**
Date of Advisory Meeting: ~~August 27, 2013~~ *Dec 17, 2013*
Date of Damage: **July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(out) - failure to provide notice of excavation (outside ticket)

The Advisory Committee recommends the following penalty:

_____ Training or \$750 if fail to properly complete training

pen timely

Special instructions if
Clearance Zone (Two

ntacting 811

B.S.W.

Additional Information: Selking abstains

APPROVED:



(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Electricom Incorporated**
Other Party: **NIPSCO**
Case No.: **5343**
Date of Advisory Meeting: **November 26, 2013**
Date of Damage: **August 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1) - failure to plan to minimize damage or interference

The Advisory Committee recommends the following penalty:

_____ Training or \$750 if fail to properly complete training _____
Special instruction _____
Clearance Zone (1 _____ Contacting 811

B.S.W.

Additional Information: **Selking abstains**

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Community Natural Gas, Inc.**
Other Party: **Infrastructure System Inc.**
Case No.: **6730**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/7/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwest Natural Gas Corporation**
Other Party: **Temple & Temple Exc. & Paving**
Case No.: **6732**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/4/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: Ben Warren

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B & E Excavating**
Other Party: **Nipsco**
Case No.: **6733**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/25/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rothenberger Company Inc**
Other Party: **Nipsco**
Case No.: **6735**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/26/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Home Pro Of Valpraiso**
Other Party: **Nipsco**
Case No.: **6736**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/26/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining Potholing Contacting 811**
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Meade Incorporated**
Other Party: **Nipsco**
Case No.: **6742**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/3/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kosciusko Reme**
Other Party: **Nipsco**
Case No.: **6744**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/5/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jim Perkins**
Other Party: **Nipsco**
Case No.: **6745**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/5/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Wa
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **Nipsco**
Other Party: **Hicks Electrical Plumbing & Heating**
Case No.: **6748**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/18/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kenneth Merrill**
Other Party: **Nipsco**
Case No.: **6750**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/15/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

Special instructions:

Clearance Zone (Two-Foot Rule)

White Lining

Damaging Lines

Potholing

Self Repair

Contacting 811

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: _____

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **D & C Fencing**
Case No.: **6751**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/22/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining Potholing Contacting 811**
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Emcore Hyre Electric**
Other Party: **Nipsco**
Case No.: **6754**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/30/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining Potholing Contacting 811**
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Creek Enterprises Inc**
Case No.: **6764**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/23/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Wa
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Karl Van Kepel~~
Other Party: Nipsco
Case No.: 6766
Date of Advisory Meeting: August 26, 2014
Date of Damage: 10/29/2013

KV Land Improvements, Inc.

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: White Lining Potholing Contacting 811
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dels General Home Service**
Other Party: **Nipsco**
Case No.: **6768**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/7/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northeastern Remc**
Other Party: **Nipsco**
Case No.: **6769**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/9/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eicher Concrete Lp**
Other Party: **Nipsco**
Case No.: **6782**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/22/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Damon Gregg**
Other Party: **Nipsco**
Case No.: **6784**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/22/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Donovan Cummings**
Other Party: **Nipsco**
Case No.: **6788**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/29/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **CI Builders**
Other Party: **Nipsco**
Case No.: **6789**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/21/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indiana American Water**
Other Party: **Nipsco**
Case No.: **6790**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/31/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining Potholing Contacting 811**
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Pioneer Masonry**
Other Party: **Nipsco**
Case No.: **6794**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/15/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Holbrooks Mobile Home Service**
Other Party: **Nipsco**
Case No.: **6795**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/29/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Josh Gunder**
Other Party: **Nipsco**
Case No.: **6796**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/7/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Baseline Communications**
Case No.: **6798**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/7/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Wa
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Advance Property Maintenance**
Other Party: **Nipsco**
Case No.: **6800**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/14/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: Clearance Zone (Two-Foot Rule) **White Lining** **Potholing** **Contacting 811**
Damaging Lines **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Robert Henry Corporation**
Case No.: **6827**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/9/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Corporate Contracting Service**
Other Party: **Nipsco**
Case No.: **6828**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/9/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Robert Henry Corporation**
Case No.: **6830**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rothenberger Company Inc**
Other Party: **Nipsco**
Case No.: **6831**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 3,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **James Reynolds**
Other Party: **Nipsco**
Case No.: **6832**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC


Respondent: **Nipsco**
Other Party: **Peru Utilities**
Case No.: **6834**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/13/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Grahams Trucking And Excavating**
Case No.: **6835**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/13/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Nipsco**
Case No.: **6836**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/13/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Nipsco**
Case No.: **6838**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/16/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Asplundh Construction**
Case No.: **6845**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/17/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Yogi Davis Construction**
Other Party: **Indiana Utilities Corporation**
Case No.: **6855**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/22/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cottongim Enterprises, Inc**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **6856**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/12/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Actin Inc**
Case No.: **6857**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/30/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Precision Pipeline**
Other Party: **Nipsco**
Case No.: **6865**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **1/12/2014**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Ziese And Sons Excavating**
Case No.: **6867**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **1/13/2014**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **A And R Septic Company**
Case No.: **6868**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **1/16/2014**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Niblock Excavating**
Case No.: **6871**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/4/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Hrp Construction**
Case No.: **6872**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/25/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rick Tyson**
Other Party: **Nipsco**
Case No.: **6883**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/24/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **B & D Sewer And Backhoe**
Case No.: **6885**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/3/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Reasoner And Son Concrete**
Case No.: **6888**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Jones Tom**
Case No.: **6934**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/3/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Warren abstains

APPROVED: 
(initialed) ~~Dan Meiners~~ *Mark Ritter*
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Schott Services - John Schott**
Other Party: **Citizens Energy Group**
Case No.: **6961**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **9/3/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Warren abstains

APPROVED: 
(initialed) ~~Dan Meiners~~ *Mark Ritter*
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Angie Pool And Spa**
Case No.: **6962**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/18/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Warren abstains

APPROVED: 
(initialed) ~~Dan Meiners~~ *Mark Ritter*
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Citizens Water**
Case No.: **6964**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/30/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Warren abstains

APPROVED: _____

(initialed)

~~Dan Meiners~~ *Mark Ritter*
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Citizens Water**
Case No.: **6966**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/1/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Warren abstains

APPROVED: _____

(initialed)

~~Dan Meiners~~

Vice Chairman

Mark Ritter

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ramey Plumbing**
Other Party: **Ohio Valley Gas Corporation**
Case No.: **6968**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/30/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *BW*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Marv'S Construction**

Other Party: **Nipsco**

Case No.: **7005**

Date of Advisory Meeting: **August 26, 2014**

Date of Damage: **12/11/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Koontz Wagner Electric**
Other Party: **Nipsco**
Case No.: **7006**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **9/6/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Crady Fence Company**

Other Party: **Nipsco**

Case No.: **7007**

Date of Advisory Meeting: **August 26, 2014**

Date of Damage: **9/23/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Nipsco**
Other Party: **Creek Enterprise**
Case No.: **7015**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **9/5/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: Selking abstains

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lunar Excavating**
Other Party: **Vectren**
Case No.: **4465**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **2/12/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to properly complete training

	Potholing	Contacting	811
nes	Self Repair		

R.S.W.

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Three Men Crew Inc**
Other Party: **Vectren**
Case No.: **4922**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/12/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to properly complete training

	Potholing	Contacting	811
ies	Self Repair		

B.S.W.

Additional Information: _____

APPROVED: *B Wa*
(initialed) Ben Warren
Chairman

Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **JD Brown Excavating LLC**
Case No.: **4938**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **June 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f): mislocate or failure to locate

The Advisory Committee recommends the following penalty:

training or \$750 if fail to
train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Kellie Plumbing**
Case No.: **4942**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **June 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f): mislocate or failure to locate

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to train

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Three Men Crew Inc**
Other Party: **Vectren**
Case No.: **4955**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/20/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training or \$750 if fail to properly complete training

g	Potholing	Contacting	811
ines	Self Repair		

B.S.W.

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Renascent Inc**
Other Party: **Vectren**
Case No.: **6676**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **9/27/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *B Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gradex Inc**
Other Party: **Vectren**
Case No.: **6677**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/2/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mike Anderson Enterprises**
Other Party: **Vectren**
Case No.: **6680**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **9/28/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)


The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: _____

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Evansville Water & Sewer Utility**
Other Party: **Vectren**
Case No.: **6681**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/22/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Reed & Sons Construction**
Case No.: **6682**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/8/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Vectren**
Case No.: **6683**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *B Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Williams Plumbing**
Other Party: **Vectren**
Case No.: **6684**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **9/25/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *B Wa*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Wabash Utilities**
Case No.: **6686**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/4/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: *B Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Conexco**
Other Party: **Vectren**
Case No.: **6688**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/25/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Wa
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Attica Water Dept**
Case No.: **6689**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/1/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Electricom Inc**
Case No.: **6690**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/9/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ryan Orr**
Other Party: **Vectren**
Case No.: **6691**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **9/30/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hoosier Irrigation**
Other Party: **Vectren**
Case No.: **6692**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/10/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: Clearance Zone (Two-Foot Rule) **White Lining** **Potholing** **Contacting 811**
Damaging Lines **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Duncan Robertson Inc**
Other Party: **Vectren**
Case No.: **6693**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/8/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: Clearance Zone (Two-Foot Rule) White Lining Damaging Lines Potholing Self Repair Contacting 811
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town Of Cambridge City**
Other Party: **Vectren**
Case No.: **6694**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/9/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: Clearance Zone (Two-Foot Rule) White Lining Potholing Contacting 811
Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Joe Gill Plumbing Inc**
Case No.: **6695**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/7/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000 _____
- Other _____

Additional Information: _____

APPROVED: *BW*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ragle Inc**
Other Party: **Vectren**
Case No.: **6696**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/8/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: _____

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kerns Excavating**
Other Party: **Vectren**
Case No.: **6697**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/23/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Indiana Geothermal**
Other Party: **Vectren**
Case No.: **6698**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/14/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Ragle Inc**
Case No.: **6700**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/21/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ragle Inc**
Other Party: **Vectren**
Case No.: **6701**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/23/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ragle Inc**
Other Party: **Vectren**
Case No.: **6705**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/24/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ragle Inc**
Other Party: **Vectren**
Case No.: **6706**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/24/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Hagerstown Utilities**
Case No.: **6707**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/28/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: *B Wa*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Crider And Crider Construction**
Case No.: **6708**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/29/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Mr Quik Plumbing**
Case No.: **6734**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/26/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dan Cristiani Excavating**
Other Party: **Vectren**
Case No.: **6833**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/12/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *B. W.*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Zane Harvey**
Other Party: **Vectren**
Case No.: **6848**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/18/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Patriot Engineering & Environmental**
Case No.: **6849**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/19/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000 _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Blankenberger Brothers**
Other Party: **Vectren**
Case No.: **6861**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: ~~41648~~ 1/9/14

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Evansville Water And Sewer Utility**
Case No.: **6864**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **1/11/2014**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Allen Relleke Excavating Llc**
Case No.: **6870**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **1/16/2014**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bartholomew Co Fairgrounds**
Other Party: **Vectren**
Case No.: **6893**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/14/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: Clearance Zone (Two-Foot Rule) White Lining Potholing Contacting 811
Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Comstar Services**
Other Party: **Vectren**
Case No.: **6894**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/19/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Daltry, Diana**
Other Party: **Vectren**
Case No.: **6895**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/17/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dunigan Bros Inc**
Other Party: **Vectren**
Case No.: **6896**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/6/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Wa
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ely Concrete**
Other Party: **Vectren**
Case No.: **6897**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/18/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Hiatt**
Other Party: **Vectren**
Case No.: **6898**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/3/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hollander, Thomas M**
Other Party: **Vectren**
Case No.: **6899**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/11/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Purdue Grounds Department**
Other Party: **Vectren**
Case No.: **6906**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/5/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Spainhour, Justin**
Other Party: **Vectren**
Case No.: **6909**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/11/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Of Alexandria**
Other Party: **Vectren**
Case No.: **6911**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/15/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bowen Engineering**
Other Party: **Vectren**
Case No.: **6912**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/7/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gullett Farm Drainage Inc**
Other Party: **Vectren**
Case No.: **6913**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/2/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Heads Up Irrigation & Lighting, Llc**
Other Party: **Vectren**
Case No.: **6914**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/4/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Ba Wa*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Monroe County Highway**
Other Party: **Vectren**
Case No.: **6915**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **10/28/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: White Lining Potholing **Contacting 811**
Clearance Zone (Two-Foot Rule) Damaging Lines Self Repair
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Bw* *Wc*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Clark Nickles Excavating & Crane Rental**

Other Party: **Vectren**

Case No.: **6916**

Date of Advisory Meeting: **August 26, 2014**

Date of Damage: **11/18/2013**

The IURC Pipeline Safety Division finds the following violation:

IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: 
(initialed) Ben Warren

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ragle Inc**
Other Party: **Vectren**
Case No.: **6917**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/7/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

~~Warning letter~~

Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**

- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: _____

APPROVED: Ben Wa
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Snedegar Construction**
Other Party: **Vectren**
Case No.: **6918**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/15/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *B Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Stemler Plumbing**
Other Party: **Vectren**
Case No.: **6920**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/20/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$_____
- Other_____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Of Martinsville Street Dept**
Other Party: **Vectren**
Case No.: **6921**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/18/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **JC Construction, Inc**
Other Party: **Vectren**
Case No.: **6924**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/25/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rayburn 1 Home Builders, Llc**
Other Party: **Vectren**
Case No.: **6926**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/20/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: Ben Warren
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bowen Engineering**
Other Party: **Vectren**
Case No.: **6928**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **11/27/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ _____
- Other _____

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Altstadt Plumbing Service**
Case No.: **7262**
Date of Advisory Meeting: **August 26, 2014**
Date of Damage: **12/27/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)


The Advisory Committee recommends the following penalty:

- Warning letter
Special instructions: **White Lining** **Potholing** **Contacting 811**
Clearance Zone (Two-Foot Rule) **Damaging Lines** **Self Repair**
- Training or \$5,000 civil penalty if fail to complete training
- Civil penalty of \$1,500, can mitigate \$750 by completing training and corrective action plan
- Civil penalty of \$ 1,000
- Other _____

Additional Information: _____

APPROVED: _____

(initialed)


Ben Warren
Chairman