

Agency Correction

LSA Document #09-789(AC)

Under [IC 4-22-2-38](#), corrects the following typographical, clerical, or spelling errors in LSA Document #09-789(F), posted at [20110420-IR-675090789FRA](#):

In [675 IAC 20-2-27](#), Table 27-1, in the footnotes, after "a For pools with spectator areas, see [675 IAC 13](#), the Indiana Building Code, that contain the requirements for sanitary facilities.", insert the following: "b For water attractions in excess of 37,500 sq. ft. use the following additions: For each 7,500 sq. ft. or fraction thereof, add one sanitary unit: 0.7 male water closets, 1.0 male urinal, 0.85 male lavatories, 1.0 male showers, 0.6 drinking fountains, 4.0 female water closets, 1.0 female lavatory, and 1.0 female shower.

For pools in excess of 7,500 sq. ft. and Type 1 above, and for pools in excess of 15,000 sq. ft. and Type 2 above, use the following additions: For each 4,000 sq. ft. or fraction thereof, add one sanitary unit: 1.0 male water closet, 1.0 male urinal, 1.0 male lavatory, 4.0 male showers, 1.0 drinking fountain, 4 female water closets, 1.0 female lavatory, 4.0 male showers."

Filed with Publisher: June 23, 2011, 1:03 p.m.

Under [IC 4-22-2-38\(g\)\(2\)](#), this correction takes effect 45 days from the date and time filed with the Publisher.

Posted: 07/06/2011 by Legislative Services Agency

An [html](#) version of this document.