

# Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 12/28/2013

Address: 1813 W Lusher Avenue

Incident #: 13ISPC012524

Elkhart, IN 46517

County: Elkhart

## Type of Laboratory Seizure (check one)

- Operational Lab  
 Chemical/Glassware/Equipment (only)  
 Dumpsite (only)

## Seizure Location (check all that apply)

- Residence  Hotel/Motel  
 Outbuilding  Open – No Structure  
 Vehicle  Other: \_\_\_\_\_

## Items Found: Location (bedroom, kitchen, open air, etc)

(check all that apply)

- One Pot or Birch Reaction(s): Basement  
 Red Phosphorous/Iodine Reaction(s): \_\_\_\_\_  
 Hydrochloric Acid Gas Generator(s): Basement  
 Flammable Solvents: Basement  
 Water Reactive Metal (Lithium): Basement  
 Anhydrous Ammonia: Basement  
 Corrosive Acid: Basement  
 Corrosive Base: \_\_\_\_\_  
 Other (item and location): \_\_\_\_\_

## Vehicle Information:

Owner:  
VIN:  
Year:

Make:  
Model:

## Child under age 18 discovered (check appropriate)

- Yes 1 (number present)  
 No  
 Children not present but evidence they reside  
or visit often

Living conditions of home:  clean  disarray  
 unclean

Estimated length of time manufacturing had been  
occurring: Months

Additional Information: Elkhart City PD is  
contacting CPS; Officer Greg Harder 405 Elkhart  
PD lead investigator

## This report has been faxed\* or emailed to the following agencies that serve the location:

Fire Department City, Township or County Elkhart City Fire

Fax: kent.stouder@elkhartfire.org

Health Department County: Elkhart County

Fax: tstill@elkhartcounty.com

Department of Child Services Hotline: [dcsshotlinereports@dcs.in.gov](mailto:dcsshotlinereports@dcs.in.gov) Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: \_\_\_\_\_

Phone \_\_\_\_\_

\*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.