Facility General Information

General facility information to review and update (please use red or blue ink to update).

Section 1: Facility Identifactio

a.) County Code:	003	**b.) Plant ID:**	00249
c.) Facility Name:	MASTERSPAS, INC.		

Section 2: Physical Address:

a.) Source Address:	6927 LINCOLN PKWY
b.) Source City and Zip Code:	FT WAYNE, 46804

Section 3: Mailing Address:

a.) Corporate Name:	
b.) Mailing Address:	
c.) Mailing City, State, Zip Code:	,

Section 4: Source Location

a.)	**UTM Vertical:**	4300	**UTM Horizontal:**	680
b.)	**Latitude:**	384955	**Longitude:**	845535

Section 5: Industrial Classificatio

a.) Primary NAICS Code:	326199	All Other Plastics Product Manufacturing
b.) Primary SIC Code:	3083	Laminated Plastics Plate, Sheet, and Profile Shapes

Section 6: Contact Informatio

a.) Emissions Contact Official and Title:	TERRY VALMASSOI, GENERAL MGR
b.) Emissions Contact Phone Number:	(260) 436-9100
c.) Emissions Contact Fax Number:	
d.) Emissions Contact E-Mail Address:	
e.) Year of Inventory:	2002
f.) Date Updated	
g.) Signature:	

Stack Parameters

Stack Information to Review and Update (please use red or blue ink to update). Use a blank form to add stacks.

Section 7: Stack Information

a.) ID #	b.) Description	c.) Height (ft)	d.) Diameter (ft)	e.) Flow (acfm)	f.) Temp (f)	g.) UTM Vertical or Latitude	h.) UTM Horizontal or
1	S5, S9, S10, S15	33	2.83	9800	70	410505	851404
2	S17	6	3	8000	70	410505	851404

Abatement Equipment Information

Abatement equipment information to review and update (please use red or blue ink to update). Use a blank form to add abatement equipment.

Section 8: Abatement Equipment

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
1	099	MISCELLANEOUS CONTROL DEVICES - 001, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
2	099	MISCELLANEOUS CONTROL DEVICES - 001, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	0.001
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
3	099	MISCELLANEOUS CONTROL DEVICES - 002, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
4	099	MISCELLANEOUS CONTROL DEVICES - 002, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
5	099	MISCELLANEOUS CONTROL DEVICES - 002, 3

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
6	099	MISCELLANEOUS CONTROL DEVICES - 003, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
7	099	MISCELLANEOUS CONTROL DEVICES - 003, 5

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	93
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
8	099	MISCELLANEOUS CONTROL DEVICES - 003, 6

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
9	099	MISCELLANEOUS CONTROL DEVICES - 001, 9

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	93

Group/Process/Emissions Information

Please complete information for Groups, Processes and Emissions (please use red or blue ink to update). All highlighted items must be completed. Use a blank form to add groups, processes, and

Section 9: Group Information

a.) Group Number: 001	**b.) Description:** FIBERGLASS RESINS/SPA MFG		
Operating Schedule: **c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: POLYESTER RESIN(33.5%STY)	
c.) Source Classification Code (SCC): 30800799	d.) Units: Tons Product Produced	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.1872		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 1	m.) Capture Efficiency: 99.999
k.) Abatement Equipment Order 2	l.) Abatement Equipment ID 9	m.) Capture Efficiency: 0.001

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	332.5	92.999	
VOC	VOLATILE ORGANIC COMPOUNDS	9	72.5	0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: VINYL RESIN(47.5%STYRENE)		
c.) Source Classification Code (SCC): 30800724		d.) Units: Tons Coating Applied	
e.) Stack Number: 1		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.052515			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	262.00	92.99	
VOC	VOLATILE ORGANIC COMPOUNDS	9	116.5	0.001	

Section 10. Process Information

a.) Process Number: 3	b.) Description: 280 SUPERFLUSH		
c.) Source Classification Code (SCC): 30899999		d.) Units: Tons Material Processed	
e.) Stack Number: 1		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.000165			
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	2000.0	0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: SUPER BLUE		
c.) Source Classification Code (SCC): 30899999		d.) Units: Tons Material Processed	
e.) Stack Number: 1		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): .00024			
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	126	0	

Section 10. Process Information

a.) Process Number: 5	b.) Description: CADOX D50 RED	
c.) Source Classification Code (SCC): 30899999	d.) Units: Tons Material Processed	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	20	0	

Section 10. Process Information

a.) Process Number: 6	b.) Description: M30 RED CATALYST	
c.) Source Classification Code (SCC): 30899999	d.) Units: Tons Material Processed	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	20	0	

Section 10. Process Information

a.) Process Number: 7	b.) Description: M30 CATALYST	
c.) Source Classification Code (SCC): 30899999	d.) Units: Tons Material Processed	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	20	0	

Section 10. Process Information

a.) Process Number: 8	b.) Description: D50 CATALYST	
c.) Source Classification Code (SCC): 30899999	d.) Units: Tons Material Processed	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	20	0	

Section 10. Process Information

a.) Process Number: 9	b.) Description: POLYESTER RESIN [33% STY]	
c.) Source Classification Code (SCC): 30800799	d.) Units: Tons Product Produced	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.1872		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 9	m.) Capture Efficiency: 99.99

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	332.5	92.991	
VOC	VOLATILE ORGANIC COMPOUNDS	9	72.5	0	

Section 9: Group Information

a.) Group Number: 002	**b.) Description:** APPL. WOOD FINISHING PROD			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: UV SUNBLOCK DECK CLR BASE		
c.) Source Classification Code (SCC): 40201901		d.) Units: Tons Solvent in Coating Used	
e.) Stack Number: 2		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.00325			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 3	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	53.5	92.99	
VOC	VOLATILE ORGANIC COMPOUNDS	9	598	0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: RED WOOD FINISH		
c.) Source Classification Code (SCC): 40201999		d.) Units: Tons Solvent in Coating Used	
e.) Stack Number: 2		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.013065			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 4	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	54.00	92.99	
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: GREY WOOD FINISH	
c.) Source Classification Code (SCC): 40201999	d.) Units: Tons Solvent in Coating Used	
e.) Stack Number: 2	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): .013065		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 5	m.) Capture Efficiency: 99.999

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	60.00	92.99	
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: DK817 AIR GUN CLEANER	
c.) Source Classification Code (SCC): 40202299	d.) Units: Tons Solvent in Coating Used	
e.) Stack Number: 2	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1980	0	

Section 10. Process Information

a.) Process Number: 5	b.) Description: UV BLOCK WS DRIFTWOOD	
c.) Source Classification Code (SCC): 40202299	d.) Units: Tons Solvent in Coating Used	
e.) Stack Number: 2	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 6	b.) Description: BLACK LATEX PAINT	
c.) Source Classification Code (SCC): 40201901	d.) Units: Tons Solvent in Coating Used	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 003	**b.) Description:** SPA ASSEMBLY/CLEANUP		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: P68 WELDON	
c.) Source Classification Code (SCC): 30900500	d.) Units: Pounds Welding Rod Used	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 6	m.) Capture Efficiency: 99.99

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	135	92.99	
VOC	VOLATILE ORGANIC COMPOUNDS	9	920	0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: 795 WELDON	
c.) Source Classification Code (SCC): 30988801	d.) Units: Tons Product Produced	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	5		0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: PC64 WELDON	
c.) Source Classification Code (SCC): 30900501	d.) Units: Pounds Welding Rod Consumed	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1240	0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: E6100 CLEAR	
c.) Source Classification Code (SCC): 30899999	d.) Units: Tons Processed	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1320	0	

Section 10. Process Information

a.) Process Number: 5	b.) Description: RAKOLL ADHESIVE		
c.) Source Classification Code (SCC): 30800704		d.) Units: Tons Adhesive Applied	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour):			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 7	m.) Capture Efficiency: 99.99	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	205	92.99	
VOC	VOLATILE ORGANIC COMPOUNDS	9	4.6	92.99	

Section 10. Process Information

a.) Process Number: 6	b.) Description: SUBFLOOR ADHESIVE SFA 66		
c.) Source Classification Code (SCC): 30800704		d.) Units: Tons Adhesive Applied	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour):			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 8	m.) Capture Efficiency: 99.99	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	319	92.99	
VOC	VOLATILE ORGANIC COMPOUNDS	9	724	0	

Section 10. Process Information

a.) Process Number: 7	b.) Description: 661ES GLASS KLEEN	
c.) Source Classification Code (SCC): 30800703	d.) Units: Tons Solvent Used	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1709	0	

Section 10. Process Information

a.) Process Number: 8	b.) Description: ISOPROPANOL	
c.) Source Classification Code (SCC): 40200912	d.) Units: Tons Solvent Used	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	8	2000.0	0	

Section 10. Process Information

a.) Process Number: 9	b.) Description: THROAT SEAL LIQUID	
c.) Source Classification Code (SCC): 30899999	d.) Units: Tons Material Processed	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	100	0	