Facility General Information

General facility information to review and update (please use red or blue ink to update).

Section 1: Facility Identifactio

a.) County Code:	039	**b.) Plant ID:**	00002
c.) Facility Name:	FABWEL COMPOSITES		

Section 2: Physical Address:

a.) Source Address:	16710 MAPLE CITY DR.
b.) Source City and Zip Code:	GOSHEN, 46526

Section 3: Mailing Address:

a.) Corporate Name:	FABWEL COMPOSITES
b.) Mailing Address:	
c.) Mailing City, State, Zip Code:	,

Section 4: Source Location

a.)	**UTM Vertical:**	4599	**UTM Horizontal:**	602
b.)	**Latitude:**	413216	**Longitude:**	854638

Section 5: Industrial Classificatio

a.) Primary NAICS Code:	326199	All Other Plastics Product Manufacturing	
b.) Primary SIC Code:	3089	.	Pipe Fittings

Section 6: Contact Informatio

a.) Emissions Contact Official and Title:	RYAN BERGER, ENVIRO/SAFETY
b.) Emissions Contact Phone Number:	(219) 534-3447
c.) Emissions Contact Fax Number:	
d.) Emissions Contact E-Mail Address:	rberger@fabwel.com
e.) Year of Inventory:	2002
f.) Date Updated	
g.) Signature:	

Stack Parameters

Stack Information to Review and Update (please use red or blue ink to update). Use a blank form to add stacks.

Section 7: Stack Information

a.) ID #	b.) Description	c.) Height (ft)	d.) Diameter (ft)	e.) Flow (acfm)	f.) Temp (f)	g.) UTM Vertical or Latitude	h.) UTM Horizontal or
1	LINE A&B STACKS 25-47	10	3	10000	77	413216	854638
2	HEATERS	27	0.5	200	77	413216	854638
3	LINE C STACKS CEX 1-CEX5	30	3.66	48000	77	413216	854638

Abatement Equipment Information

Abatement equipment information to review and update (please use red or blue ink to update). Use a blank form to add abatement equipment.

Section 8: Abatement Equipment

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
1	058	MAT OR PANEL FILTER

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PT	TOTAL PARTICULATE MATTER	90
PM10	PARTICULATE MATTER 10	90

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
2	018	FABRIC FILTER - LOW TEMPERATURE

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PT	TOTAL PARTICULATE MATTER	97
PM10	PARTICULATE MATTER 10	97

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
3	058	MAT OR PANEL FILTER

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PT	TOTAL PARTICULATE MATTER	90
PM10	PARTICULATE MATTER 10	90

Group/Process/Emissions Information

Please complete information for Groups, Processes and Emissions (please use red or blue ink to update). All highlighted items must be completed. Use a blank form to add groups, processes, and

Section 9: Group Information

a.) Group Number: 001	**b.) Description:** SPRAY ROOM LINE A & B			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: GEL COAT		
c.) Source Classification Code (SCC): 30800722	d.) Units: Tons Coating Applied		
e.) Stack Number: 1	***f.) Process Rate (throughput):***		
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): .5072322			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 1	m.) Capture Efficiency: 90	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
100425	STYRENE	9	72.926261	0	
80626	METHYL METHACRYLATE	9	3.2350002	0	
PM10	PARTICULATE MATTER 10	9	15	81	
PT	TOTAL PARTICULATE MATTER	9	15	81	
VOC	VOLATILE ORGANIC COMPOUNDS	9	21.161262	0	
VOC (SPC)	VOC FROM SPECIATED CONSTITUENTS	9	221.16126	0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: RESIN		
c.) Source Classification Code (SCC): 30800724	d.) Units: Tons Coating Applied		
e.) Stack Number: 1	***f.) Process Rate (throughput):***		
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 2.545424			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 1	m.) Capture Efficiency: 90	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
100425	STYRENE	9	4.0709473	0	
PM10	PARTICULATE MATTER 10	9	15	81	
PT	TOTAL PARTICULATE MATTER	9	15	81	
VOC	VOLATILE ORGANIC COMPOUNDS	9	4.0709473	0	
VOC (SPC)	VOC FROM SPECIATED CONSTITUENTS	9	44.070947	0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: CATALYSIS		
c.) Source Classification Code (SCC): 30800720		d.) Units: Tons Product Produced	
e.) Stack Number: 1		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 10.68418			
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
78933	METHYL ETHYL KETONE	9	0.4995795	0	
VOC	VOLATILE ORGANIC COMPOUNDS	9	0.4995795	0	
VOC (SPC)	VOC FROM SPECIATED CONSTITUENTS	9	10.499579	0	

Section 9: Group Information

a.) Group Number: 002	**b.) Description:** SAW ROOM COLLECTOR 004			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: SAW DUST		
c.) Source Classification Code (SCC): 30700808		d.) Units: Hour Equipment Operated	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 1.403846			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 95	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	0.8	92.15	
PT	TOTAL PARTICULATE MATTER	8	2.0	92.15	

Section 10. Process Information

a.) Process Number: 2	b.) Description: SAND DUST		
c.) Source Classification Code (SCC): 30700807		d.) Units: Hour Equipment Operated	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 1.403846			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 97	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	2.5	94.09	
PT	TOTAL PARTICULATE MATTER	8	5.0	94.09	

Section 9: Group Information

a.) Group Number: 003	**b.) Description:** HEATERS		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: NATURAL GAS		
c.) Source Classification Code (SCC): 10500106		d.) Units: Million Cubic Feet Natural Gas Burned	
e.) Stack Number: 2		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): .0203951			
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
CO	CARBON MONOXIDE	8	20.0	0	
NO2	NITROGEN DIOXIDE	8	100.0	0	
PM10	PARTICULATE MATTER 10	8	3.0	0	
PT	TOTAL PARTICULATE MATTER	8	3.0	0	
SO2	SULFUR DIOXIDE	8	0.6	0	
VOC	VOLATILE ORGANIC COMPOUNDS	8	5.3	0	

Section 9: Group Information

a.) Group Number: 004	**b.) Description:** SPRAY ROOM LINE C		
Operating Schedule: **c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: GEL COAT	
c.) Source Classification Code (SCC): 30800722	d.) Units: Tons Coating Applied	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): .1220902		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 3	m.) Capture Efficiency: 90

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
100425	STYRENE	9	218.5508	0	
80626	METHYL METHACRYLATE	9	3.9703395	0	
PM10	PARTICULATE MATTER 10	9	15	81	
PT	TOTAL PARTICULATE MATTER	9	15	81	
VOC	VOLATILE ORGANIC COMPOUNDS	9	62.521139	0	
VOC (SPC)	VOC FROM SPECIATED CONSTITUENTS	9	262.52113	0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: RESIN	
c.) Source Classification Code (SCC): 30800724	d.) Units: Tons Coating Applied	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): .7445729		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 3	m.) Capture Efficiency: 90

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
100425	STYRENE	9	3.0465297	0	
PM10	PARTICULATE MATTER 10	9	15	81	
PT	TOTAL PARTICULATE MATTER	9	15	81	
VOC	VOLATILE ORGANIC COMPOUNDS	9	3.0465297	0	
VOC (SPC)	VOC FROM SPECIATED CONSTITUENTS	9	43.046529	0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: CATAYLSIS	
c.) Source Classification Code (SCC): 30800720	d.) Units: Tons Product Produced	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 3.041919		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
78933	METHYL ETHYL KETONE	9	0.5365312	0	
VOC	VOLATILE ORGANIC COMPOUNDS	9	0.5365312	0	
VOC (SPC)	VOC FROM SPECIATED CONSTITUENTS	9	10.536531	0	

Section 9: Group Information

a.) Group Number: 005	**b.) Description:** LIFT TRUCK OPERATIONS		
Operating Schedule: **c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: LPG GAS	
c.) Source Classification Code (SCC): 20201001	d.) Units: 1000 Gallons Liquified Petroleum Gas (LP	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): .0012877		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
CO	CARBON MONOXIDE	8	129.0	0	
NO2	NITROGEN DIOXIDE	8	139.0	0	
PM10	PARTICULATE MATTER 10	8	5.0	0	
PT	TOTAL PARTICULATE MATTER	8	5.0	0	
SO2	SULFUR DIOXIDE	8	0.35	0	
VOC	VOLATILE ORGANIC COMPOUNDS	8	83.0	0	

Section 9: Group Information

a.) Group Number: 007	**b.) Description:** SAW ROOM COLLECTOR 007		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: SAW DUST	
c.) Source Classification Code (SCC): 30700808	d.) Units: Hour Equipment Operated	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 1.403846		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 95

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	0.8	92.15	
PT	TOTAL PARTICULATE MATTER	8	2.0	92.15	

Section 10. Process Information

a.) Process Number: 2	b.) Description: SAND DUST	
c.) Source Classification Code (SCC): 30700807	d.) Units: Hour Equipment Operated	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 1.403846		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 97

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	2.5	94.09	
PT	TOTAL PARTICULATE MATTER	8	5.0	94.09	

Section 9: Group Information

a.) Group Number: 008	**b.) Description:** SAW ROOM COLLECTOR CDC1		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: DUST		
c.) Source Classification Code (SCC): 30700808		d.) Units: Hour Equipment Operated	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 1.403846			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 95	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	0.8	92.15	
PT	TOTAL PARTICULATE MATTER	8	2.0	92.15	

Section 9: Group Information

a.) Group Number: 009	**b.) Description:** SAW ROOM COLLECTOR CDC2		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: SAW DUST		
c.) Source Classification Code (SCC): 30700808		d.) Units: Hour Equipment Operated	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 1.403846			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 95	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	0.8	92.15	
PT	TOTAL PARTICULATE MATTER	8	2.0	92.15	

Section 10. Process Information

a.) Process Number: 2	b.) Description: SAND DUST		
c.) Source Classification Code (SCC): 30700807		d.) Units: Hour Equipment Operated	
e.) Stack Number: 0		*f.) Process Rate (throughput):*	
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 1.403846			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 97	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	2.5	94.09	
PT	TOTAL PARTICULATE MATTER	8	5.0	94.09	

Section 9: Group Information

a.) Group Number: 010	**b.) Description:** SAW ROOM COLLECTOR 011		
Operating Schedule: **c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: DUST		
c.) Source Classification Code (SCC): 30700808		d.) Units: Hour Equipment Operated	
e.) Stack Number: 0		*f.) Process Rate (throughput):*	
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 1.403846			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 95	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	0.8	92.15	
PT	TOTAL PARTICULATE MATTER	8	2.0	92.15	

Section 9: Group Information

a.) Group Number: 011	**b.) Description:** SANDBLAST CABINET		
Operating Schedule: **c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: SAND		
c.) Source Classification Code (SCC): 30900202		d.) Units: Tons Abrasive Consumed	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): .2668207			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 99.9	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
1344281	ALUMINUM OXIDE	9	82	0	
PM10	PARTICULATE MATTER 10	9	82	96.903	
PM2.5	PARTICULATE MATTER 2.5	9	2.6	0	
PT	TOTAL PARTICULATE MATTER	9	82	96.903	

Section 9: Group Information

a.) Group Number: 012	**b.) Description:** GRIND MACHINES		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: GRINDING DUST		
c.) Source Classification Code (SCC): 30700808		d.) Units: Hour Equipment Operated	
e.) Stack Number: 0		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): .880211			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 95	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	8	0.8	92.15	
PT	TOTAL PARTICULATE MATTER	8	2.0	92.15	