Facility General Information

General facility information to review and update (please use red or blue ink to update).

Section 1: Facility Identifactio

a.) County Code:	051	**b.) Plant ID:**	00007
c.) Facility Name:	TEPPCO PRINCETON TERMINAL		

Section 2: Physical Address:

a.) Source Address:	HIGHWAY 64 WEST
b.) Source City and Zip Code:	OAKLAND CITY, 47660

Section 3: Mailing Address:

a.) Corporate Name:	TE PRODUCTS PIPELINE COMPANY, LP
b.) Mailing Address:	
c.) Mailing City, State, Zip Code:	,

Section 4: Source Location

a.)	**UTM Vertical:**	4240	**UTM Horizontal:**	465.9
b.)	**Latitude:**	381833	**Longitude:**	872324

Section 5: Industrial Classificatio

a.) Primary NAICS Code:	48691	Pipeline Transportation of Refined Petroleum Products	
b.) Primary SIC Code:	4789	.	Other

Section 6: Contact Informatio

a.) Emissions Contact Official and Title:	NICK SCHROEDER, ENVIRONMENTA
b.) Emissions Contact Phone Number:	(812) 522-2569
c.) Emissions Contact Fax Number:	(812) 522-1298
d.) Emissions Contact E-Mail Address:	
e.) Year of Inventory:	2002
f.) Date Updated	
g.) Signature:	

Stack Parameters

Stack Information to Review and Update (please use red or blue ink to update). Use a blank form to add stacks.

Section 7: Stack Information

a.) ID #	b.) Description	c.) Height (ft)	d.) Diameter (ft)	e.) Flow (acfm)	f.) Temp (f)	g.) UTM Vertical or Latitude	h.) UTM Horizontal or
1	TANK 2201	40	80	0	0	384955	845531
2	TANK 2202	48	73	0	0	384955	845535
3	TANK 2203--100 FT DIAM.	48	99	0	0	384955	845535
4	TANK 2204	40	80	0	0	384955	845535
5	TANK 2205--110 FT DIAM.	48	99	0	0	384955	845535
6	TANK 2261	32	21.25	0	0	384955	845535
7	TANK 2262	32	21.25	0	0	384955	845535
8	LOADING RACK	10	0.75	0	0	384955	845535
9	FUGITIVE EMISSIONS	10	2	0	1600	384955	845535
10	EMERGENCY/MAINT FLARES	12	1	0	0	384955	845531

Abatement Equipment Information

Abatement equipment information to review and update (please use red or blue ink to update).
Use a blank form to add abatement equipment.

Section 8: Abatement Equipment

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
1	000	NO EQUIPMENT

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
2	047	VAPOR RECOVERY SYSTEM - INC CO - 008

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.5

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
3	047	VAPOR RECOVERY SYSTEM - INC CO - 008, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.5

Group/Process/Emissions Information

Please complete information for Groups, Processes and Emissions (please use red or blue ink to update). All highlighted items must be completed. Use a blank form to add groups, processes, and

Section 9: Group Information

a.) Group Number: 001	**b.) Description:** TANK 2201		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40400160	d.) Units: 1000 Gallon-Years Liquid Storage Capacit	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WITHDRAWAL LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 002	**b.) Description:** TANK 2202		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40400130	d.) Units: 1000 Gallon-Years Liquid Storage Capacit	
e.) Stack Number: 2	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WITHDRAWAL LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 2	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 003	**b.) Description:** TANK 2203		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40400130	d.) Units: 1000 Gallon-Years Liquid Storage Capacit	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WITHDRAWAL LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: STANDING LOSS-RAFFINATE	
c.) Source Classification Code (SCC): 40400130	d.) Units: 1000 Gallons Storage Capacity	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.318		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: WITHDRAWAL LOSS-RAFFINATE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 5	b.) Description: STAND LOSS-NAT. GASOLINE	
c.) Source Classification Code (SCC): 40400130	d.) Units: 1000 Gallons Storage Capacity	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.318		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 6	b.) Description: W/D LOSS-NAT. GASOLINE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 7	b.) Description: W/D LOSS-MTBE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 8	b.) Description: STAND LOSS-MTBE	
c.) Source Classification Code (SCC): 40400130	d.) Units: 1000 Gallons Storage Capacity	
e.) Stack Number: 3	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.318		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 004	**b.) Description:** TANK 2204		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STAND. LOSS-DISTILLATE	
c.) Source Classification Code (SCC): 40400161	d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 4	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: W/DRAW LOSS-DISTILLATE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 4	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 005	**b.) Description:** TANK 2205		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STAND. LOSS-NAT. GASOLINE	
c.) Source Classification Code (SCC): 40400161	d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 5	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: W/DRAW LOSS-NAT. GASOLINE	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 5	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: STANDING LOSS- RAFFINATE	
c.) Source Classification Code (SCC): 40400161	d.) Units: 1000 Gallons Storage Capacity	
e.) Stack Number: 5	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: WITHDRAWAL LOSSES-RAFF	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 5	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour):		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 006	**b.) Description:** TANK 2261		
Operating Schedule: c.) Hours/Day:	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: BREATHING LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40301002	d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 6	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 1	m.) Capture Efficiency: 0.001

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0.001	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS-GASOLINE	
c.) Source Classification Code (SCC): 40301008	d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 6	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: BREATHING LOSS-DIESEL	
c.) Source Classification Code (SCC): 40301019	d.) Units: 1000 Gallons Storage Capacity	
e.) Stack Number: 6	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: WORKING LOSS-DIESEL	
c.) Source Classification Code (SCC): 40301021	d.) Units: 1000 Gallons Throughput	
e.) Stack Number: 6	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 84		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 007	**b.) Description:** TANK 2262			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: BREATHING LOSS-FUEL OIL	
c.) Source Classification Code (SCC): 40301019	d.) Units: 1000 Gallon-Years Distillate Oil (No. 2)	
e.) Stack Number: 7	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS-FUEL OIL	
c.) Source Classification Code (SCC): 40301021	d.) Units: 1000 Gallons Distillate Oil (No. 2) Thro	
e.) Stack Number: 7	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: BREATHING LOSS-DIESEL	
c.) Source Classification Code (SCC): 40301019	d.) Units: 1000 Gallon-Years Distillate Oil (No. 2)	
e.) Stack Number: 7	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: WORKING LOSS-DIESEL	
c.) Source Classification Code (SCC): 40301021	d.) Units: 1000 Gallons Distillate Oil (No. 2) Thro	
e.) Stack Number: 7	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 9: Group Information

a.) Group Number: 008	**b.) Description:** TRUCK LOADING RACK		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: GASOLINE LOADING		
c.) Source Classification Code (SCC): 40600136		d.) Units: 1000 Gallons Gasoline Transferred	
e.) Stack Number: 8		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 27.3			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 0.001	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0.001	

Section 10. Process Information

a.) Process Number: 2	b.) Description: DISTILLATE LOADIN		
c.) Source Classification Code (SCC): 40600139		d.) Units: 1000 Gallons Kerosene Transferred	
e.) Stack Number: 8		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 27.3			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 3	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		99.499	

Section 9: Group Information

a.) Group Number: 009	**b.) Description:** FUGITIVES		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: TOTAL FUGITIVE EMISSIONS	
c.) Source Classification Code (SCC): 40688801	d.) Units: 1000 Gallons Liquid Throughput	
e.) Stack Number: 9	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 420		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: VALVES-HEAVY LIQUID	
c.) Source Classification Code (SCC): 30600813	d.) Units: Valves In Operation (Annual Basis)	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0114		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3	4.38	0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: ABOVE GROUND FLANGES	
c.) Source Classification Code (SCC): 30600816	d.) Units: Flanges In Operation (Annual Basis)	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0251		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3	4.9	0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: PUMP SEALS-LIGHT LIQUID	
c.) Source Classification Code (SCC): 30600817	d.) Units: Seals In Operation (Annual Basis)	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.00137		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3	2190.0	0	

Section 10. Process Information

a.) Process Number: 5	b.) Description: PUMP SEALS-HEAVY LIQUID	
c.) Source Classification Code (SCC): 30600818	d.) Units: Seals In Operation (Annual Basis)	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.00126		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3	402.96	0	

Section 10. Process Information

a.) Process Number: 6	b.) Description: SAMPLE PORTS	
c.) Source Classification Code (SCC): 30600815	d.) Units: Valves In Operation (Annual Basis)	
e.) Stack Number: 0	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.00023		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3	43.8	0	

Section 9: Group Information

a.) Group Number: 010	**b.) Description:** EMERGENCY/MAINT. FLARES			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: NATURAL GAS PILOTS	
c.) Source Classification Code (SCC): 39000689	d.) Units: Million Cubic Feet Natural Gas Burned	
e.) Stack Number: 10	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.00036		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
CO	CARBON MONOXIDE	3		0	
NO2	NITROGEN DIOXIDE	3		0	
PM10	PARTICULATE MATTER 10	9	3		
PT	TOTAL PARTICULATE MATTER	9	3		
SO2	SULFUR DIOXIDE	3		0	
VOC	VOLATILE ORGANIC COMPOUNDS	8	5.3	0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: LPG BURNING	
c.) Source Classification Code (SCC): 30600905	d.) Units: 1000 Gallons Liquified Petroleum Gas (LP	
e.) Stack Number: 10	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.210		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
CO	CARBON MONOXIDE	3		0	
NO2	NITROGEN DIOXIDE	3		0	
PM10	PARTICULATE MATTER 10	9	7.9	0	
SO2	SULFUR DIOXIDE	9	0.095		
VOC	VOLATILE ORGANIC COMPOUNDS	3		0	