Facility General Information

General facility information to review and update (please use red or blue ink to update).

Section 1: Facility Identifactio

a.) County Code:	089	**b.) Plant ID:**	00072
c.) Facility Name:	MARATHON ASHLAND PIPE LINE-GRIFFITH STAT		

Section 2: Physical Address:

a.) Source Address:	1900 W AVE H
b.) Source City and Zip Code:	GRIFFITH, 46319

Section 3: Mailing Address:

a.) Corporate Name:	
b.) Mailing Address:	
c.) Mailing City, State, Zip Code:	,

Section 4: Source Location

a.)	**UTM Vertical:**	4594.7	**UTM Horizontal:**	462.5
b.)	**Latitude:**	413017	**Longitude:**	872657

Section 5: Industrial Classificatio

a.) Primary NAICS Code:	48691	Pipeline Transportation of Refined Petroleum Products
b.) Primary SIC Code:	4613	Refined Petroleum Pipelines

Section 6: Contact Informatio

a.) Emissions Contact Official and Title:	MAPL AIR COORDINATOR, ENV & SA
b.) Emissions Contact Phone Number:	(419) 421-3385
c.) Emissions Contact Fax Number:	(419) 421-3917
d.) Emissions Contact E-Mail Address:	
e.) Year of Inventory:	2002
f.) Date Updated	
g.) Signature:	

Stack Parameters

Stack Information to Review and Update (please use red or blue ink to update). Use a blank form to add stacks.

Section 7: Stack Information

a.) ID #	b.) Description	c.) Height (ft)	d.) Diameter (ft)	e.) Flow (acfm)	f.) Temp (f)	g.) UTM Vertical or Latitude	h.) UTM Horizontal or
1	TANK 268-8	0	0	0	77	413017	872657
2	TANK 217-7	0	0	0	77	413017	872657
3	TANK 80-9	0	0	0	77	413017	872657
4	TANK T-1	0	0	0	77	413017	872657
5	TANK T-2	0	0	0	77	413017	872657
6	TANK G-1	0	0	0	77	413017	872657
7	TANK 80-3	0	0	0	77	413017	872657
8	TANK 80-5	0	0	0	77	413017	872657
9	TANK 80-10	0	0	0	77	413017	872657
10	TANK 80-12	0	0	0	77	413017	872657
11	TANK 120-4	0	0	0	77	413017	872657
12	TANK 120-6	0	0	0	77	413017	872657
13	TANK 268-11	0	0	0	77	413017	872657
14	TANK 107	0	0	0	77	413017	872657
15	TANK 108	0	0	0	77	413017	872657
16	FUGITIVES	0	0	0	77	413017	872657

Abatement Equipment Information

Abatement equipment information to review and update (please use red or blue ink to update). Use a blank form to add abatement equipment.

Section 8: Abatement Equipment

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
1	095	WHITE PAINT - 001, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
2	095	WHITE PAINT - 001, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
3	095	WHITE PAINT - 002, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
4	095	WHITE PAINT - 002, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
5	095	WHITE PAINT - 003, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
6	095	WHITE PAINT - 003, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
7	095	WHITE PAINT - 004, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
8	095	WHITE PAINT - 004, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
9	095	WHITE PAINT - 005, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
10	095	WHITE PAINT - 005, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
11	095	WHITE PAINT - 006, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
12	095	WHITE PAINT - 006, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
13	095	WHITE PAINT - 007, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
14	095	WHITE PAINT - 007, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
15	095	WHITE PAINT - 008, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
16	095	WHITE PAINT - 008, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
17	095	WHITE PAINT - 009, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
18	095	WHITE PAINT - 009, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
19	095	WHITE PAINT - 010, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
20	095	WHITE PAINT - 010, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
21	095	WHITE PAINT - 011, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
22	095	WHITE PAINT - 011, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
23	095	WHITE PAINT - 012, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
24	095	WHITE PAINT - 012, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
25	095	WHITE PAINT - 013, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
26	095	WHITE PAINT - 013, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
27	095	WHITE PAINT - 014, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
28	095	WHITE PAINT - 014, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
29	095	WHITE PAINT - 015, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
30	095	WHITE PAINT - 015, 2

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

Group/Process/Emissions Information

Please complete information for Groups, Processes and Emissions (please use red or blue ink to update). All highlighted items must be completed. Use a blank form to add groups, processes, and

Section 9: Group Information

a.) Group Number: 001	b.) Description: TANK 268-8 FX		
Operating Schedule: c.) Hours/Day:	d.) Days/Week:	e.) Weeks/Year:	f.) Hours/Year:
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	h.) 2nd Qtr (%):	i.) 3rd Qtr (%):	j.) 4th Qtr (%):

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400106		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 1		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 1.23			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 1	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400109		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 1		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 002	**b.) Description:** TANK 217-7 IFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS	
c.) Source Classification Code (SCC): 40400261	d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 2	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 3	m.) Capture Efficiency: 50

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS	
c.) Source Classification Code (SCC): 40400117	d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 2	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 9999.9		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 4	m.) Capture Efficiency: 50

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 003	**b.) Description:** TANK 80-9 EFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400141		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 3		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 5	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400117		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 3		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 6	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 9: Group Information

a.) Group Number: 004	**b.) Description:** TANK T-1 IFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400261		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 4		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 7	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400116		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 4		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 8	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 005	**b.) Description:** TANK T-2 FX		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400101		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 5		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 9	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400204		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 5		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 10	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 9: Group Information

a.) Group Number: 006	**b.) Description:** TANK G-1 FX		
Operating Schedule: **c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400101		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 6		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 11	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400204		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 6		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 12	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 9: Group Information

a.) Group Number: 007	**b.) Description:** TANK 80-3 EFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400141		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 7		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 13	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400117		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 7		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 14	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 008	**b.) Description:** TANK 80-5 EFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400141		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 8		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 15	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400117		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 8		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 16	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 009	**b.) Description:** TANK 80-10 IFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400261		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 9		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 17	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400117		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 9		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 18	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 010	**b.) Description:** TANK 80-12 EFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400141		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 10		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 19	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400117		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 10		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 20	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 011	**b.) Description:** TANK 120-4 EFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400141		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 11		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 21	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400117		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 11		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 22	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 012	**b.) Description:** TANK 120-6 EFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400141		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 12		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 23	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400117		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 12		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 9999.9			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 24	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 013	**b.) Description:** TANK 268-11 IFL		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS	
c.) Source Classification Code (SCC): 40400261	d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 13	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 1.1711		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 25	m.) Capture Efficiency: 50

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS	
c.) Source Classification Code (SCC): 40400117	d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 13	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 9999.9		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 26	m.) Capture Efficiency: 50

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	3		49.95	

Section 9: Group Information

a.) Group Number: 014	**b.) Description:** TANK 107 FX		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS	
c.) Source Classification Code (SCC): 40400101	d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 14	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 27	m.) Capture Efficiency: 50

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS	
c.) Source Classification Code (SCC): 40400116	d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 14	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 28	m.) Capture Efficiency: 50

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 9: Group Information

a.) Group Number: 015	**b.) Description:** TANK 108 FX		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: STANDING LOSS		
c.) Source Classification Code (SCC): 40400101		d.) Units: 1000 Gallon-Years Gasoline Storage Capac	
e.) Stack Number: 15		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 29	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 10. Process Information

a.) Process Number: 2	b.) Description: WORKING LOSS		
c.) Source Classification Code (SCC): 40400204		d.) Units: 1000 Gallons Gasoline Throughput	
e.) Stack Number: 15		***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***	
j.) Maximum Operation Rate (Units/Hour): 0.0			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 30	m.) Capture Efficiency: 50	

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	7		49.95	

Section 9: Group Information

a.) Group Number: 16	**b.) Description:** FUGITIVES		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: ABOVE GRADE VALVES GASOLN	
c.) Source Classification Code (SCC): 30600812	d.) Units: Each-Year Valve Operating	
e.) Stack Number: 16	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1.31	0	

Section 10. Process Information

a.) Process Number: 2	b.) Description: OPEN ENDED VALVES ALL LIQ	
c.) Source Classification Code (SCC): 30600815	d.) Units: Each-Year Valve Operating	
e.) Stack Number: 16	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	56.94	0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: ABOVE GRADE FLANGES ALL	
c.) Source Classification Code (SCC): 30600816	d.) Units: Each-Year Flange Operating	
e.) Stack Number: 16	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	.20	0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: PUMP SEALS GASOLINE	
c.) Source Classification Code (SCC): 30600817	d.) Units: Each-Year Seal Operating	
e.) Stack Number: 16	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	8.15	0	

Section 10. Process Information

a.) Process Number: 5	b.) Description: DRAINS ALL LIQUID	
c.) Source Classification Code (SCC): 30600816	d.) Units: Each-Year Flange Operating	
e.) Stack Number: 16	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.0		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.)		b.)	c.)	d.)	**e.)**
Pollutant	Pollutant Description	Estimation Method	Emission Factor	Overall Controll Efficiency	**Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	4.9	0	