Facility General Information

General facility information to review and update (please use red or blue ink to update).

Section 1: Facility Identifactio

a.) County Code:	157	**b.) Plant ID:**	00050
c.) Facility Name:	SUBARU-ISUZU		

Section 2: Physical Address:

a.) Source Address:	5500 SR 38 EAST
b.) Source City and Zip Code:	LAFAYETTE, 47903

Section 3: Mailing Address:

a.) Corporate Name:	
b.) Mailing Address:	
c.) Mailing City, State, Zip Code:	,

Section 4: Source Location

a.)	**UTM Vertical:**	4470.3	**UTM Horizontal:**	517.1
b.)	**Latitude:**	402305	**Longitude:**	864755

Section 5: Industrial Classificatio

a.) Primary NAICS Code:	336111	Automobile Manufacturing
b.) Primary SIC Code:	3711	Motor Vehicles and Passenger Car Bodies

Section 6: Contact Informatio

a.) Emissions Contact Official and Title:	MARK SIWEIC,
b.) Emissions Contact Phone Number:	(765) 449-6291
c.) Emissions Contact Fax Number:	(765) 449-6952
d.) Emissions Contact E-Mail Address:	
e.) Year of Inventory:	2002
f.) Date Updated	
g.) Signature:	

Stack Parameters

Stack Information to Review and Update (please use red or blue ink to update). Use a blank form to add stacks.

Section 7: Stack Information

a.) ID #	b.) Description	c.) Height (ft)	d.) Diameter (ft)	e.) Flow (acfm)	f.) Temp (f)	g.) UTM Vertical or Latitude	h.) UTM Horizontal or
1	PRIME/ELECTRO DEPOSITION	55	1.8	984	140	402305	864755
2	PVC UNDERCOAT	74	6	0	227	402305	864755
3	TOPCOAT & TWOTONE	111	5	0	140	402305	864755
4	INTERMEDIATE COATING	107	5.5	0	70	402305	864755
5	BUMPER COATING	63	1	0	70	402305	864755
6	ANTICORROSION COATING	62	3	14714	70	402305	864755
7	WELDING	0	0	0	0	402305	864755
8	MISC SOLVENTS & ADHESIVES	0	0	0	70	402305	864755
9	COMBUSTION EQUIPMENT	75	2	0	0	402305	864755
10	TOUCHUP (PAINT & TRIM)	72	2	0	75	402305	864755
11	STORAGE TANKS	0	0	0	0	402305	864755

Abatement Equipment Information

Abatement equipment information to review and update (please use red or blue ink to update). Use a blank form to add abatement equipment.

Section 8: Abatement Equipment

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
1	021	DIRECT FLAME AFTERBURNER - 001, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	93

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
2	086	WATER CURTAIN - 003, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	90.01
PT	TOTAL PARTICULATE MATTER	90.01

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
3	021	DIRECT FLAME AFTERBURNER - 003, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.9

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
4	086	WATER CURTAIN - 004, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	90.01
PT	TOTAL PARTICULATE MATTER	90.01

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
5	021	DIRECT FLAME AFTERBURNER - 004, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.5

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
6	086	WATER CURTAIN - 005, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	90.01
PT	TOTAL PARTICULATE MATTER	90.01

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
7	021	DIRECT FLAME AFTERBURNER - 005, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
8	018	FABRIC FILTER - LOW TEMPERATUR - 006, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PT	TOTAL PARTICULATE MATTER	90.01
PM10	PARTICULATE MATTER 10	90.01

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
10	099	MISCELLANEOUS CONTROL DEVICES - 007, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	70
PT	TOTAL PARTICULATE MATTER	70

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
11	018	FABRIC FILTER - LOW TEMPERATUR - 002, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	90.01
PT	TOTAL PARTICULATE MATTER	90.01

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
12	018	FABRIC FILTER - LOW TEMPERATUR - 010, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
PM10	PARTICULATE MATTER 10	90.01
PT	TOTAL PARTICULATE MATTER	90.01

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
13	094	UNDERGROUND TANK - 011, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	99.999

a.) Abatement ID	b.) Equipment Code	c.) Abatement Equipment Description
14	096	VAPOR LOCK BALANCE RECOVERY SY - 011, 1

d.) Pollutant	Pollutant Description	e.) Abatement Efficiency
VOC	VOLATILE ORGANIC COMPOUNDS	90

Group/Process/Emissions Information

Please complete information for Groups, Processes and Emissions (please use red or blue ink to update). All highlighted items must be completed. Use a blank form to add groups, processes, and

Section 9: Group Information

a.) Group Number: 001	**b.) Description:** PRIME/ELECTRODEPOSITION			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: PRIME/ELECTRO DEPOSITION	
c.) Source Classification Code (SCC): 40201622	d.) Units: GALLONS PAINT USED	
e.) Stack Number: 1	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 38.7522		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 1	m.) Capture Efficiency: 73

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	0.155041	67.89	

Section 9: Group Information

a.) Group Number: 002	**b.) Description:** PVC UNDERCOAT			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: PVC UNDERCOAT		
c.) Source Classification Code (SCC): 40201622		d.) Units: GALLONS PAINT USED	
e.) Stack Number: 2		*f.) Process Rate (throughput):*	
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 25.2963			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 11	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	0.17528	90.009	
PT	TOTAL PARTICULATE MATTER	9	0.17528	90.009	
VOC	VOLATILE ORGANIC COMPOUNDS	9	.0509035	0	

Section 9: Group Information

a.) Group Number: 003	**b.) Description:** TOPCOAT & TWOTONE		
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: TOPCOAT & TWOTONE		
c.) Source Classification Code (SCC): 40201625		d.) Units: GALLONS PAINT USED	
e.) Stack Number: 3		*f.) Process Rate (throughput):*	
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 23.3486			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 2	m.) Capture Efficiency: 99.999	
k.) Abatement Equipment Order 2	l.) Abatement Equipment ID 3	m.) Capture Efficiency: 20.53	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	0.07049	90.009	
PT	TOTAL PARTICULATE MATTER	9	0.07049	90.009	
VOC	VOLATILE ORGANIC COMPOUNDS	9	3.786547	20.509	

Section 9: Group Information

a.) Group Number: 004	**b.) Description:** INTERMEDIATE COATING			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: INTERMEDIATE COATING	
c.) Source Classification Code (SCC): 40201623	d.) Units: GALLONS PAINT USED	
e.) Stack Number: 4	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 12.6019		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 4	m.) Capture Efficiency: 99.999
k.) Abatement Equipment Order 2	l.) Abatement Equipment ID 5	m.) Capture Efficiency: 38.6

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	0.04355	90.009	
PT	TOTAL PARTICULATE MATTER	9	0.04355	90.009	
VOC	VOLATILE ORGANIC COMPOUNDS	9	3.651772	38.407	

Section 9: Group Information

a.) Group Number: 005	**b.) Description:** BUMPER COATING			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: BUMPER COATING		
c.) Source Classification Code (SCC): 40201625		d.) Units: GALLONS PAINT USED	
e.) Stack Number: 5		*f.) Process Rate (throughput):*	
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 8.3941			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 6	m.) Capture Efficiency: 99.999	
k.) Abatement Equipment Order 2	l.) Abatement Equipment ID 7	m.) Capture Efficiency: 29.1	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	e.) Emissions (tons)
PM10	PARTICULATE MATTER 10	9	0.07355	90.009	
PT	TOTAL PARTICULATE MATTER	9	0.07355	90.009	
VOC	VOLATILE ORGANIC COMPOUNDS	9	4.15029	28.809	

Section 9: Group Information

a.) Group Number: 006	**b.) Description:** ANTICORROSION COATING		
Operating Schedule: **c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)			
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**

Section 10. Process Information

a.) Process Number: 1	b.) Description: ANTICORROSION COATING		
c.) Source Classification Code (SCC): 40201621		d.) Units: GALLONS PAINT USED	
e.) Stack Number: 6		*f.) Process Rate (throughput):*	
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 8.18721			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 8	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	e.) Emissions (tons)
PM10	PARTICULATE MATTER 10	9	0.4522	90.009	
PT	TOTAL PARTICULATE MATTER	9	0.4522	90.009	
VOC	VOLATILE ORGANIC COMPOUNDS	9	.4972114	0	

Section 9: Group Information

a.) Group Number: 007	**b.) Description:** WELDING			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: WELDING	
c.) Source Classification Code (SCC): 39999994	d.) Units: Pounds Material Processed	
e.) Stack Number: 7	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 45.3493		
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 10	m.) Capture Efficiency: 99.999

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	0.0052	69.999	
PT	TOTAL PARTICULATE MATTER	9	0.0052	69.999	

Section 9: Group Information

a.) Group Number: 008	**b.) Description:** MISC SOLVENTS & ADHESIVES			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: MISC SOLVENTS & ADHESIVES	
c.) Source Classification Code (SCC): 40299997	d.) Units: 1000 Each Unit Produced	
e.) Stack Number: 8	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.021257		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	2		0	
PT	TOTAL PARTICULATE MATTER	2		0	
VOC	VOLATILE ORGANIC COMPOUNDS	9	540.3351	0	

Section 9: Group Information

a.) Group Number: 009	**b.) Description:** COMBUSTION EQUIPMENT			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: COMBUSTION EQUIPMENT	
c.) Source Classification Code (SCC): 10300602	d.) Units: Million Cubic Feet Natural Gas Burned	
e.) Stack Number: 9	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.091059		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
CO	CARBON MONOXIDE	9	4.001194	0	
NO2	NITROGEN DIOXIDE	9	00.001526	0	
PM10	PARTICULATE MATTER 10	9	7.609344	0	
PT	TOTAL PARTICULATE MATTER	9	7.609344	0	
SO2	SULFUR DIOXIDE	9	0.596811	0	
VOC	VOLATILE ORGANIC COMPOUNDS	9	5.490923	0	

Section 9: Group Information

a.) Group Number: 010	**b.) Description:** TOUCHUP (PAINT & TRIM)			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: TOUCHUP (PAINT & TRIM)		
c.) Source Classification Code (SCC): 40201625	d.) Units: GALLONS PAINT USED		
e.) Stack Number: 10	*f.) Process Rate (throughput):*		
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 0.0025			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 12	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
PM10	PARTICULATE MATTER 10	9	1.848739	90.009	
PT	TOTAL PARTICULATE MATTER	9	1.848739	90.009	
VOC	VOLATILE ORGANIC COMPOUNDS	9	3.605228	0	

Section 9: Group Information

a.) Group Number: 011	**b.) Description:** STORAGE TANKS			
Operating Schedule:	**c.) Hours/Day:**	**d.) Days/Week:**	**e.) Weeks/Year:**	**f.) Hours/Year:**
Quarterly Operating Schedule (Must equal 100%)				
g.) 1st Qtr (%):	**h.) 2nd Qtr (%):**	**i.) 3rd Qtr (%):**	**j.) 4th Qtr (%):**	

Section 10. Process Information

a.) Process Number: 1	b.) Description: GASOLINE TANK		
c.) Source Classification Code (SCC): 40400402	d.) Units: 1000 Gallons Gasoline Throughput		
e.) Stack Number: 11	*f.) Process Rate (throughput):*		
g.) Ash Content(%):	*h.) Sulfur Content(%):*	*i.) Heat Ratio:*	
j.) Maximum Operation Rate (Units/Hour): 0.155936			
k.) Abatement Equipment Order 1	l.) Abatement Equipment ID 13	m.) Capture Efficiency: 90	
k.) Abatement Equipment Order 2	l.) Abatement Equipment ID 14	m.) Capture Efficiency: 99.999	

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	3.3675	90	

Section 10. Process Information

a.) Process Number: 2	b.) Description: PURGE THINNER TANK	
c.) Source Classification Code (SCC): 40400498	d.) Units: 1000 Gallons Liquid Throughput	
e.) Stack Number: 11	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 0.02888		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1.26482	0	

Section 10. Process Information

a.) Process Number: 3	b.) Description: WASTE THINNER TANK - WORK	
c.) Source Classification Code (SCC): 40400498	d.) Units: 1000 Gallons Liquid Throughput	
e.) Stack Number: 11	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): .013547		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1.916	0	

Section 10. Process Information

a.) Process Number: 4	b.) Description: WASTE THINNER TANK-BREATH	
c.) Source Classification Code (SCC): 40400497	d.) Units: 1000 Gallons Storage Capacity	
e.) Stack Number: 11	***f.) Process Rate (throughput):***	
g.) Ash Content(%):	***h.) Sulfur Content(%):***	***i.) Heat Ratio:***
j.) Maximum Operation Rate (Units/Hour): 4.5		
k.) Abatement Equipment Order	l.) Abatement Equipment ID	m.) Capture Efficiency:

Section 11: Emissions Information

a.) Pollutant	Pollutant Description	b.) Estimation Method	c.) Emission Factor	d.) Overall Controll Efficiency	**e.) Emissions (tons)**
VOC	VOLATILE ORGANIC COMPOUNDS	9	1.1261	0	