

Hr 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 24	0.76	Sept. 22	2.28	Feb. 23	0.90	Aug. 25	3.46
Apr. 22	.81	Oct. 28	1.35	Mar. 24	.96	Sept. 22	3.56
May 26	1.11	Nov. 24	1.10	Apr. 27	1.00	Oct. 27	2.06
June 23	.86	Dec. 23	.91	May 26	.68	Nov. 24	.76
July 28	2.04	1957		June 23	1.72		
Aug. 25	2.45	Jan. 27	.91	July 28	2.46		

Hr 3. State of Indiana. Harrison County State Forest. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 2, T. 4 S., R. 2 E. Dug unused well in rock, diam 60 in, depth 25 ft, cribbed with stone. On July 18, 1960, a 10-in corrugated pipe was set to a depth of 25 ft and well backfilled with 2-in crushed rock. Lsd, about 840 ft above msl. MP, top of pipe on north side, 1.99 ft above lsd. Highest water level 0.61 below lsd, Feb. 27, 1962; lowest 10.64 below lsd, Jan. 5, 1961. Records available: 1938-62.

(daily highest water levels from recorder graph, July 18, 1960-Dec. 31, 1962)

1955		1957		1959		1962	
Jan. 22	2.85	Jan. 27	2.96	Jan. 26	2.91	Jan. 25	10.47
Feb. 26	2.52	Feb. 23	3.13	Feb. 23	2.66	Feb. 20	6.91
Mar. 26	2.94	Mar. 24	2.96	Mar. 23	3.06	Apr. 25	1.03
Apr. 23	2.39	Apr. 27	2.96	Apr. 27	3.41	May 25	2.92
May 28	3.29	May 26	2.26	May 27	3.06	June 25	7.82
June 25	4.86	June 23	3.11	June 22	5.21	July 25	5.74
July 23	6.05	July 28	5.36	July 27	6.81	Aug. 25	8.33
Aug. 27	6.99	Aug. 25	6.56	Aug. 25	7.36	Sept. 25	9.17
Sept. 24	7.52	Sept. 22	7.36	Sept. 28	7.86	Oct. 25	9.67
Oct. 22	7.60	Oct. 27	7.86	Oct. 26	8.06	Nov. 25	10.06
Nov. 26	7.08	Nov. 24	3.01	Nov. 23	8.26	Dec. 25	3.17
Dec. 24	3.66	Dec. 22	2.76	Dec. 21	8.19	1962	
1956		1958		1960		Jan. 25	2.18
Jan. 21	4.31	Jan. 26	2.86	Jan. 25	3.15	Feb. 25	2.04
Feb. 25	2.41	Feb. 23	3.71	Feb. 23	3.01	Mar. 25	2.23
Mar. 24	2.94	Mar. 23	3.01	Mar. 28	3.11	Apr. 25	2.91
Apr. 22	3.12	Apr. 27	2.16	Apr. 25	3.36	May 25	e6.69
May 26	4.10	May 25	4.91	June 27	3.11	June 25	8.82
June 23	5.10	June 29	6.71	July 25	6.60	July 25	9.33
July 28	6.70	July 27	3.26	Aug. 25	8.11	Aug. 25	9.59
Aug. 25	7.26	Aug. 24	5.86	Sept. 25	8.85	Sept. 25	9.75
Sept. 22	7.77	Sept. 21	6.81	Oct. 25	9.30	Oct. 25	9.84
Oct. 28	8.15	Oct. 27	7.36	Nov. 25	9.64	Nov. 25	9.98
Nov. 24	8.30	Nov. 23	7.71	Dec. 25	e10.00	Dec. 24	10.17
Dec. 23	8.21	Dec. 21	8.11	1961			

Hendricks County

Hd 1. Brocia A. and Anna M. Smith. Belleville. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 14, T. 14 N., R. 1 W. Drilled unused artesian well in glacial drift, diam 4 in, depth 46 ft. Lsd, about 842 ft above msl. MP, top of casing, 0.30 ft above lsd. Highest water level 0.20 above lsd, Apr. 25, 1961; lowest 9.86 below lsd, Dec. 27, 1954. Records available: 1944-61. Discontinued.

1955		1957		1959		1962	
Jan. 24	6.07	Mar. 28	2.51	June 27	4.30	Sept. 26	6.67
Feb. 28	5.30	Apr. 25	.83	July 25	4.85	Oct. 24	3.52
		May 23	3.17	Aug. 22	5.88	Nov. 22	.90

Hd 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Dec. 26	3.13	Apr. 24	0.47	Sept. 23	4.00	Jan. 26	2.02
1956		May 28	+0.06	Oct. 27	5.00	Feb. 23	2.03
Jan. 23	4.38	June 24	1.61	Nov. 24	3.28	Mar. 22	2.70
Feb. 27	.13	July 25	2.30	Dec. 22	3.60	Apr. 26	2.60
Mar. 26	.62	Aug. 21	4.35	1959		May 17	3.21
Apr. 23	1.47	Sept. 24	5.65	Jan. 27	3.99	June 28	1.07
May 28	2.64	Oct. 28	5.65	Feb. 23	1.68	July 26	3.47
June 25	2.81	Nov. 25	3.88	Mar. 24	1.14	Aug. 2	3.89
July 23	3.69	Dec. 26	1.54	Apr. 22	1.88	Nov. 28	9.04
Aug. 27	5.60	1958		May 26	1.93	1961	
Sept. 24	6.40	Jan. 23	3.18	June 23	3.12	Jan. 26	7.04
Oct. 22	7.26	Feb. 25	4.40	July 28	4.86	Feb. 27	5.56
Nov. 26	7.68	Mar. 26	3.98	Aug. 11	5.13	Mar. 27	.35
Dec. 27	6.26	Apr. 23	3.95	Sept. 28	6.20	Apr. 25	+2.00
1957		May 26	3.15	Oct. 27	5.56	May 23	1.63
Jan. 28	4.12	June 24	2.53	Nov. 24	3.76	June 27	4.32
Feb. 25	2.67	July 24	3.40	Dec. 22	2.53	July 26	5.60
Mar. 25	2.80	Aug. 28	3.59	1960		Aug. 15	5.30

Hd 2. John C. Gambold. Coatesville. SE $\frac{1}{2}$ SW $\frac{1}{2}$ sec. 29, T. 15 N., R. 2 W. Drilled unused well, diam 4 in, depth 48 ft. Lsd, about 902 ft above msl. MP, top edge of 4-in coupling, 0.30 ft above lsd. Highest water level 14.59 below lsd, Apr. 6, 1957; lowest 25.66 below lsd, Nov. 26, 1953. Records available: 1948, 1950-59, 1962.

(daily highest water levels from recorder graph, Apr. 16-Dec. 31, 1962)

1955		June 23	19.18	Dec. 28	15.55	May 23	18.60
Jan. 30	19.72	July 28	20.59	1958		June 27	19.80
Feb. 27	20.60	Aug. 25	21.50	Jan. 25	18.40	July 25	20.89
Mar. 23	18.09	Sept. 22	22.24	Feb. 22	20.54	Aug. 22	21.16
Apr. 23	15.95	Oct. 27	23.10	Mar. 22	19.06	Sept. 26	22.16
May 28	19.22	Nov. 27	23.21	Apr. 26	19.04	Oct. 24	22.03
June 27	20.09	Dec. 22	21.52	May 24	18.47	1962	
July 23	20.79	1957		June 28	17.75	Apr. 24	18.75
Aug. 27	22.35	Jan. 26	20.34	July 26	19.00	May 31	19.42
Sept. 25	23.43	Feb. 23	18.70	Aug. 23	19.01	June 29	h20.51
Oct. 22	21.96	Mar. 23	18.64	Sept. 27	20.03	July 25	19.14
Nov. 26	20.48	Apr. 27	15.34	Oct. 25	20.80	Aug. 25	20.85
Dec. 24	20.05	May 25	13.56	Nov. 22	20.51	Sept. 25	19.40
1956		June 27	16.46	Dec. 27	20.22	Oct. 25	20.65
Jan. 28	21.13	July 27	19.08	1959		Nov. 25	20.80
Feb. 25	17.40	Aug. 24	19.77	Jan. 24	19.93	Dec. 25	21.15
Mar. 24	17.38	Sept. 28	20.91	Feb. 28	17.32		
Apr. 28	18.14	Oct. 26	20.81	Mar. 28	17.39		
May 26	19.30	Nov. 23	18.37	Apr. 25	18.03		

Hd 3. John C. and Grace F. Gambold. Coatesville. SE $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 31, T. 15 N., R. 2 W. Dug unused well, diam 36 in, depth 17 ft, cribbed with brick. Lsd, about 884 ft above msl. MP, top course of brick on northeast side, 0.10 ft above lsd. Highest water level 0.04 below lsd, Jan. 26, 1952, Feb. 25, 1956; lowest 14.56 below lsd, Sept. 10, 1955. Records available: 1948, 1950-59. Discontinued.

Hd 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Mar. 24	2.44	June 27	3.95	Sept. 27	5.30
Jan. 30	9.25	Apr. 28	.50	July 27	5.04	Oct. 25	5.74
Feb. 27	5.07	May 26	4.65	Aug. 24	5.25	Nov. 22	4.09
Mar. 23	1.62	June 23	.96	Sept. 28	6.75	Dec. 27	4.79
Apr. 23	2.11	July 28	5.93	Oct. 26	4.85	1959	
May 28	4.22	Aug. 25	7.16	Nov. 23	2.36	Jan. 24	2.09
June 27	5.48	Sept. 22	7.81	Dec. 28	1.85	Feb. 28	2.50
July 23	6.25	Oct. 27	8.67	1958		Mar. 28	3.41
Aug. 27	7.90	Nov. 24	9.12	Jan. 25	2.12	Apr. 25	3.33
Sept. 25	13.80	Dec. 22	5.28	Feb. 22	4.35	May 23	3.59
Oct. 22	11.77	1957		Mar. 22	4.46	June 27	4.97
Nov. 26	3.09	Jan. 26	1.89	Apr. 26	1.98	July 25	5.94
Dec. 24	4.08	Feb. 23	3.18	May 24	3.57	Aug. 22	6.23
1956		Mar. 23	2.87	June 28	3.21	Sept. 26	7.79
Jan. 28	4.83	Apr. 27	2.84	July 26	4.58	Oct. 24	5.15
Feb. 25	.04	May 25	1.50	Aug. 23	4.85		

Henry County

Hy 2. Gilbert M. Casey. Kennard, NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 17 N., R. 9 E. Driven unused well, diam 1½ in, depth 40 ft. Lsd, about 1,055 ft above msl. MP, top of pitcher pump, 4.00 ft above lsd. Highest water level 7.05 below lsd, June 16, 1957; lowest 19.98 below lsd, Jan. 8, 1961. Records available: 1946-62.

1955		1957		1959		1961	
Jan. 23	15.20	Jan. 20	17.36	Jan. 25	12.67	Jan. 15	18.89
Feb. 27	14.70	Feb. 25	15.48	Feb. 22	12.13	Feb. 26	17.85
Mar. 27	13.17	Mar. 24	15.14	Mar. 22	11.70	Mar. 26	12.56
Apr. 24	13.78	Apr. 28	13.05	Apr. 26	12.05	Apr. 23	12.27
May 22	14.30	May 26	9.00	May 24	12.50	May 28	13.58
June 26	15.10	June 23	8.90	June 21	13.62	June 25	13.40
July 24	15.90	July 28	13.30	July 26	15.17	July 30	15.28
Aug. 28	17.90	Aug. 25	15.23	Aug. 23	16.40	Aug. 27	16.16
Sept. 25	18.05	Sept. 22	15.80	Sept. 27	17.15	Sept. 10	16.68
Oct. 23	14.10	Oct. 27	16.37	Oct. 25	17.08	Oct. 22	17.60
Nov. 27	13.20	Nov. 24	14.24	Nov. 22	15.69	Nov. 26	17.87
Dec. 25	13.88	Dec. 22	13.50	Dec. 27	14.22	Dec. 24	17.13
1956		1958		1960		1962	
Jan. 22	15.14	Jan. 26	13.47	Jan. 24	13.90	Jan. 28	14.61
Feb. 26	12.50	Feb. 23	14.41	Feb. 28	13.48	Feb. 25	14.98
Mar. 25	12.22	Mar. 23	14.69	Mar. 27	14.16	Mar. 25	13.00
Apr. 22	13.45	Apr. 27	13.75	Apr. 24	13.77	Apr. 22	14.30
May 27	14.16	May 25	13.39	May 22	14.27	May 27	14.72
June 24	14.20	June 29	11.77	June 26	13.59	June 24	14.82
July 22	15.10	July 27	11.77	July 24	14.37	July 22	14.57
Aug. 26	16.53	Aug. 24	12.90	Aug. 28	15.74	Aug. 19	15.80
Sept. 23	17.52	Sept. 28	14.27	Sept. 25	16.76	Sept. 23	16.86
Oct. 28	18.59	Oct. 19	14.85	Oct. 23	17.59	Oct. 28	17.15
Nov. 26	19.20	Nov. 23	13.68	Nov. 27	18.21	Nov. 25	17.30
Dec. 23	18.71	Dec. 28	14.02	Dec. 25	18.71	Dec. 23	17.47

Howard County

Ho 4. Howard L. and Earl M. Shenk. Kokomo. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 24, T. 24 N., R. 4 E. Dug unused water-table well in till, diam 42 in, depth 19 ft. On Sept. 17, 1962, an 8-in corrugated pipe was set to a depth of 19 ft and well backfilled with 2-in crushed rock. Lsd, about 835 ft above msl. MP, south edge of 8-in pipe, 3.60 ft above lsd. Highest water level 0.96 below lsd, Apr. 10, 1948; lowest dry, Jan. 30-July 3, July 17, Sept. 4, 1954-Jan. 1, 1955. Records available: 1945-62.

(daily highest water levels from recorder graph, Sept. 17-Dec. 31, 1962)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		1957		1959		1961	
Jan. 22	13.54	Jan. 26	15.22	Jan. 23	5.19	Jan. 27	11.77
Feb. 26	10.05	Feb. 23	12.12	Feb. 27	4.72	Feb. 24	10.47
Mar. 26	4.81	Mar. 23	7.57	Mar. 27	3.27	Mar. 24	1.80
Apr. 23	4.64	Apr. 26	2.00	Apr. 24	3.06	Apr. 28	1.11
May 25	6.24	May 24	3.15	May 22	3.70	May 26	3.47
June 25	6.57	June 25	5.31	June 26	6.42	June 23	5.40
July 23	5.70	July 26	5.11	July 24	8.02	July 28	7.01
Aug. 27	7.17	Aug. 23	7.33	Aug. 28	9.27	Aug. 25	7.59
Sept. 24	10.70	Sept. 27	9.11	Sept. 25	10.40	Sept. 22	8.63
Oct. 22	6.63	Oct. 25	10.20	Oct. 23	11.30	Oct. 28	10.83
Nov. 26	3.39	Nov. 22	10.03	Nov. 27	12.52	Nov. 25	8.80
Dec. 24	5.25	Dec. 27	1.98	Dec. 25	12.68	Dec. 23	7.74
1956		1958		1960		1962	
Jan. 28	7.70	Jan. 24	5.33	Jan. 22	7.22	Jan. 27	4.06
Feb. 25	4.32	Feb. 28	7.28	Feb. 26	4.53	Feb. 24	5.82
Mar. 24	2.80	Mar. 28	7.27	Mar. 25	6.47	Mar. 24	1.80
Apr. 28	5.67	Apr. 25	5.64	Apr. 22	3.62	Apr. 28	5.10
May 26	6.64	May 23	7.38	May 27	4.66	May 26	6.79
June 23	6.69	June 27	1.82	June 24	6.25	June 23	7.20
July 28	8.03	July 25	3.61	July 24	6.80	July 28	3.95
Aug. 25	9.06	Aug. 22	3.43	Aug. 26	7.71	Aug. 11	4.55
Sept. 22	10.43	Sept. 26	7.02	Sept. 23	8.72	Sept. 26	9.94
Oct. 27	12.20	Oct. 24	8.65	Oct. 28	9.79	Oct. 25	11.94
Nov. 24	13.39	Nov. 28	8.78	Nov. 25	10.65	Nov. 25	12.86
Dec. 22	14.30	Dec. 26	7.36	Dec. 23	11.20	Dec. 25	13.71

Huntington County

Hu 1. S. W. Schell. Huntington. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 12, T. 27 N., R. 8 E. Dug unused well, diam 36 in, depth 42 ft, cribbed with brick. Lsd, about 811 ft above msl. MP, south edge of pump hole in concrete cover, 0.40 ft above lsd. Highest water level flowing at lsd, Feb. 15, 1959; lowest 41.70 below lsd, Feb. 7, 1955. Records available: 1945-62.

1955		Aug. 28	29.20	Mar. 25	2.70	Nov. 25	36.40
Jan. 23	3.30	Sept. 25	41.70	Apr. 22	3.40	Dec. 23	37.60
Feb. 27	2.70	Oct. 23	40.70	May 27	3.60	1957	
Mar. 27	2.00	Nov. 27	7.00	June 24	6.50	Jan. 27	40.80
Apr. 24	2.70	Dec. 25	4.40	July 22	7.70	Feb. 24	18.50
May 22	4.90	1956		Aug. 26	29.10	Mar. 24	3.70
June 26	16.30	Jan. 22	3.60	Sept. 23	32.60	Apr. 28	2.20
July 24	6.70	Feb. 26	.00	Oct. 28	35.10	May 26	2.80

Hu 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
June 23	2.60	Nov. 23	3.80	Mar. 27	2.50	Aug. 27	4.30
July 28	5.10	Dec. 28	4.10	Apr. 24	2.30	Sept. 24	8.10
Aug. 25	10.40	1959		May 22	3.80	Oct. 22	6.80
Sept. 22	23.70	Jan. 25	3.70	June 26	4.40	Nov. 26	4.10
Oct. 27	7.80	Feb. 22	.80	July 23	5.90	Dec. 24	4.00
Nov. 24	5.30	Mar. 27	2.80	Aug. 27	21.70	1962	
Dec. 22	4.10	Apr. 26	.90	Sept. 24	32.70	Jan. 28	3.60
1958		May 24	4.60	Oct. 23	33.70	Feb. 25	2.30
Jan. 26	3.70	June 28	3.50	Nov. 27	35.00	Mar. 25	2.90
Feb. 23	3.00	July 26	7.20	Dec. 25	29.20	Apr. 22	4.10
Mar. 23	3.60	Aug. 22	15.20	1961		May 27	4.50
Apr. 27	3.60	Sept. 27	31.80	Jan. 22	22.60	June 24	5.20
May 25	4.20	Oct. 25	21.00	Feb. 26	10.00	July 22	10.30
June 22	2.30	Nov. 22	8.80	Mar. 26	2.40	Aug. 26	23.20
July 27	3.10	Dec. 27	4.00	Apr. 23	2.60	Sept. 23	26.50
Aug. 24	3.80	1960		May 28	5.40	Oct. 28	32.30
Sept. 28	10.80	Jan. 24	4.50	June 25	13.30	Nov. 25	35.70
Oct. 26	8.10	Feb. 28	3.70	July 9	20.10	Dec. 23	36.80

Jackson County

Jk 1. State of Indiana. Jackson County State Forest. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 19, T. 5 N., R. 5 E. Dug unused well, diam 36 in, depth 16.5 ft, cribbed with stone, lsd, about 680 ft above msl. MP, edge of hole in wood cover, 0.20 ft above lsd. Highest water level 1.20 below lsd, Apr. 15, 1939; lowest 16.71 below lsd, Nov. 7, 1949. Records available: 1936-62.

1955		1957		1959		1961	
Jan. 24	5.30	Jan. 28	5.40	Jan. 26	3.30	Jan. 24	6.50
Feb. 28	2.20	Feb. 25	5.50	Feb. 23	2.62	Feb. 27	6.04
Mar. 28	3.00	Mar. 25	5.43	Mar. 23	2.47	Apr. 24	3.80
Apr. 25	3.90	Apr. 22	4.82	Apr. 27	3.10	May 22	3.50
May 22	4.51	May 27	4.62	May 25	3.65	June 26	4.10
June 27	5.10	June 24	4.50	June 22	3.75	July 24	5.30
July 25	5.65	July 22	4.35	July 27	3.67	Aug. 28	6.30
Aug. 22	5.69	Aug. 26	4.41	Aug. 24	3.73	Sept. 25	6.90
Sept. 26	5.70	Sept. 27	4.50	Sept. 28	3.74	Oct. 23	7.10
Oct. 24	5.80	Oct. 21	5.40	Oct. 26	4.80	Nov. 27	6.70
Nov. 28	5.76	Nov. 25	5.77	Nov. 27	5.27	Dec. 26	6.00
Dec. 27	5.70	Dec. 23	5.92	Dec. 28	5.47	1962	
1956		1958		1960		1962	
Jan. 23	5.65	Jan. 23	6.30	Jan. 25	5.38	Jan. 22	5.00
Feb. 26	5.52	Feb. 24	6.68	Feb. 22	5.34	Feb. 26	3.10
Mar. 26	5.29	Mar. 24	6.25	Mar. 28	5.25	Mar. 26	3.60
Apr. 23	4.51	Apr. 28	4.50	Apr. 25	5.22	Apr. 23	4.10
May 28	4.42	May 26	4.53	May 23	4.82	May 28	4.80
June 26	4.39	June 23	4.75	June 27	5.10	June 25	5.40
July 23	4.47	July 28	4.42	July 25	4.90	July 23	6.40
Aug. 27	4.55	Aug. 25	5.50	Aug. 22	5.62	Aug. 27	7.40
Sept. 24	5.30	Sept. 22	5.19	Sept. 26	6.50	Sept. 24	7.40
Oct. 22	5.70	Oct. 27	5.45	Oct. 24	6.62	Oct. 22	7.70
Nov. 26	5.90	Nov. 25	5.45	Nov. 27	6.58	Nov. 26	7.20
Dec. 24	5.70	Dec. 22	5.17	Dec. 27	6.56	Dec. 24	7.00

Jk 2. Ralph Fish. Norman Station. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 6 N., R. 2 E.
 Drilled unused well in rock, diam 6 in, depth 93 ft. Lsd, about 884 ft above
 msl. MP, top of recorder platform at 1-in hole, 2.50 ft above lsd. Highest
 water level 9.97 below lsd, May 15, 1961; lowest 22.21 below lsd, Jan. 25,
 1954. Records available: 1944-62.

(daily highest water levels from recorder graph, May 23, 1960-Dec. 31, 1962)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		1957		Jan. 25	11.30	Jan. 30	h12.84
Jan. 24	18.26	Jan. 29	13.29	Feb. 22	11.10	Feb. 25	11.31
Feb. 28	15.70	Feb. 25	11.69	Mar. 22	10.70	Mar. 25	10.61
Mar. 28	14.13	Mar. 25	11.57	Apr. 26	11.10	Apr. 25	10.05
Apr. 25	12.50	Apr. 22	11.24	May 25	12.35	May 24	10.32
May 23	13.19	May 27	11.57	June 23	12.10	June 24	10.46
June 27	14.10	June 24	11.46	July 27	12.60	July 25	12.42
July 25	15.08	July 22	12.30	Aug. 23	13.60	Aug. 25	14.08
Aug. 22	16.12	Aug. 25	13.59	Sept. 27	14.90	Sept. 25	15.88
Sept. 25	18.16	Sept. 23	15.30	Oct. 28	14.90	Oct. 25	17.22
Oct. 24	18.32	Oct. 28	17.37	Nov. 25	13.20	Nov. 25	18.55
Nov. 28	16.20	Nov. 25	15.28	Dec. 23	12.80	Dec. 21	18.22
Dec. 26	14.84	Dec. 23	12.56	1960		1962	
1956		1958		Jan. 29	11.20	Jan. 25	13.29
Jan. 23	14.54	Jan. 27	11.64	Feb. 26	11.20	Feb. 8	12.43
Feb. 27	12.15	Feb. 24	12.50	Mar. 26	11.10	Mar. 25	10.84
Mar. 26	12.84	Mar. 24	12.09	Apr. 23	11.6	Apr. 25	10.96
Apr. 23	11.26	Apr. 28	11.38	May 25	12.12	May 25	11.90
May 28	11.83	May 26	10.52	June 25	11.48	June 25	11.89
June 25	12.26	June 23	10.50	July 24	10.92	July 25	12.36
July 23	12.40	July 27	10.30	Aug. 25	12.31	Aug. 25	14.14
Aug. 27	13.90	Aug. 25	11.10	Sept. 24	14.14	Sept. 25	14.23
Sept. 24	14.31	Sept. 15	12.03	Oct. 25	15.77	Oct. 25	15.77
Oct. 22	15.31	Nov. 23	11.30	Nov. 25	17.21	Nov. 25	16.43
Nov. 26	16.20	Dec. 28	11.70	Dec. 25	15.41	Dec. 25	16.54
Dec. 24	15.12	1959		1961			

Jasper County

Jp 3. Harry E. Brunton. Parr. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 30 N., R. 7 W.
 Drilled unused well in gravel, diam 3 in, depth 31 ft. Lsd, about 690 ft
 above msl. MP, top of cover, 1.00 ft above lsd. Highest water level 6.44
 below lsd, June 16, 1952; lowest 12.15 below lsd, Nov. 14, 1949. Records
 available: 1948-59. Discontinued.

1955	1956	1957	1958
Jan. 24	10.01	Jan. 23	9.92
Jan. 24	10.01	Jan. 23	9.92
Feb. 28	9.26	Feb. 27	7.71
Feb. 28	9.26	Feb. 27	7.71
Mar. 28	9.06	Mar. 26	9.11
Mar. 28	9.06	Mar. 26	9.11
Apr. 25	8.87	Apr. 23	9.51
Apr. 25	8.87	Apr. 23	9.51
May 23	8.92	May 28	9.45
May 23	8.92	May 28	9.45
June 27	8.76	June 25	10.26
June 27	8.76	June 25	10.26
July 25	9.14	July 24	9.87
July 25	9.14	July 24	9.87
Aug. 22	9.17	Aug. 27	9.86
Aug. 22	9.17	Aug. 27	9.86
Sept. 26	10.00	Sept. 24	10.18
Sept. 26	10.00	Sept. 24	10.18
Oct. 24	9.93	Oct. 22	10.61
Oct. 24	9.93	Oct. 22	10.61
Nov. 27	10.15	Nov. 26	10.83
Nov. 27	10.15	Nov. 26	10.83
Dec. 27	9.94	Dec. 24	10.81
Dec. 27	9.94	Dec. 24	10.81
		Jan. 28	11.02
		Jan. 28	11.02
		Feb. 25	9.92
		Feb. 25	9.92
		Mar. 25	9.62
		Mar. 25	9.62
		Apr. 22	9.42
		Apr. 22	9.42
		May 27	7.80
		May 27	7.80
		June 24	7.50
		June 24	7.50
		July 22	7.15
		July 22	7.15
		Aug. 26	7.61
		Aug. 26	7.61
		Sept. 23	8.71
		Sept. 23	8.71
		Oct. 28	8.73
		Oct. 28	8.73
		Nov. 25	8.99
		Nov. 25	8.99
		Dec. 23	8.87
		Dec. 23	8.87
		Jan. 27	7.10
		Jan. 27	7.10
		Feb. 24	8.09
		Feb. 24	8.09
		Mar. 24	7.37
		Mar. 24	7.37
		Apr. 28	7.31
		Apr. 28	7.31
		May 26	8.22
		May 26	8.22
		June 23	7.22
		June 23	7.22
		July 28	7.31
		July 28	7.31
		Aug. 25	7.11
		Aug. 25	7.11
		Sept. 22	7.70
		Sept. 22	7.70
		Oct. 27	7.91
		Oct. 27	7.91
		Nov. 24	8.33
		Nov. 24	8.33
		Dec. 22	8.02
		Dec. 22	8.02

Jp 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1959		Mar. 23	7.89	June 22	8.22	Sept. 28	9.22
Jan. 26	8.42	Apr. 27	8.10	July 27	8.39	Oct. 26	9.15
Feb. 23	8.12	May 25	7.71	Aug. 24	8.69	Nov. 23	9.47

Jp 4. Wm. Gehring, Inc. Newland. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 17, T. 30 N., R. 5 W. Drilled unused artesian well in limestone, diam 16 in, depth 300 ft. Lsd, about 680 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 0.95 below lsd, Apr. 8, 1962; lowest 17.50h below lsd, July 8, 1959. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956				1960			
Apr. 25		2.20		Jan. 19	2.05	Aug. 25	5.95
July 24	e9.00	8.20		Feb. 25	1.35	Sept. 25	4.00
Aug. 10	16.60	2.20		Mar. 25	2.05	Oct. 25	2.95
Sept. 24	7.35	1.65		Apr. 25	1.30	Nov. 25	2.45
Oct. 25	16.15	2.50		May 25	2.40	Dec. 25	1.95
Nov. 18	6.80	3.20		June 25	e2.50	1962	
Dec. 25	4.55	3.20		July 25	9.90	Jan. 8	1.70
1957				Aug. 25	7.50	Feb. 25	1.80
Jan. 25	4.30	2.90		Sept. 25	6.55	Mar. 24	1.65
Feb. 25	3.60	3.05		Oct. 25	5.65	Apr. 25	5.15
Mar. 25	3.40	1959		Nov. 25	4.45	May 25	3.30
Apr. 22	2.30	Jan. 25	2.75	Dec. 25	4.05	June 27	h7.28
June 29	3.30	Feb. 25	e2.05	1961			
July 25	5.25	Mar. 25	1.85	Jan. 20	4.00	Aug. 25	9.35
Aug. 25	6.20	Apr. 25	1.45	Feb. 25	3.50	Sept. 25	5.80
Sept. 11	6.80	May 25	1.75	Mar. 25	2.55	Oct. 25	4.50
Oct. 14	4.55	June 14	7.85	Apr. 25	1.85	Nov. 25	4.25
Nov. 22	2.50	Aug. 25	8.10	May 25	5.85	Dec. 25	3.80
Dec. 3	2.10	Sept. 24	5.30	June 25	3.95		
1958				July 25	h7.95		
Mar. 25	2.15	Oct. 25	3.85				
		Nov. 25	2.75				
		Dec. 25	2.40				

Jp 5. St. Joseph's College. Collegeville. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 36, T. 29 N., R. 7 W. Drilled used water-table well in sand and gravel, diam 16 to 10 in, depth 47 ft. Lsd, about 665 ft above msl. MP, top of 10-in casing, 1.75 ft above lsd. Highest water level 10.35 below lsd, May 11, 1956; lowest 12.60 below lsd, Oct. 29, 1955. Records available: 1955-56. Discontinued.

1955		Oct. 24	12.60	1956		May 11	10.35
Sept. 20	11.10	Nov. 30	12.40	Mar. 22	11.75		

Jp 6. Crystal Dairy. Remington. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 27 N., R. 7 W. Drilled unused artesian well in limestone, diam 10 in, depth 132 ft. Lsd, about 735 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 28.00 below lsd, Feb. 12, 1959; lowest 36.92 below lsd, Oct. 8, 1956. Records available: 1956-59. Discontinued.

(daily highest water levels from recorder graph)

1956		Feb. 26	29.90	July 8	30.20	Mar. 20	29.45
Sept. 26	29.91	Mar. 12	30.40	Aug. 25	30.25	Apr. 25	29.65
Oct. 31	32.75	Apr. 25	31.00	Sept. 15	30.35	May 29	31.00
Nov. 18	31.65	May 21	30.75	Oct. 6	30.70	June 23	30.00
1957				June 15	30.70	1958	
						July 25	29.15

Jp 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 25	28.65	Dec. 25	29.30	Mar. 25	29.25	July 25	31.30
Sept. 25	28.50	1959		Apr. 25	29.05	Aug. 25	e31.90
Oct. 25	28.60	Jan. 25	28.90	May 25	29.55	Sept. 3	31.90
Nov. 25	29.00	Feb. 25	28.85	June 17	29.70		

Jefferson County

Jf 2. State of Indiana. Clifty Falls State Park. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 4 N., R. 10 E. Drilled unused artesian well in limestone, diam 6 in, depth 69 ft. Lsd, about 810 ft above msl. MP, edge of 1-in hole in steel plate cover, 0.51 ft above lsd. Highest water level 15.33 below lsd, Apr. 1, 1946; lowest 32.5 below lsd, Aug. 16, 1943. Records available: 1937-62.

1955		Jan. 22	26.36	Jan. 26	25.94	Jan. 24	26.69
Jan. 5	28.51	Feb. 26	26.09	Feb. 23	25.29	Feb. 21	26.39
Feb. 22	27.60	Mar. 26	26.29	Mar. 23	24.44	Mar. 28	25.54
Mar. 23	27.52	Apr. 22	27.04	Apr. 27	25.52	Apr. 25	25.39
Apr. 19	27.06	May 27	25.75	May 25	25.53	May 23	25.49
May 24	26.98	June 24	25.83	June 22	25.79	June 27	25.49
June 28	27.09	July 22	26.07	July 28	26.15	July 18	25.59
Aug. 29	27.58	Aug. 26	26.69	Aug. 24	26.39	Sept. 26	26.13
Sept. 26	28.13	Sept. 23	26.99	Sept. 27	26.44	Oct. 24	26.24
Oct. 24	27.85	Oct. 28	26.49	Oct. 25	26.54	Nov. 21	26.27
Nov. 28	27.36	Nov. 25	26.71	Nov. 22	26.59	Dec. 26	25.64
Dec. 19	27.60	Dec. 23	26.39	Dec. 23	26.09	1962	
1956		1958		1960		Jan. 23	25.62
Jan. 23	27.36	Jan. 27	26.04	Jan. 24	25.99	Feb. 28	24.53
Feb. 22	26.73	Feb. 24	25.78	Feb. 28	25.74	Mar. 27	25.14
Mar. 28	26.32	Mar. 25	25.89	Mar. 27	25.59	Apr. 24	25.17
Apr. 25	26.47	Apr. 28	25.54	Apr. 25	25.54	May 22	25.03
May 23	26.52	May 26	25.59	May 23	25.59	June 26	25.14
June 26	26.44	June 23	25.64	June 27	25.59	July 24	25.50
July 28	26.58	July 28	25.70	July 25	25.64	Aug. 28	25.85
Aug. 28	26.84	Aug. 25	25.59	Aug. 22	25.51	Sept. 25	25.81
Sept. 25	27.14	Sept. 22	25.91	Sept. 26	26.29	Oct. 23	25.95
Oct. 23	27.10	Oct. 27	26.19	Oct. 24	26.44	Nov. 27	25.67
Nov. 27	27.24	Nov. 23	26.08	Nov. 22	26.54	Dec. 26	25.83
Dec. 25	26.99	Dec. 28	25.99	Dec. 26	26.54		
1957		1959		1961			

Jf 4. State of Indiana. Clifty Falls State Park. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 20, T. 4 N., R. 10 E. Drilled unused well in rock, diam 6 in, depth 74.55 ft. Lsd, about 820 ft above msl. MP, 1-in hole in recorder platform, 1.97 ft above lsd. Highest water level 21.95e below lsd, Feb. 17, 1959; lowest 42.35 below lsd, Feb. 8, 10, 1961. Records available: 1955-62.

(daily highest water levels from recorder graph)

1955		Jan. 25	36.05	July 24	33.40	1957	
Sept. 25	38.40	Feb. 25	22.95	Aug. 25	33.40	Jan. 29	h25.60
Oct. 25	37.40	Mar. 25	22.95	Sept. 25	34.90	Feb. 25	24.90
Nov. 25	24.85	Apr. 25	h26.38	Oct. 25	33.80	Mar. 25	24.80
Dec. 25	30.40	May 25	31.10	Nov. 27	h37.45	Apr. 25	23.60
1956		June 25	29.30	Dec. 25	28.00	May 27	h24.85

Jf 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
June 25	26.40	Nov. 25	37.00	Mar. 25	23.95	Aug. 25	36.65
July 25	31.00	Dec. 25	30.15	Apr. 25	29.15	Sept. 25	39.00
Aug. 26	37.55	1959		May 25	34.00	Oct. 25	40.45
Sept. 25	40.05	Jan. 25	23.80	June 25	25.10	Nov. 22	39.90
Oct. 28	h39.90	Feb. 25	23.70	July 25	h26.15	Dec. 25	25.25
Nov. 25	h27.39	Mar. 22	23.90	Aug. 25	36.50	1962	
Dec. 25	25.50	Apr. 25	28.15	Sept. 25	38.85	Jan. 25	23.90
1958		May 25	32.10	Oct. 25	40.20	Feb. 25	23.60
Jan. 27	25.50	June 25	36.60	Nov. 25	41.00	Mar. 25	23.45
Feb. 25	27.65	July 10	37.90	Dec. 25	41.70	Apr. 25	27.85
Mar. 25	24.60	Aug. 25	39.90	1961		May 25	26.85
Apr. 25	25.75	Sept. 25	40.75	Jan. 25	41.85	June 26	h27.30
May 25	26.60	Oct. 25	41.25	Feb. 25	28.10	July 25	34.45
June 25	33.30	Nov. 25	41.90	Mar. 25	24.15	Aug. 25	37.95
July 25	25.25	Dec. 25	30.60	Apr. 25	23.55	Sept. 25	39.00
Aug. 25	30.65	1960		May 25	26.25	Oct. 23	h39.10
Sept. 25	35.95	Jan. 25	24.90	June 25	24.75	Nov. 25	26.10
Oct. 25	37.80	Feb. 25	25.00	July 25	34.20	Dec. 25	35.50

Jennings County

Jn 1. State of Indiana. Muscatatuck State Park. SE $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 3, T. 6 N., R. 8 E. Dug unused well, diam 36 in, depth 19 ft, cribbed with stone. Lsd, about 733 ft above msl. MP, 1-in hole in top of recorder platform, 2.36 ft above lsd. Highest water level 0.15 below lsd, May 5, 1958; lowest 17.75 below lsd, Jan. 15, 31, Feb. 1, 11, 1954. Records available: 1936-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

1955		Oct. 25	12.50	July 27	h3.83	Apr. 22	5.50
Jan. 25	13.65	Nov. 25	13.05	Aug. 25	4.25	May 25	4.90
Feb. 25	8.05	Dec. 26	7.20	Sept. 22	5.60	June 25	2.45
Mar. 28	7.05	1957		Oct. 25	7.90	July 25	6.80
Apr. 25	8.40	Jan. 22	7.35	Nov. 25	6.55	Aug. 25	10.60
May 25	10.65	Feb. 25	5.45	Dec. 25	5.75	Sept. 25	12.45
June 25	8.00	Mar. 25	4.80	1959		Oct. 25	13.75
July 25	11.60	Apr. 25	3.45	Jan. 25	3.05	Nov. 25	14.40
Aug. 25	12.85	May 26	h2.64	Feb. 2	2.50	Dec. 25	14.70
Sept. 25	14.45	June 23	6.25	Mar. 25	3.35	1961	
Oct. 25	10.45	July 25	6.30	Apr. 27	4.70	Jan. 25	13.80
Nov. 25	6.10	Aug. 25	10.60	May 25	5.50	Feb. 25	9.80
Dec. 25	8.75	Sept. 25	12.70	June 25	9.35	Mar. 25	2.30
1956		Oct. 25	13.55	July 25	11.65	Apr. 25	3.05
Jan. 25	10.30	Nov. 25	8.50	Aug. 25	11.80	May 25	5.00
Feb. 25	3.90	Dec. 25	5.45	Sept. 25	12.80	June 25	h5.52
Mar. 25	4.20	1958		Oct. 25	13.10	July 25	8.30
Apr. 25	5.50	Jan. 25	5.25	Nov. 25	11.00	Aug. 25	9.70
May 25	7.75	Feb. 25	7.52	Dec. 25	7.50	Sept. 25	11.85
June 25	4.85	Mar. 25	3.10	1960		Oct. 25	12.95
July 25	7.30	Apr. 25	3.10	Jan. 25	5.90	Nov. 25	12.60
Aug. 25	11.20	May 25	4.25	Feb. 25	5.55	Dec. 25	6.60
Sept. 23	10.90	June 25	4.85	Mar. 25	4.60	1962	

Jn 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 25	3.45	Apr. 25	5.40	July 25	7.55	Oct. 25	13.40
Feb. 25	2.25	May 25	6.50	Aug. 25	11.60	Nov. 25	13.45
Mar. 25	2.60	June 25	7.90	Sept. 25	12.75	Dec. 25	13.65

Knox County

Kn 1. Blanche A. Noble. Tenth and Buchanan Sts., Monroe City. Donation 37, T. 2 N., R. 9 W. Dug unused well in gravel, diam 24 in, depth 38 ft, cribbed with tile. Lsd, about 528 ft above msl. MP, south side of shoulder of 2-ft vitrified tile, 0.40 ft above lsd. Highest water level 29.19 below lsd, May 10, 1951; lowest 37.22 below lsd, Feb. 22, 1945. Records available: 1944-62.

1955		1957		1959		1961	
Jan. 27	35.05	Jan. 24	35.55	Jan. 22	32.30	Jan. 25	32.95
Feb. 24	35.10	Feb. 28	35.57	Feb. 26	34.30	Feb. 23	33.10
Mar. 24	34.84	Mar. 28	35.70	Mar. 26	31.90	Mar. 23	32.80
Apr. 28	34.62	Apr. 25	35.40	Apr. 23	31.78	Apr. 27	32.50
May 26	34.33	May 23	35.20	May 28	31.88	May 25	31.90
June 23	34.22	June 27	34.90	June 25	31.87	June 22	31.50
July 28	34.25	July 25	34.65	July 23	32.10	July 27	31.78
Aug. 25	34.48	Aug. 22	34.60	Aug. 27	32.20	Aug. 24	32.00
Sept. 22	34.65	Sept. 26	34.75	Sept. 24	32.35	Sept. 28	32.17
Oct. 27	34.73	Oct. 24	34.92	Oct. 22	32.50	Oct. 26	32.48
Nov. 24	34.90	Nov. 28	35.02	Nov. 26	32.65	Nov. 23	32.65
Dec. 22	35.02	Dec. 26	34.65	Dec. 24	32.82	Dec. 28	32.90
1956		1958		1960		1962	
Jan. 26	35.16	Jan. 23	34.50	Jan. 28	32.55	Jan. 25	32.92
Feb. 23	35.20	Feb. 27	34.16	Feb. 25	32.35	Feb. 22	32.85
Mar. 22	34.85	Mar. 27	34.15	Mar. 24	32.20	Mar. 22	32.70
Apr. 26	34.63	Apr. 24	34.05	Apr. 28	32.00	Apr. 26	32.40
May 24	34.56	May 22	33.70	May 26	31.95	May 24	32.40
June 28	34.49	June 26	33.40	June 23	31.82	June 28	32.50
July 26	34.65	July 24	33.35	July 28	31.73	July 26	32.45
Aug. 23	34.78	Aug. 28	32.55	Aug. 25	31.85	Aug. 23	32.65
Sept. 27	34.94	Sept. 25	32.15	Sept. 22	32.05	Sept. 27	32.90
Oct. 25	35.08	Oct. 23	32.26	Oct. 27	32.30	Oct. 25	33.05
Nov. 22	35.20	Nov. 27	32.48	Nov. 24	32.50	Nov. 22	33.20
Dec. 27	35.40	Dec. 25	32.50	Dec. 22	32.70	Dec. 27	34.30

Kn 2. Henry J. Kramer. St. Thomas. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 2 N., R. 11 W. Drilled unused well in sand, diam 6-5/8 in, depth 45 ft. Lsd, about 406 ft above msl. MP, top of casing, 1.20 ft above lsd. Highest water level 0.43 above lsd, July 15, 1958; lowest 8.36 below lsd, Oct. 13, 1960. Records available: 1956-62.

(2 a.m. water levels from recorder graph, July 25-Dec. 31, 1957; daily high-est, 1958-62)

1956		Feb. 14	h4.68	Oct. 25	6.71	Feb. 25	5.27
Nov. 20	h7.54	May 9	h4.83	Nov. 25	4.35	Mar. 25	3.80
Dec. 19	h7.23	July 25	h5.02	Dec. 25	2.54	Apr. 25	5.10
1957		Aug. 25	5.96	1958		May 25	4.34
Jan. 24	h6.44	Sept. 27	6.55	Jan. 25	3.58	June 25	4.94

Kn 2--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
July 25	0.14	Sept. 25	6.12	Nov. 25	7.39	1962	
Aug. 25	4.04	Oct. 16	5.24	Dec. 25	7.16	Jan. 25	3.47
Sept. 25	5.35	Nov. 25	5.43	1961		Feb. 25	3.76
Oct. 25	5.87	Dec. 25	4.23	Jan. 25	7.17	Mar. 25	3.83
Nov. 25	5.54	1960		Feb. 25	6.38	Apr. 25	5.33
Dec. 25	5.40	Jan. 25	4.44	Mar. 25	3.68	May 25	5.92
1959		Feb. 25	4.89	Apr. 25	3.97	June 25	h5.93
Jan. 25	3.88	Mar. 25	4.46	May 25	2.61	July 25	6.55
Feb. 25	3.92	Apr. 25	5.44	June 25	4.40	Aug. 25	6.96
Mar. 25	4.43	May 25	4.70	July 25	5.78	Sept. 26	h7.19
Apr. 25	5.19	June 25	4.91	Aug. 25	6.35	Oct. 25	7.33
May 25	3.97	July 25	5.61	Sept. 25	6.81	Nov. 25	7.34
June 25	5.26	Aug. 25	6.35	Oct. 25	7.16	Dec. 25	7.43
July 25	6.24	Sept. 25	e6.93	Nov. 25	7.27		
Aug. 25	5.59	Oct. 25	7.25	Dec. 26	5.88		

Kn 3. Julia Horrell. Decker Chapel. NE $\frac{1}{2}$ SW $\frac{1}{2}$ sec. 23, T. 1 N., R. 11 W. Drilled unused well in sand, diam 6-5/8 in, reported depth 43.5 ft. Lsd, about 405 ft above msl. MP, top of casing, 1.60 ft above lsd. Highest water level 2.25 below lsd, May 18, 1961; lowest 12.12 below lsd, Jan. 14, 1957. Records available; 1956-62.

(2 a.m. water levels from recorder graph, Nov. 20, 1956-Sept. 3, 1957)

1956	July 14	2.27	1960	June 22	4.90
Nov. 25	11.71	Aug. 12	4.30	Jan. 28	8.05
Dec. 25	12.06	Sept. 9	6.00	Feb. 19	7.65
1957		Oct. 7	7.95	Mar. 24	7.10
Jan. 25	12.11	Nov. 13	9.25	Apr. 28	9.10
May 25	3.22	Dec. 9	7.57	May 25	6.10
June 25	6.52	1959		June 20	6.82
July 25	5.89	Jan. 16	8.70	July 28	7.90
Aug. 22	8.67	Feb. 13	5.48	Aug. 25	9.00
Sept. 3	9.16	Mar. 16	3.45	Sept. 22	10.00
Nov. 29	8.96	Apr. 13	6.55	Oct. 27	10.70
Dec. 28	3.30	May 15	6.83	Nov. 23	11.15
1958		June 24	7.77	Dec. 15	11.20
Jan. 25	4.82	July 14	8.89	1961	
Feb. 11	6.66	Aug. 27	9.30	Jan. 19	11.60
Mar. 11	7.89	Sept. 23	10.05	Feb. 16	11.80
Apr. 14	7.28	Oct. 22	10.25	Mar. 23	6.90
May 13	6.65	Nov. 19	10.30	Apr. 27	6.65
June 9	8.00	Dec. 25	8.40	May 18	2.25

Kn 4. Dwight Shepherd. Decker. NW $\frac{1}{2}$ SW $\frac{1}{2}$ sec. 8, T. 1 N., R. 10 E. Drilled unused well in sand, diam 6-5/8 in, depth 62.9 ft. Lsd, about 408 ft above msl. MP, top of casing, 0.60 ft above lsd. Highest water level 3.15 below lsd, June 19, 1958; lowest 13.60 below lsd, Jan. 21, 1961. Records available; 1956-62.

(2 a.m. water levels from recorder graph, Nov. 20, 1956-Jan. 23, 1957)

1956	Jan. 24	13.48	Aug. 22	8.69	Dec. 28	5.00
Nov. 25	13.04	Feb. 14	12.54	Sept. 26	10.90	1958
Dec. 25	13.39	May 9	9.17	Oct. 25	11.80	Jan. 25
1957		July 25	6.50	Nov. 23	9.50	Feb. 22
						7.60

Kn 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 22	8.97	May 23	7.98	July 23	8.98	Sept. 18	11.77
Apr. 29	9.00	June 24	9.29	Aug. 27	10.69	Oct. 17	12.35
May 24	8.56	July 25	10.88	Sept. 24	12.75	Nov. 20	12.85
June 28	9.14	Aug. 22	10.74	Oct. 22	12.19	1962	
July 26	3.55	Sept. 26	11.65	Nov. 26	12.89	Jan. 24	10.50
Aug. 23	4.50	Oct. 21	11.40	Dec. 31	12.90	Feb. 20	10.65
Sept. 27	8.60	Nov. 28	11.90	1961		Mar. 22	5.70
Oct. 25	10.20	Dec. 26	10.70	Jan. 28	13.42	Apr. 23	8.33
Nov. 22	11.80	1960		Feb. 25	13.27	May 22	9.82
Dec. 27	10.70	Jan. 30	9.72	Mar. 18	11.95	June 25	10.58
1959		Feb. 27	9.22	Apr. 22	9.04	July 19	11.39
Jan. 24	8.08	Mar. 23	9.21	May 27	4.25	Aug. 20	12.00
Feb. 28	5.98	Apr. 23	9.44	June 24	6.35	Oct. 18	12.27
Mar. 28	7.02	May 21	9.39	July 29	10.20	Dec. 18	13.43
Apr. 25	8.82	June 25	8.81	Aug. 18	10.90		

Kn 5. Clarence Gartner. Vincennes. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 2 N., R. 10 W. Drilled unused well in sand and gravel, diam 6-5/8 in, depth 42 ft. Lsd, about 410 ft above msl. MP, top of casing, 1.40 ft above lsd. Highest water level 0.72 below lsd, Dec. 26, 1957; lowest 6.07 below lsd, Aug. 20, 1962. Records available: 1956-62.

(2 a.m. water levels from recorder graph, Jan. 25-Mar. 27, 1957)

1956		May 27	3.85	Nov. 27	3.63	Apr. 28	2.96
Nov. 20	5.39	June 26	3.38	Dec. 24	3.46	May 26	3.64
Dec. 19	4.67	July 24	1.15	1960		June 23	3.98
1957		Aug. 28	2.41	Jan. 22	3.64	July 28	5.21
Jan. 25	3.62	Sept. 25	3.42	Feb. 26	3.94	Aug. 25	5.63
Feb. 25	4.60	Oct. 23	3.65	Mar. 24	3.23	Sept. 22	5.91
Mar. 25	5.01	Nov. 27	2.87	Apr. 28	4.30	Oct. 27	5.58
May 9	4.13	Dec. 18	3.23	May 26	1.36	Nov. 20	5.83
July 25	2.92	1959		June 23	3.68	1962	
Aug. 22	4.77	Jan. 30	1.17	July 29	5.02	Jan. 24	1.95
Sept. 26	5.40	Feb. 27	2.25	Aug. 26	5.73	Feb. 20	4.16
Oct. 25	5.12	Mar. 26	3.05	Sept. 22	6.15	Mar. 22	2.07
Nov. 22	2.48	Apr. 23	3.75	Oct. 28	5.74	Apr. 23	3.73
Dec. 26	.72	May 28	2.02	Nov. 24	5.57	May 22	4.61
1958		June 25	4.19	Dec. 23	5.09	June 25	4.14
Jan. 23	2.35	July 30	4.63	1961		July 19	5.50
Feb. 27	3.79	Aug. 27	3.98	Jan. 27	5.14	Aug. 20	6.07
Mar. 20	3.38	Sept. 27	3.97	Feb. 24	3.29	Oct. 18	5.28
Apr. 24	3.86	Oct. 23	2.81	Mar. 24	2.90	Dec. 18	5.10

Kn 6. James O. Vance. Vincennes. Vincennes Common, Div. B, 32, T. 3 N., R. 10 W. Drilled unused well in sand, diam 6-5/8 in, depth 41 ft. Lsd, about 415 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 0.2 below lsd, Aug. 24, 1959; lowest 7.4 below lsd, Sept. 26, 1960. Records available: 1956-62. Discontinued.

1956		Feb. 14	2.50	Nov. 19	1.55	Mar. 24	1.36
Nov. 20	6.52	May 9	3.15	Dec. 23	1.88	Apr. 28	1.72
Dec. 19	4.25	July 24	3.80	1958		May 26	3.58
1957		Aug. 23	6.25	Jan. 27	1.88	June 23	2.98
Jan. 24	1.95	Sept. 21	5.39	Feb. 24	3.65	July 14	1.80

Kn 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 25	3.60	June 24	3.56	Apr. 25	3.4	Feb. 27	2.0
Sept. 22	3.70	July 27	4.3	May 23	3.1	Mar. 27	1.80
Oct. 7	3.73	Aug. 24	.2	June 27	2.7	Apr. 24	2.2
Nov. 15	1.92	Sept. 28	1.9	July 25	3.2	May 22	3.0
Dec. 9	2.53	Oct. 26	1.9	Aug. 23	4.2	June 19	2.62
1959		Nov. 23	2.7	Sept. 26	7.4	July 24	3.1
Jan. 26	1.7	Dec. 28	3.3	Oct. 24	6.8	Aug. 18	4.1
Feb. 23	1.6	1960		Nov. 28	4.5	1962	
Mar. 23	3.1	Jan. 25	.8	Dec. 15	4.05	Oct. 18	3.82
Apr. 27	2.7	Feb. 22	.6	1961			
May 25	.8	Mar. 23	1.86	Jan. 23	4.3		

Kn 7. Kelly Farms. Vincennes. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 2, T. 1 N., R. 11 W. Drilled unused well in sand, diam 6-5/8 in, depth 53.12 ft. Lsd, about 405 ft above msl. MP, top of casing, 2.25 ft above lsd. Highest water level 2.45 below lsd, May 11, 1961; lowest 11.18 below lsd, Oct. 18, 1962. Records available: 1956-62.

1956		Aug. 12	5.80	1960		May 25	4.60
Nov. 20	10.33	Sept. 9	8.74	Jan. 21	8.60	June 22	8.35
Dec. 19	10.35	Oct. 7	9.47	Feb. 19	8.05	July 22	9.55
1957		Nov. 13	9.87	Mar. 24	8.45	Aug. 26	10.05
Jan. 24	9.89	Dec. 9	8.60	Apr. 28	9.15	Sept. 21	10.35
Feb. 14	8.50	1959		May 25	6.65	Oct. 31	10.55
May 9	7.89	Jan. 16	9.33	June 23	8.85	Nov. 20	10.57
July 25	7.88	Feb. 13	7.32	July 28	9.45	1962	
Aug. 22	9.45	Mar. 16	6.93	Aug. 25	9.95	Jan. 24	6.98
Nov. 19	8.30	Apr. 13	8.15	Sept. 22	10.35	Feb. 20	8.95
Dec. 12	8.75	May 15	7.81	Oct. 27	10.55	Mar. 22	6.86
1958		June 24	9.28	Nov. 23	10.60	Apr. 23	9.07
Feb. 11	8.65	July 14	9.78	Dec. 26	10.55	May 22	9.32
Mar. 11	8.98	Aug. 27	9.65	1961		June 25	9.55
Apr. 14	8.65	Sept. 23	9.95	Jan. 19	10.55	July 19	10.05
May 13	7.73	Oct. 22	9.30	Feb. 23	10.00	Aug. 20	10.36
June 9	8.54	Nov. 13	9.61	Mar. 23	7.20	Oct. 18	11.18
July 14	3.32	Dec. 25	8.55	Apr. 27	7.25	Dec. 18	10.72

Kosciusko County

Ko 2. State of Indiana. Wawasee State Fish Hatchery. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 25, T. 34 N., R. 7 E. Driven unused artesian well in till, diam 1 $\frac{1}{2}$ in, reported depth 87 ft. Lsd, about 865 ft above msl. MP, top of pipe elbow, 1.00 ft below lsd. Highest water level 3.25 above lsd, May 1, 1944; lowest 0.55 below lsd, Nov. 24, 1962. Records available: 1938-39, 1942-62.

1955		Aug. 27	+1.71	Mar. 24	+2.08	Nov. 24	+1.50
Jan. 22	+2.38	Sept. 24	+1.63	Apr. 28	+2.21	Dec. 22	+1.54
Feb. 26	+2.21	Oct. 22	+1.71	May 26	+2.25	1957	
Mar. 26	+2.25	Nov. 26	+1.83	June 23	+2.08	Apr. 27	+1.67
Apr. 23	+2.38	Dec. 24	+1.83	July 28	+2.00	May 25	+1.83
May 28	+2.25	1956		Aug. 25	+1.79	June 22	+1.73
June 25	+2.13	Jan. 28	+1.58	Sept. 22	+1.50	July 27	+1.40
July 23	+2.17	Feb. 25	+2.17	Oct. 27	+1.50	Aug. 24	+1.19

Ko 2--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Sept. 28	+1.09	1959		Apr. 23	+2.58	Sept. 23	+0.20
Oct. 26	+1.31	Jan. 24	+1.88	May 28	+2.42	Oct. 22	.04
Nov. 23	+1.29	Feb. 28	+2.50	June 25	+2.58	Nov. 25	+ .08
Dec. 28	+1.67	Mar. 28	+2.33	July 23	+2.34	Dec. 23	+ .20
1958.		Apr. 25	+2.33	Aug. 27	+2.40	1962	
Jan. 25	+1.65	May 23	+2.50	Sept. 27	+2.34	Jan. 6	+ .33
Feb. 22	+1.61	June 27	+2.54	Oct. 22	+2.17	Mar. 24	+ .96
Mar. 22	+1.60	July 25	+2.46	Nov. 26	+1.50	Apr. 28	+1.04
Apr. 26	+1.73	Aug. 22	+1.83	Dec. 23	+1.33	May 26	+ .90
May 25	+1.00	Sept. 26	+1.58	1961		June 23	+ .85
June 28	+1.25	Oct. 24	+1.58	Jan. 28	+1.17	July 28	+ .58
July 5	+1.27	Nov. 28	+1.62	Feb. 25	+1.58	Aug. 25	+ .12
Aug. 23	+2.00	Dec. 26	+2.42	Mar. 25	+1.85	Sept. 22	.34
Sept. 27	+2.29	1960		May 27	+1.08	Oct. 27	.42
Oct. 25	+2.15	Jan. 23	+2.46	June 24	+ .87	Nov. 24	.55
Nov. 22	+2.13	Feb. 27	+2.54	July 22	+ .66	Dec. 8	.36
Dec. 27	+1.94	Mar. 26	+2.50	Aug. 26	+ .66		

Ko 3. Millard G. Stookey. Leesburg. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 33 N., R. 5 E. Driven unused well in glacial drift, diam 1 $\frac{1}{2}$ in, depth 21 ft. Lsd, about 832 ft above msl. MP, base of pitcher pump, 2.00 ft above lsd. Highest water level 8.50 below lsd, Mar. 19, 1951; lowest 14.54 below lsd, Apr. 1, 1957. Records available: 1945-60. Discontinued.

1955		July 23	12.37	Aug. 26	14.08	Jan. 26	12.68
Jan. 10	11.61	Aug. 27	12.24	Sept. 23	14.21	Apr. 27	10.70
Apr. 25	11.78	Sept. 24	12.27	Oct. 28	14.49	May 25	10.86
May 23	11.83	Oct. 22	13.48	Dec. 23	14.48	June 22	10.48
June 27	12.08	Nov. 26	13.91	1958		July 26	11.01
Aug. 22	12.31	Dec. 17	14.09	Jan. 27	14.48	Aug. 24	11.36
Sept. 26	12.23	1957		Feb. 24	14.39	Sept. 28	11.72
Oct. 24	12.25	Jan. 28	14.24	Mar. 24	14.34	Oct. 26	12.20
1956		Feb. 5	14.26	Apr. 21	14.43	Dec. 28	12.02
Feb. 27	13.88	Mar. 25	14.53	May 26	14.50	1960	
Mar. 26	13.54	Apr. 15	14.33	July 14	12.82	Mar. 28	12.03
Apr. 23	13.39	May 6	13.68	Oct. 27	11.38		
May 27	11.88	June 24	13.82	Dec. 22	12.46		
June 24	12.16	July 15	13.93	1959			

Lake County

Lk 1. Town of East Gary. Corner of Vandenburg and 28th Sts., East Gary. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 16, T. 36 N., R. 7 W. Drilled used public-supply water-table well in sand, diam 38 in, reported depth 64 ft. Lsd, about 635 ft above msl. Measurements made by air-line. Highest water level 29.0 below lsd, Jan. 12, Sept. 2, 1954, June 3, 12, 22, July 1, 1956; lowest 52.0 below lsd, Feb. 6, 9, 10, 1955. Records available: 1954, 1956. Discontinued.

1956	June 22	29	July 1	29
------	---------	----	--------	----

Lk 2. Parramore Hospital. Crown Point. SE $\frac{1}{2}$ SW $\frac{1}{2}$ sec. 29, T. 35 N., R. 8 W. Drilled used public-supply artesian well in sand, diam 26 in, reported depth 89 ft. Lsd, about 720 ft above msl. Measurements made by air-line. Highest water level 58.00 below lsd, Mar. 14, June 13, 1955, Mar. 13, May 8, 1958; lowest 76.00 below lsd, Oct. 17, 1956. Records available: 1954-58. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Mar. 26	61	Sept. 17	62	Nov. 7	62
Jan. 24	62	July 23	70	Oct. 13	60	Dec. 5	60
Feb. 28	64	Aug. 10	60.5	Nov. 14	62	1959	
Mar. 28	58	Sept. 12	62	Dec. 14	62	Jan. 30	60
Apr. 25	58	Oct. 17	76	1958		Feb. 27	60
May 23	59	Nov. 12	62	Jan. 12	60	Mar. 27	60
June 13	58	1957		Feb. 12	62	Apr. 24	60
Aug. 21	61	Jan. 5	62	Mar. 13	58	May 29	60
Sept. 26	62	Feb. 10	62.5	Apr. 10	58	June 26	62
Oct. 24	62	Mar. 15	62	May 8	58	July 30	60
Nov. 28	60	Apr. 26	64	June 5	62	Aug. 21	60
Dec. 26	62	May 18	60	July 31	60	Sept. 18	60
1956		June 15	62	Aug. 15	60	Oct. 16	60
Jan. 23	62	July 15	60	Sept. 12	62	Nov. 13	60
Feb. 27	62	Aug. 23	60	Oct. 10	62		

Lk 3. Town of Shelby. Shelby. NW $\frac{1}{2}$ SW $\frac{1}{2}$ sec. 28, T. 32 N., R. 8 W. Driven unused water-table well in sand, diam 4 in, reported depth 18 ft. Lsd, about 638 ft above msl. MP, top of casing, 1.40 ft above lsd. Highest water level 0.05 below lsd, Mar. 28, 1955; lowest 5.70 below lsd, Sept. 27, Oct. 4, 1954. Records available: 1954-56. Discontinued.

1955		Apr. 18	2.58	Oct. 27	4.39	Jan. 26	5.05
Jan. 24	3.40	May 25	3.42	Nov. 24	4.16	Feb. 2	5.10
Feb. 28	2.20	Aug. 25	5.14	Dec. 22	4.70		
Mar. 28	.05	Sept. 22	5.36	1956			

Lk 4. Chesapeake and Ohio Railroad Co. Griffith. NE $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 2, T. 35 N., R. 9 W. Drilled unused artesian well in sand, diam 12 in, reported depth 82 ft. Lsd, about 638 ft above msl. MP, hole in recorder platform, 3.25 ft above lsd. Highest water level 11.95 below lsd, Apr. 18, 1960; lowest 19.40 below lsd, Oct. 3-5, 1962. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956		Aug. 25	14.55	Dec. 25	16.15	Jan. 25	13.70
July 27	18.01	Sept. 24	16.00	1959		Feb. 25	13.60
Aug. 25	17.35	Oct. 19	16.50	Jan. 29	16.85	Mar. 25	14.40
Sept. 28	17.80	1958		Feb. 27	14.85	Apr. 21	12.60
Oct. 25	18.55	Jan. 28	14.00	Mar. 16	13.75	May 15	13.20
Nov. 25	16.90	Feb. 24	14.70	Apr. 25	13.85	June 21	12.75
Dec. 25	16.55	Mar. 25	13.75	May 10	12.80	July 25	14.85
1957		Apr. 25	14.35	June 25	14.70	Aug. 25	16.25
Jan. 24	h17.17	May 25	15.25	July 25	14.35	Sept. 27	h17.02
Feb. 25	15.65	June 25	13.65	Aug. 25	15.35	Oct. 25	h17.58
Mar. 23	e15.35	July 25	15.15	Sept. 25	17.00	Nov. 25	16.60
Apr. 24	h14.85	Aug. 25	14.55	Oct. 25	14.75	Dec. 25	16.80
May 25	13.40	Sept. 25	15.90	Nov. 25	14.30	1961	
June 27	14.40	Oct. 25	16.35	Dec. 25	13.70	Jan. 25	17.55
July 25	13.95	Nov. 22	h16.25	1960		Feb. 25	17.30

Lk 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 25	14.80	Sept. 25	15.10	Feb. 25	13.25	Aug. 25	17.80
Apr. 25	13.05	Oct. 21	14.95	Mar. 25	12.45	Sept. 25	18.10
May 25	14.95	Nov. 16	14.50	Apr. 25	14.05	Oct. 23	e17.80
June 28	16.30	Dec. 25	13.40	May 25	15.10	Nov. 25	17.25
July 26	16.25	1962		June 25	14.60	Dec. 25	16.95
Aug. 25	17.10	Jan. 11	14.65	July 25	15.35		

Lk 5. Town of Highland. Highland. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 36 N., R. 9 W. Drilled unused artesian well in sand, diam 18 in, reported depth 39 ft. Lsd, about 615 ft above msl. MP, top of casing, 0.60 ft above lsd. Highest water level 4.95 below lsd, Jan. 4, 1958; lowest 12.48 below lsd, Sept. 10, 1960.

Records available: 1956-61. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1956		Oct. 26	7.06	May 23	5.86	Oct. 22	9.86
June 28	8.02	Nov. 23	5.14	June 27	9.98	Nov. 28	9.28
July 28	8.50	Dec. 28	4.98	July 25	9.42	Dec. 24	9.39
Aug. 25	8.80	1958		Aug. 22	9.94	1961	
Sept. 22	8.90	Jan. 25	5.37	Sept. 26	11.04	Jan. 28	9.39
Oct. 26	9.70	Feb. 22	5.93	Oct. 24	8.14	Feb. 25	9.55
Nov. 26	8.70	Mar. 22	5.15	Nov. 28	7.44	Mar. 25	7.77
Dec. 22	8.40	Apr. 26	5.76	Dec. 26	6.77	Apr. 22	7.90
1957		May 24	7.48	1960		May 27	7.88
Jan. 25	8.20	June 28	5.56	Jan. 23	6.45	June 24	8.40
Feb. 23	7.60	July 26	8.22	Feb. 27	5.97	July 22	10.48
Mar. 23	6.40	Aug. 23	7.58	Mar. 26	6.76	Aug. 26	9.98
Apr. 27	5.10	Sept. 27	7.77	Apr. 23	6.53	Sept. 23	8.23
May 25	5.30	Oct. 18	8.18	May 28	7.08	Oct. 28	5.65
June 27	7.00	1959		June 25	7.92	Nov. 15	7.97
July 27	6.80	Feb. 28	6.37	July 23	10.47	Dec. 23	6.19
Aug. 24	7.70	Mar. 28	5.86	Aug. 27	9.84		
Sept. 28	7.40	Apr. 25	6.48	Sept. 24	10.16		

Lk 6. Michigan-Wisconsin Pipeline Co. St. John. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 34 N., R. 9 W. Drilled unused artesian well in sand, diam 6 in, reported depth 125 ft. Lsd, about 710 ft above msl. MP, 1-in hole in recorder platform, 2.20 ft above lsd. Highest water levels recorded not valid (affected by surface inflow from heavy precipitation); lowest 34.03 below lsd, Sept. 24, 1956. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956	1958	1959	Nov. 25	30.90			
Aug. 23	33.57	Jan. 25	31.45	Jan. 24	32.19	Dec. 25	e31.50
Sept. 25	33.76	Feb. 22	e31.83	Apr. 25	32.15	1961	
1957		Mar. 25	31.91	May 20	30.75	Jan. 25	31.95
Mar. 25	32.66	Apr. 25	31.64	June 25	30.70	Feb. 25	32.45
May 25	30.65	May 25	31.90	July 25	29.20	Mar. 25	32.65
June 22	h31.3	June 25	31.37	Aug. 25	31.35	Apr. 25	29.40
July 25	31.94	July 25	e31.39	Sept. 23	32.15	May 25	30.10
Aug. 22	32.71	Aug. 25	30.19	Oct. 25	32.40	June 28	30.50
Sept. 25	33.47	Sept. 25	31.00	Nov. 4	32.10	July 25	h30.72
Oct. 25	33.44	Oct. 25	31.41	1960		Aug. 25	31.00
Nov. 25	32.66	Nov. 25	e32.06	Sept. 25	29.05	Sept. 25	31.05
Dec. 25	32.09	Dec. 25	32.30	Oct. 25	30.15	Oct. 25	31.35

Lk 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Nov. 14	31.45	Apr. 25	29.70	July 25	h31.14	Oct. 25	e33.10
Dec. 19	30.35	May 29	h29.91	Aug. 25	e31.85	Nov. 25	33.20
1962		June 27	h30.52	Sept. 25	e32.55	Dec. 25	e33.35

Lk 7. Lloyd Wakefield. Cedar Lake. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 34 N., R. 9 W. Drilled unused artesian well in limestone, diam 3 in, reported depth 230 ft. Lsd, about 750 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 51.17 below lsd, Mar. 15, 1958; lowest 61.57 below lsd, Sept. 5, 1961. Records available; 1957-62. Discontinued.

1957		Sept. 25	60.76	Feb. 25	59.46	Apr. 25	59.97
Mar. 26	60.23	Oct. 27	60.61	Mar. 23	59.52	May 26	60.60
Apr. 23	60.35	Nov. 24	60.53	Apr. 26	59.24	June 27	60.70
May 28	60.33	Dec. 1	60.56	May 24	59.22	July 25	60.89
June 25	60.55	1959		June 21	59.17	Aug. 23	61.02
July 23	60.77	May 26	60.26	July 26	59.76	Sept. 26	60.98
Aug. 27	60.83	June 26	60.29	Aug. 23	60.17	Oct. 29	60.61
Sept. 24	60.64	July 22	60.99	Sept. 28	60.04	Nov. 21	60.26
1958		Aug. 20	60.77	Oct. 18	60.16	Dec. 26	60.02
Mar. 22	54.33	Sept. 24	60.80	Nov. 29	60.00	1962	
Apr. 28	60.15	Oct. 7	60.43	Dec. 28	60.50	Jan. 23	60.17
May 27	60.59	Nov. 24	60.31	1961		Feb. 27	60.20
June 27	60.44	Dec. 22	60.16	Jan. 24	60.70	Mar. 21	59.60
July 21	60.63	1960		Feb. 28	60.49		
Aug. 25	60.73	Jan. 25	59.69	Mar. 21	60.28		

Lk 8. Standard Oil Co. Whiting. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 37 N., R. 9 W. Drilled unused artesian well in limestone and sandstone, diam 14 to 8 in, reported depth 1,238 ft. Lsd, about 590 ft above msl. MP, hole in metal cover, 0.00 ft lsd. Highest water level 3.70 below lsd, Dec. 26, 1958; lowest 68.50 below lsd, Dec. 4, 28, 1962. Records available; 1957-62.

1957		Sept. 26	36.70	Feb. 23	53.9	Aug. 24	59.9
Mar. 28	52.53	Oct. 23	42.30	Mar. 24	55.9	Sept. 22	58.7
Apr. 25	58.10	Nov. 28	25.10	Apr. 21	56.8	Oct. 28	59.0
May 23	31.40	Dec. 26	3.70	May 27	58.7	Nov. 24	60.2
June 27	44.70	1959		June 23	58.0	Dec. 28	61.4
July 29	51.00	Jan. 23	13.3	July 28	54.3	1962	
Aug. 23	55.40	Feb. 27	28.9	Aug. 25	54.8	Jan. 25	61.67
Sept. 26	58.20	Mar. 26	36.5	Sept. 22	55.4	Feb. 23	62.9
Nov. 28	15.75	Apr. 23	42.0	Oct. 27	56.7	Mar. 23	63.2
Dec. 22	32.30	May 21	46.40	Nov. 25	58.4	Apr. 26	64.4
1958		June 26	22.3	Dec. 22	60.0	May 25	64.9
Jan. 24	35.90	July 23	20.3	1961		June 22	65.6
Feb. 27	50.60	Aug. 28	30.6	Jan. 26	61.7	July 26	65.3
Mar. 27	58.90	Sept. 25	41.6	Feb. 23	63.1	Aug. 24	65.8
Apr. 24	49.60	Oct. 22	48.1	Mar. 23	63.5	Sept. 27	66.2
May 22	50.7	Nov. 26	43.0	Apr. 27	58.9	Oct. 25	66.9
June 26	52.8	Dec. 24	48.4	May 25	59.5	Nov. 23	68.2
July 25	38.60	1960		June 22	59.8	Dec. 28	68.5
Aug. 28	31.00	Jan. 28	52.4	July 28	60.3		

Lk 9. American Bridge Division, U. S. Steel Corp. Gary. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 37 N., R. 8 W. Dug used industrial water-table well in sand, diam 50 ft, reported depth 30 ft. Lsd, about 595 ft above msl. MP, edge of concrete by gate, 0.00 ft lsd. Highest water level 6.89 below lsd, Nov. 14, 1961; lowest 18.95 below lsd, Aug. 3, 1962. Records available: 1957-62.

(daily highest water levels from recorder graph, 1957)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1957		Mar. 28	11.00	Sept. 23	14.00	1962	
Mar. 25	7.60	Apr. 25	12.00	Oct. 28	13.00	Jan. 26	14.60
Apr. 11	7.40	May 22	12.00	Nov. 25	15.00	Feb. 23	13.50
July 25	9.20	June 26	12.94	Dec. 23	12.00	Mar. 23	14.60
Aug. 8	10.50	Sept. 25	14.00	1961		Apr. 22	13.90
1958		Nov. 27	12.00	Jan. 27	15.00	May 25	16.39
May 23	11.00	Dec. 22	12.00	Feb. 24	16.00	June 22	14.64
June 27	13.30	1960		Mar. 24	17.00	July 27	12.82
July 25	12.40	Jan. 23	11.00	May 26	15.00	Aug. 24	15.00
Aug. 22	14.00	Feb. 26	13.00	June 23	14.00	Sept. 28	14.45
Oct. 24	12.94	Mar. 25	11.94	July 28	12.00	Oct. 26	11.50
Nov. 28	10.98	Apr. 22	11.00	Aug. 25	14.00	Nov. 23	13.00
Dec. 26	11.94	May 27	12.00	Sept. 22	14.00	Dec. 28	13.00
1959		June 24	13.94	Oct. 27	15.00		
Jan. 24	12.00	July 29	11.00	Nov. 22	14.68		
Feb. 27	12.00	Aug. 19	10.00	Dec. 22	14.60		

Lk 10. Inland Steel Co. East Chicago. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 37 N., R. 9 W. Drilled unused artesian well in limestone, diam 8 in, reported depth 550 ft. Lsd, about 595 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 20.42 below lsd, Nov. 2, 1961; lowest 30.25 below lsd, Nov. 21, 1957. Records available: 1957-62.

1957		July 24	25.02	Mar. 24	21.94	Aug. 24	21.07
Mar. 28	28.33	Aug. 28	25.38	Apr. 28	22.02	Sept. 28	21.03
Apr. 25	29.31	Sept. 25	25.10	May 26	21.57	Oct. 26	20.97
May 23	28.20	Oct. 23	25.00	June 23	21.28	Nov. 24	20.90
June 27	27.57	Nov. 27	25.18	July 28	21.75	Dec. 28	20.94
July 25	28.56	Dec. 24	24.49	Aug. 25	21.69	1962	
Aug. 22	28.62	1959		Sept. 22	21.48	Jan. 25	21.38
Sept. 26	29.40	Jan. 22	23.42	Oct. 27	21.46	Feb. 22	21.36
Oct. 24	29.70	Feb. 26	23.70	Nov. 24	21.53	Mar. 22	21.51
Nov. 28	29.94	Mar. 26	23.79	Dec. 22	21.43	Apr. 26	21.57
Dec. 26	29.85	Apr. 23	23.65	1961		May 24	21.34
1958		May 28	23.24	Jan. 26	20.98	June 28	22.27
Jan. 23	29.28	June 25	22.83	Feb. 23	20.49	July 26	22.39
Feb. 27	27.23	July 10	23.00	Mar. 23	20.85	Aug. 23	22.51
Mar. 27	28.19	Dec. 24	22.50	Apr. 27	21.53	Sept. 27	22.23
Apr. 24	27.00	1960		May 25	21.52	Oct. 25	21.97
May 22	26.24	Jan. 28	22.11	June 22	21.72	Nov. 21	21.30
June 26	25.86	Feb. 25	21.80	July 27	21.20	Dec. 27	21.88

Lk 11. Town of Shelby. Shelby. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 32 N., R. 8 W. Driven unused water-table well in sand, diam 4 in, reported depth 18 ft. Lsd, about 642 ft above msl. MP, edge of 2-in coupling, 1.20 ft above lsd. Highest water level 4.10 below lsd, May 24, 1957; lowest 10.69 below lsd, Jan. 31, 1961. Records available: 1956-62.

Lk 11--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1956		Nov. 22	6.95	July 24	5.80	May 23	6.20
Mar. 23	6.90	Dec. 27	5.80	Aug. 28	6.80	June 27	7.20
Apr. 27	7.40	1958		Sept. 25	7.95	July 26	8.00
May 25	4.90	Jan. 24	6.65	Oct. 23	5.50	Aug. 23	8.30
June 22	6.00	Feb. 28	6.85	1960		Sept. 27	8.00
July 27	7.15	Mar. 28	6.50	Jan. 26	4.20	Oct. 25	7.70
Aug. 24	8.05	Apr. 25	6.85	Feb. 23	5.00	Nov. 25	6.98
Sept. 28	8.60	May 23	7.25	Mar. 22	6.10	Dec. 23	6.73
Oct. 25	9.00	June 27	5.95	Apr. 26	5.10	1962	
Nov. 23	9.20	July 25	5.70	May 24	5.90	Jan. 27	6.29
Dec. 28	9.40	Aug. 22	6.55	June 28	6.20	Feb. 24	6.54
1957		Sept. 26	7.70	July 25	7.00	Mar. 23	5.39
Jan. 25	9.30	Oct. 24	8.25	Aug. 22	7.90	Apr. 27	5.73
Feb. 27	8.90	Nov. 28	8.45	Sept. 27	8.60	May 25	6.59
Mar. 22	8.70	Dec. 26	8.55	Oct. 25	9.60	June 22	7.40
Apr. 26	5.65	1959		Nov. 22	9.10	July 27	8.10
May 24	4.10	Jan. 23	8.45	Dec. 27	9.50	Aug. 24	8.68
June 28	4.30	Feb. 27	6.45	1961		Sept. 28	8.90
July 26	5.10	Mar. 27	5.45	Jan. 24	9.80	Oct. 26	9.43
Aug. 23	6.40	Apr. 24	5.00	Feb. 21	9.80	Nov. 23	9.66
Sept. 27	7.85	May 22	4.70	Mar. 28	8.20	Dec. 28	9.89
Oct. 25	7.60	June 26	5.80	Apr. 25	6.80		

La Porte County

Lp 1. City of La Porte. La Porte. NW $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 28, T. 37 N., R. 2 W. Dug used public-supply well in sand and gravel, diam 50 ft, reported depth 40 ft. Lsd, about 748 ft above msl. MP, edge of concrete curb on west side, 1.30 ft above lsd. Highest water level 0.52 above lsd, June 24, 1950; lowest 17.30 below lsd, Aug. 23, 1947. Records available: 1942-62.

1955		Sept. 24	0.84	May 26	1.08	Jan. 25	0.89
Jan. 22	1.60	Oct. 22	.68	June 23	1.14	Feb. 22	.63
Feb. 26	1.40	Nov. 26	.82	July 28	1.19	Mar. 28	.19
Mar. 26	1.20	Dec. 24	.73	Aug. 25	1.19	Apr. 25	.76
Apr. 23	1.87	1957		Sept. 22	.87	May 23	+1.18
May 28	1.24	Jan. 28	.84	Oct. 27	.65	June 27	1.01
June 25	1.44	Feb. 25	.74	Nov. 24	.90	July 25	1.65
July 25	1.33	Mar. 25	.82	Dec. 22	.91	Aug. 22	1.06
Aug. 27	1.21	Apr. 22	1.11	1959		Sept. 26	1.06
Sept. 25	.88	May 27	1.44	Jan. 26	.87	Oct. 24	.85
Oct. 22	.56	June 24	1.22	Feb. 23	.62	Nov. 28	.76
Nov. 19	.93	July 22	1.02	Mar. 23	.53	Dec. 26	.84
Dec. 31	1.44	Aug. 26	1.19	Apr. 27	.74	1961	
1956		Sept. 23	1.01	May 25	.88	Jan. 23	.97
Jan. 22	1.87	Oct. 28	.99	June 25	.95	Feb. 27	.81
Feb. 25	1.01	Nov. 25	.83	July 27	1.14	Mar. 27	1.25
Mar. 24	2.27	Dec. 23	.78	Aug. 24	1.41	Apr. 24	1.09
Apr. 28	1.11	1958		Sept. 28	1.57	May 22	1.69
May 27	1.59	Jan. 27	.77	Oct. 26	.49	June 26	2.04
June 30	1.39	Feb. 24	.73	Nov. 23	.81	July 24	1.79
July 29	1.27	Mar. 24	.89	Dec. 28	.81	Aug. 28	1.78
Aug. 21	1.12	Apr. 28	.99	1960		Sept. 25	1.34

Lp 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Oct. 23	1.37	Jan. 22	1.42	May 28	1.90	Sept. 24	1.26
Nov. 27	1.31	Feb. 26	1.41	June 25	1.87	Oct. 22	1.26
Dec. 25	1.23	Mar. 26	1.15	July 23	1.32	Nov. 26	1.62
1962		Apr. 23	1.53	Aug. 27	1.41	Dec. 24	1.51

Lp 2. State of Indiana. Kankakee State Game Preserve. SW $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 10, T. 33 N., R. 3 W. Drilled unused artesian well in sand and gravel, diam 6 in, reported depth 115 ft. Lsd, about 671 ft above msl. MP, top of casing, 1.36 ft above lsd. Highest water level 0.34 below lsd, Apr. 8, 1950; lowest 7.52 below lsd, July 25, 1955. Records available: 1942-62.

1955		1957		1959		1962	
Jan. 24	3.52	Jan. 28	5.70	Jan. 26	4.43	Feb. 27	4.35
Feb. 28	3.48	Feb. 25	5.48	Feb. 17	2.15	Mar. 27	3.11
Mar. 28	3.52	Mar. 25	5.50	Mar. 23	2.63	Apr. 25	2.70
Apr. 25	3.90	Apr. 22	4.30	Apr. 6	2.16	May 22	6.33
May 23	4.95	May 27	4.04	July 27	5.43	June 26	4.40
June 20	4.68	June 24	4.65	Aug. 24	6.14	July 24	5.50
July 25	7.52	July 22	5.18	Sept. 28	6.73	Aug. 28	5.20
Aug. 22	6.45	Aug. 25	5.92	Oct. 26	4.81	Sept. 25	4.70
Sept. 26	6.52	Sept. 23	6.31	Nov. 23	5.76	Oct. 23	4.30
Oct. 24	5.56	Oct. 21	6.24	Dec. 28	4.67	Nov. 26	3.90
Nov. 28	5.35	Nov. 25	4.18	1960		Dec. 25	4.20
Dec. 26	5.23	Dec. 23	3.33	Jan. 25	3.55	1962	
1956		1958		Feb. 22	2.85	Jan. 22	3.60
Jan. 23	5.63	Jan. 27	4.17	Mar. 28	4.19	Feb. 26	4.20
Feb. 27	4.53	Feb. 24	4.51	Apr. 25	2.32	Mar. 26	2.1
Mar. 26	4.43	Mar. 24	4.07	May 23	3.91	Apr. 24	3.4
Apr. 23	5.14	Apr. 28	4.94	June 27	3.19	May 28	4.2
May 28	3.22	May 26	5.65	July 25	5.41	June 26	5.1
June 28	4.87	June 22	4.41	Aug. 22	4.90	July 23	5.7
July 23	5.73	July 28	5.06	Sept. 26	5.90	Aug. 27	6.5
Aug. 27	6.30	Aug. 25	4.45	Oct. 24	5.41	Sept. 24	6.2
Sept. 24	6.73	Sept. 22	5.43	Nov. 28	5.01	Oct. 22	5.5
Oct. 22	6.78	Oct. 27	5.31	Dec. 26	4.96	Nov. 26	5.11
Nov. 26	6.39	Nov. 24	4.68	1961		Dec. 25	5.44
Dec. 24	6.18	Dec. 22	4.66	Jan. 23	5.33		

Lp 3. U. S. Government. Kingsbury Ordnance Plant. Kingsbury. SE $\frac{1}{2}$ SW $\frac{1}{2}$ sec. 31, T. 36 N., R. 2 W. Drilled unused water-table well in sand, diam 8 in, reported depth 89 ft. Lsd, 737.08 ft above msl. MP, top of recorder platform, 1.59 ft above lsd. Highest water level 16.25 below lsd, May 21-25, 30, 31, June 1-3, 1956; lowest 19.20 below lsd, Jan. 12, 1960. Records available: 1955-62.

(daily highest water levels from recorder graph)

1955		May 25		16.25		1957		Aug. 25		17.50	
Nov. 25	e17.03	June 25	16.44	Jan. 25	18.23	Sept. 25	17.37				
Dec. 25	17.31	July 25	16.87	Feb. 25	18.21	Oct. 25	17.50				
1956		Aug. 25	17.27	Mar. 25	18.03	Nov. 25	17.27				
Jan. 25	17.49	Sept. 25	17.61	Apr. 25	17.59	Dec. 25	16.96				
Feb. 25	17.52	Oct. 25	17.90	May 25	17.03	1958					
Mar. 25	17.20	Nov. 25	e18.07	June 25	17.08	Jan. 25	16.85				
Apr. 25	17.25	Dec. 25	e18.18	July 25	17.31	Feb. 25	17.02				

Lp 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 25	16.66	June 25	e16.96	Sept. 25	17.83	Dec. 25	18.11
Apr. 25	16.85	July 28	17.47	Oct. 25	e18.07	1962	
May 25	17.15	Aug. 25	17.69	Nov. 25	18.19	Jan. 25	18.06
June 25	e17.41	Sept. 25	18.05	Dec. 25	e18.32	Feb. 25	18.02
July 25	17.60	Oct. 25	17.77	1961		Mar. 16	17.66
Aug. 25	17.57	Nov. 25	17.51	Jan. 25	18.46	Apr. 13	16.98
Sept. 25	17.75	Dec. 25	17.53	Feb. 25	18.43	May 25	17.37
Oct. 25	17.96	1960		Mar. 25	17.91	June 25	17.67
Nov. 25	18.15	Jan. 25	17.33	Apr. 25	17.59	July 25	17.98
Dec. 25	18.29	Feb. 25	16.60	May 25	17.24	Aug. 25	18.27
1959		Mar. 25	16.87	June 25	17.45	Sept. 25	18.50
Jan. 25	18.40	Apr. 25	16.63	July 25	17.78	Oct. 25	18.57
Feb. 19	17.79	May 25	16.97	Aug. 25	18.03	Nov. 25	18.54
Mar. 25	16.62	June 25	17.15	Sept. 25	18.03	Dec. 25	18.61
Apr. 25	16.39	July 24	17.49	Oct. 25	17.99		
May 25	16.68	Aug. 25	17.64	Nov. 25	18.13		

Lp 4. U. S. Government. Kingsbury Ordnance Plant, Kingsbury. SE $\frac{1}{2}$ NE $\frac{1}{2}$ sec. 11, T. 35 N., R. 2 W. Drilled unused artesian well in sand, diam 8 in, reported depth 90 ft. Lsd, about 688 ft above msl. MP, top of recorder platform, 1.82 ft above lsd. Highest water level 0.10e below lsd, May 1, 1957; lowest 4.50 below lsd, Dec. 13-17, 1956. Records available: 1955-57. Discontinued.

(daily highest water levels from recorder graph)

1955		Mar. 25	2.15	Sept. 25	3.99	Feb. 25	3.56
Nov. 25	2.13	Apr. 25	2.53	Oct. 25	4.34	Mar. 25	3.31
Dec. 25	2.62	May 9	.74	Nov. 25	e4.46	Apr. 25	1.05
1956		June 25	2.02	Dec. 25	4.46	May 25	1.08
Jan. 25	2.98	July 25	2.89	1957		June 6	1.49
Feb. 25	2.12	Aug. 25	3.51	Jan. 25	3.83	Nov. 6	h2.56

Lp 5. U. S. Government. Kingsbury Ordnance Plant, Kingsbury. NW $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 32, T. 36 N., R. 2 W. Drilled unused water-table well in sand, diam 8 in, reported depth 80 ft. Lsd, about 741 ft above msl. MP, top of recorder platform, 3.00 ft above lsd. Highest water level 16.44 below lsd, June 21, 1956; lowest 19.48 below lsd, Apr. 14, 15, 1957. Records available: 1955-57. Discontinued.

(daily highest water levels from recorder graph)

1955		Apr. 25	17.78	Oct. 25	17.88	Mar. 25	19.35
Dec. 25	17.36	May 25	16.75	Nov. 25	18.21	Apr. 25	19.45
1956		June 25	16.49	Dec. 25	18.53	May 11	18.93
Jan. 25	17.62	July 25	16.80	1957			
Feb. 25	17.76	Aug. 25	17.16	Jan. 25	e18.83		
Mar. 25	17.59	Sept. 25	17.52	Feb. 25	19.09		

Lp 6. Coolspring Township School. Michigan City. SE $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 16, T. 37 N., R. 4 W. Drilled unused artesian well in gravel, diam 6 in, reported depth 62 ft. Lsd, 655.64 ft above msl. MP, top of 2-in coupling, 9.40 ft above lsd. Highest water level 5.80 above lsd, June 1, 1956; lowest 2.43 above lsd, Jan. 10, 1958. Records available: 1956-58. Discontinued.

Lp 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1956		Oct. 24	+4.75	Mar. 22	+4.01	Sept. 25	+3.38
May 20	+4.90	Nov. 27	+4.64	Apr. 26	+3.91	Oct. 25	+3.28
June 29	+5.60	Dec. 24	+4.74	May 24	+3.70	Nov. 22	+3.50
July 20	+5.20	1957		June 28	+3.55	Dec. 20	+2.48
Aug. 30	+5.00	Jan. 25	+4.39	July 26	+3.45	1958	
Sept. 28	+4.94	Feb. 22	+4.15	Aug. 22	+3.40	Jan. 10	+2.43

Lp 7. Pennsylvania Railroad Co. Hanna. NE $\frac{1}{2}$ NW $\frac{1}{2}$ sec. 13, T. 34 N., R. 3 W. Drilled unused water-table well in sand and gravel, diam 8 in, reported depth 76 ft. Lsd, about 680 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 3.90 below lsd, Apr. 29, 1957; lowest 8.16 below lsd, Oct. 1, 8, 1956. Records available: 1956-58. Discontinued.

1956		Jan. 28	7.16	Sept. 23	7.78	Apr. 28	7.08
July 23	7.50	Feb. 25	7.33	Oct. 28	6.24	May 26	7.41
Aug. 27	7.89	Mar. 25	7.21	Nov. 25	6.61	June 23	6.25
Sept. 24	8.12	Apr. 22	6.34	Dec. 23	4.93	July 28	7.18
Oct. 22	8.11	May 27	6.57	1958		Aug. 25	7.11
Nov. 26	7.97	June 24	7.08	Jan. 27	6.80	Sept. 22	7.39
Dec. 24	7.89	July 22	7.26	Feb. 24	6.33	Oct. 20	7.91
1957		Aug. 26	7.59	Mar. 24	6.76		

Lawrence County

Lw 2. Roscoe Ingram. Mitchell. NW $\frac{1}{2}$ NW $\frac{1}{2}$ sec. 36, T. 4 N., R. 1 W. Dug unused well, diam 24 in, depth 26 ft, cribbed with brick. Lsd, about 678 ft above msl. MP, edge of 2 x 6-in board, 0.70 ft above lsd. Highest water level 0.10 above lsd, Jan. 8, 1958; lowest 23.21 below lsd, Jan. 29, Feb. 5, 12, 19, 26, Mar. 5, 1954. Records available: 1944-61. Discontinued.

1955		Aug. 24	22.00	Sept. 24	21.83	Apr. 27	21.45
Jan. 28	22.10	Sept. 25	22.00	Oct. 22	22.13	May 25	21.08
Feb. 25	21.82	Oct. 25	22.00	Nov. 19	20.29	June 22	13.11
Mar. 24	21.78	1957		Dec. 24	21.99	July 27	21.42
Apr. 22	19.37	May 22	22.39	1959		Aug. 24	21.27
May 27	21.93	June 24	22.00	Jan. 28	15.17	Sept. 28	21.54
June 24	21.93	July 24	21.91	Feb. 25	20.15	Oct. 26	21.49
July 23	22.93	Aug. 28	22.04	Mar. 25	22.08	Nov. 23	21.34
Aug. 25	21.98	Sept. 25	22.14	Apr. 26	21.39	Dec. 28	21.45
Sept. 22	21.96	Oct. 23	21.95	May 7	21.36	1961	
Oct. 27	22.76	Nov. 27	21.70	June 25	21.40	Jan. 25	21.43
Nov. 27	21.98	Dec. 25	11.77	July 22	21.34	Feb. 22	20.14
Dec. 26	22.76	1958		Aug. 5	20.92	Mar. 22	7.12
1956		Jan. 22	22.49	Sept. 23	21.47	Apr. 12	22.07
Jan. 27	22.76	Feb. 26	22.00	Oct. 28	21.42	May 24	22.05
Feb. 23	22.61	Mar. 26	22.33	Nov. 25	21.45	July 26	21.24
Mar. 23	22.62	Apr. 23	22.17	Dec. 23	21.35	Aug. 23	21.58
Apr. 27	22.62	May 28	22.77	1960		Sept. 27	22.07
May 25	22.76	June 25	21.98	Jan. 27	21.35		
June 22	22.62	July 23	8.38	Feb. 17	21.05		
July 27	21.96	Aug. 27	22.66	Mar. 23	17.17		

Madison County

Md 3. Mrs. Albert Closser. Frankton. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 21 N., R. 7 E. Drilled unused well, diam 3 in, depth 27 ft. Lsd, about 799 ft above msl. MP, top of casing, 0.50 ft above lsd. Highest water level 18.39 below lsd, June 16, 1939; lowest dry, Sept. 30, 1939-Mar. 31, 1940, Oct. 15, 1940-Oct. 28, 1941. Records available: 1935-41, 1947-55. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Feb. 28	23.79	Apr. 25	21.59	June 21	21.69
Jan. 27	24.46	Mar. 28	22.64	May 24	21.52		

Md 6. Ivan P. Moorman. Alexandria. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 21 N., R. 7 E. Driven unused well, diam 1 $\frac{1}{2}$ in, depth 35 ft. Lsd, about 875 ft above msl. MP, top edge of broken pitcher pump, 2.50 ft above lsd. Highest water level 3.33 below lsd, Apr. 8, 1948; lowest dry, Aug. 23-Dec. 27, 1954. Records available: 1946-55. Discontinued.

1955		Feb. 28	5.90	Apr. 25	5.55	July 25	8.66
Jan. 24	(f)	Mar. 28	5.42	June 27	6.80	Aug. 22	8.86

f Dry

Md 7. State of Indiana. Mounds State Park. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 16, T. 19 N., R. 8 E. Driven unused artesian well, diam 1 $\frac{1}{2}$ in, depth 18.5 ft. Lsd, about 905 ft above msl. MP, top of pipe, 3.50 ft above lsd. Highest water level 3.35 above lsd, July 1, 1957; lowest 13.9 below lsd, Aug. 7, 1946. Records available: 1935-36, 1938-62.

1955		1957		1959		1961	
Jan. 24	8.46	Jan. 21	7.52	Jan. 26	3.40	Jan. 23	7.12
Feb. 28	8.07	Feb. 25	7.49	Feb. 23	.60	Feb. 27	7.58
Mar. 21	8.47	Mar. 25	7.30	Mar. 23	.54	Mar. 27	5.84
Apr. 25	8.02	Apr. 22	2.60	Apr. 27	1.60	Apr. 24	2.19
May 23	7.94	May 27	.80	May 25	.52	May 21	.70
June 27	4.45	June 24	+3.30	June 22	2.59	June 26	2.20
July 25	4.50	July 22	1.40	July 27	4.20	July 24	3.12
Aug. 22	5.42	Aug. 26	3.30	Aug. 24	5.10	Aug. 28	4.48
Sept. 26	6.39	Sept. 23	4.20	Sept. 28	5.70	Sept. 25	5.15
Oct. 24	6.58	Oct. 28	5.02	Oct. 26	6.00	Oct. 23	5.68
Nov. 28	5.48	Nov. 25	5.20	Nov. 23	6.00	Nov. 27	5.94
Dec. 27	5.47	Dec. 23	3.10	Dec. 28	5.75	Dec. 25	6.22
1956		1958		1960		1962	
Jan. 23	5.58	Jan. 27	2.68	Jan. 25	4.98	Jan. 22	5.88
Feb. 27	4.27	Feb. 17	3.24	Feb. 22	2.93	Feb. 26	4.66
Mar. 26	3.56	Mar. 24	4.07	Mar. 28	3.34	Mar. 26	2.20
Apr. 23	2.48	Apr. 28	3.96	Apr. 25	3.30	Apr. 23	2.09
May 28	1.09	May 26	2.52	May 23	3.30	May 28	3.38
June 25	1.62	June 23	+9.95	June 27	2.80	June 25	4.14
July 23	2.69	July 28	1.85	July 25	3.40	July 23	4.05
Aug. 20	4.35	Aug. 25	2.10	Aug. 22	4.30	Aug. 27	5.10
Sept. 24	5.50	Sept. 22	3.12	Sept. 26	5.35	Sept. 24	5.32
Oct. 22	6.12	Oct. 27	4.40	Oct. 24	6.04	Oct. 22	5.98
Nov. 26	6.72	Nov. 24	5.14	Nov. 28	6.65	Nov. 26	6.37
Dec. 24	7.20	Dec. 22	5.00	Dec. 26	7.08	Dec. 24	6.85

Md 8. Die-Casting Corp. 26th and H Sts., Elwood. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 21 N., R. 6 E. Drilled unused artesian well in limestone, diam 8 in, depth 415 ft. Lsd, about 858 ft above msl. MP, top of shelter base, 2.00 ft above lsd. Highest water level 10.2 below lsd, Dec. 30, 1957; lowest 55.40 below lsd, Sept. 20, 22, 1950. Records available: 1949-62. (daily lowest water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		1957		1959		1961	
Jan. 23	16.4	Jan. 25	17.5	Jan. 25	13.7	Jan. 25	22.2
Feb. 25	17.0	Feb. 25	14.6	Feb. 25	13.3	Feb. 25	20.9
Mar. 25	14.0	Mar. 25	14.6	Mar. 25	13.3	Mar. 25	13.1
Apr. 24	13.6	Apr. 25	12.0	Apr. 25	14.0	Apr. 25	11.5
May 25	16.3	May 25	13.4	May 25	13.6	May 24	13.5
June 25	16.3	June 25	16.1	June 25	18.1	June 25	15.1
July 31	19.6	July 25	15.7	July 25	20.2	July 25	17.5
Aug. 25	22.0	Aug. 25	18.1	Aug. 25	21.6	Aug. 25	19.1
Sept. 25	23.3	Sept. 25	16.9	Sept. 25	23.4	Sept. 25	21.8
Oct. 25	19.1	Oct. 25	16.7	Oct. 25	21.2	Oct. 25	20.7
Nov. 25	15.3	Nov. 19	12.8	Nov. 25	20.2	Nov. 25	18.2
Dec. 25	15.9	Dec. 25	11.3	Dec. 24	18.5	Dec. 25	17.2
1956		1958		1960		1962	
Jan. 22	16.8	Jan. 25	13.3	Jan. 21	16.0	Jan. 25	15.2
Feb. 25	13.3	Feb. 25	15.4	Feb. 25	14.2	Feb. 25	15.4
Mar. 25	13.3	Mar. 25	15.8	Mar. 25	15.6	Mar. 25	13.0
Apr. 25	14.4	Apr. 25	16.2	Apr. 25	14.8	Apr. 25	15.5
May 25	14.8	May 23	16.8	May 25	25.7	May 25	18.5
June 24	15.6	June 25	13.5	June 25	16.8	June 25	19.1
July 25	16.5	July 25	14.1	July 25	15.2	July 25	18.4
Aug. 25	19.1	Aug. 25	16.4	Aug. 25	19.7	Aug. 25	22.7
Sept. 25	23.1	Sept. 25	18.4	Sept. 25	22.0	Sept. 25	23.4
Oct. 25	22.3	Oct. 25	17.0	Oct. 25	21.2	Oct. 25	22.7
Nov. 25	21.2	Nov. 25	14.0	Nov. 25	21.0	Nov. 25	22.5
Dec. 25	19.3	Dec. 25	15.0	Dec. 25	21.5	Dec. 25	22.7

Md 9. Elwood Trailer Corp. 9th and North J Sts., Elwood. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 9, T. 21 N., R. 6 E. Drilled unused artesian well in limestone, diam 8 in, reported depth 400 ft. Lsd, about 865 ft above msl. MP, top of shelter base, 2.00 ft above lsd. Highest water level 20.40 below lsd, Jan. 17, 1950; lowest 42.10 below lsd, Sept. 18, 1952. Records available: 1949-58. Discontinued.

(daily lowest water levels from recorder graph, 1955-57; daily highest, 1958)

1955	Dec. 24	28.0	Nov. 25	29.9	Oct. 25	29.8	
Jan. 25	29.5	1956	Dec. 25	27.6	Nov. 25	26.7	
Feb. 25	28.9	Jan. 18	28.4	1957	Dec. 25	23.3	
Mar. 25	27.0	Feb. 25	24.5	Jan. 25	30.6	1958	
Apr. 25	24.2	Mar. 25	22.9	Feb. 25	27.8	Jan. 25	24.3
May 25	28.6	Apr. 25	25.3	Mar. 25	27.4	Feb. 25	24.4
June 25	26.9	May 25	26.3	Apr. 25	25.5	Mar. 24	24.6
July 31	28.7	June 24	25.6	May 26	22.72	Apr. 25	25.7
Aug. 25	32.9	July 25	28.9	June 25	29.5	May 14	26.0
Sept. 25	32.2	Aug. 25	30.5	July 25	29.5		
Oct. 25	30.0	Sept. 19	37.2	Aug. 25	28.0		
Nov. 25	26.7	Oct. 25	32.8	Sept. 25	30.3		

Marion County

Ma 1. Indianapolis Water Co. 18th and Harding Sts., Indianapolis.
 SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 34 N., R. 3 E. Drilled unused well in limestone, diam 10
 in, depth 351 ft. Lsd, 701.28 ft above msl. MP, top of casing, 16.00 ft
 below lsd. Highest water level 13.50 below lsd, Feb. 15, 1950; lowest 37.26
 below lsd, Aug. 9, 1944. Records available: 1943-58. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Aug. 24	19.45	Mar. 26	17.12	Apr. 26	16.89
Jan. 25	18.52	Sept. 23	19.70	Apr. 24	17.06	May 24	16.61
Feb. 25	18.30	Oct. 21	19.14	May 25	18.00	June 21	17.66
Mar. 25	17.19	Nov. 22	17.17	Nov. 26	19.29	Oct. 25	18.02
Apr. 26	18.31	Dec. 23	17.63	1957		Nov. 29	17.24
May 25	19.54	1956		Jan. 28	17.48	Dec. 20	16.98
June 24	18.92	Jan. 25	18.30	Feb. 22	17.25	1958	
July 25	18.92	Feb. 23	17.66	Mar. 8	17.15	Jan. 27	16.79

Ma 2. Indiana National Bank. 130 East Washington St., Indianapolis.
 SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 15 N., R. 3 E. Drilled unused artesian well in gravel,
 diam 8 in, depth 90 ft. Lsd, 712.27 ft above msl. MP, top of casing, 24.00
 ft below lsd. Highest water level 37.11 below lsd, Apr. 14, 1959; lowest
 70.55 below lsd, Sept. 21, 1941. Records available: 1935-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

1955		1957		1959		1961	
Jan. 25	48.24	Jan. 25	41.45	Jan. 25	38.81	Jan. 25	40.27
Feb. 25	47.06	Feb. 25	40.67	Feb. 25	38.31	Feb. 25	39.95
Mar. 25	46.84	Mar. 25	40.61	Mar. 25	37.32	Mar. 25	39.88
Apr. 25	47.26	Apr. 25	43.37	Apr. 25	38.08	Apr. 25	39.76
May 25	49.35	May 25	45.02	May 25	41.02	May 25	40.03
June 25	51.02	June 25	46.26	June 25	43.48	June 25	41.45
July 25	54.59	July 25	48.36	July 25	46.35	July 25	43.30
Aug. 25	56.49	Aug. 25	49.19	Aug. 25	48.14	Aug. 25	45.22
Sept. 25	56.54	Sept. 25	47.55	Sept. 25	48.51	Sept. 25	45.70
Oct. 25	52.26	Oct. 25	44.60	Oct. 25	46.70	Oct. 25	42.95
Nov. 25	48.92	Nov. 25	42.07	Nov. 25	42.60	Nov. 25	40.74
Dec. 25	45.87	Dec. 25	41.84	Dec. 25	40.84	Dec. 25	39.45
1956		1958		1960		1962	
Jan. 25	43.65	Jan. 25	39.58	Jan. 25	h39.66	Jan. 25	38.78
Feb. 25	42.13	Feb. 25	38.65	Feb. 25	38.91	Feb. 22	h38.38
Mar. 25	41.60	Mar. 25	38.36	Mar. 25	38.41	Mar. 25	38.10
Apr. 25	40.97	Apr. 25	40.88	Apr. 25	40.73	Apr. 25	38.37
May 24	44.02	May 25	42.86	May 25	41.31	May 25	43.57
June 25	47.44	June 25	44.78	June 25	45.56	June 25	44.35
July 25	47.50	July 25	47.27	July 25	46.02	July 25	46.14
Aug. 25	49.08	Aug. 25	47.46	Aug. 25	47.50	Aug. 25	47.28
Sept. 25	47.28	Sept. 25	46.07	Sept. 25	47.36	Sept. 25	45.37
Oct. 25	45.76	Oct. 25	43.74	Oct. 25	43.68	Oct. 25	43.54
Nov. 25	43.41	Nov. 25	41.20	Nov. 25	41.77	Nov. 25	41.15
Dec. 25	42.56	Dec. 25	39.65	Dec. 25	40.76	Dec. 25	40.40

Ma 3. City of Indianapolis. Harry E. Wood High School. Meridian St. and Madison Ave., Indianapolis. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 6 in, depth 162 ft, cased to 70. Lsd, 705.73 ft above msl. MP, top of 3-in air-line discharge pipe, 0.80 ft below lsd. Highest water level 32.56 below lsd, Apr. 6, 27, 1959; lowest 71.06 below lsd, Oct. 7, 1941. Records available: 1935-62.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		1957		1959		1961	
Jan. 24	45.28	Jan. 25	38.93	Jan. 19	34.98	Jan. 23	34.96
Feb. 28	43.61	Feb. 22	40.18	Feb. 24	36.86	Feb. 27	35.37
Mar. 23	44.26	Mar. 22	40.27	Mar. 23	33.25	Mar. 27	34.74
Apr. 25	42.87	Apr. 26	39.52	Apr. 27	32.56	Apr. 24	33.46
May 27	45.10	May 24	42.08	May 25	35.16	May 22	33.56
June 24	46.97	June 24	42.12	June 22	36.46	June 26	34.07
July 25	47.83	July 19	42.49	July 27	40.24	July 24	36.09
Aug. 22	49.98	Aug. 23	43.60	Aug. 24	45.28	Aug. 28	37.14
Sept. 26	49.86	Sept. 27	42.69	Sept. 28	41.97	Sept. 26	40.35
Oct. 24	47.32	Oct. 18	40.82	Oct. 26	40.86	Oct. 23	37.66
Nov. 28	45.00	Nov. 27	40.83	Nov. 24	40.47	Nov. 27	34.99
Dec. 23	43.41	Dec. 27	38.59	Dec. 28	40.03	Dec. 22	35.90
1956		1958		1960		1962	
Jan. 23	40.65	Jan. 24	38.82	Jan. 25	35.60	Jan. 25	34.11
Feb. 27	39.04	Feb. 28	36.11	Feb. 23	37.54	Feb. 22	34.07
Mar. 26	38.08	Mar. 28	36.83	Mar. 28	34.57	Mar. 22	34.40
Apr. 23	38.62	Apr. 28	35.84	Apr. 25	36.29	Apr. 26	34.33
May 28	40.16	May 26	38.09	May 23	37.06	May 24	38.59
June 25	41.83	June 23	38.68	June 27	40.02	June 25	39.78
July 23	42.22	July 28	40.61	July 25	41.34	July 23	41.24
Aug. 27	42.52	Aug. 25	42.80	Aug. 22	41.53	Aug. 27	41.45
Sept. 24	42.30	Sept. 26	42.44	Sept. 26	41.60	Sept. 28	42.64
Oct. 22	41.58	Oct. 24	41.69	Oct. 24	39.90	Oct. 24	40.12
Nov. 26	41.22	Nov. 26	38.92	Nov. 28	36.70	Nov. 28	37.75
Dec. 28	42.47	Dec. 22	35.59	Dec. 27	35.96	Dec. 27	37.34

Ma 4. Layne-Northern Co., Inc. 227 W. Edwards Ave., Indianapolis. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 35, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 8 in, depth 304 ft. Lsd, 692.70 ft above msl. MP, top of casing, 5.50 ft above lsd. Highest water level 3.96 above lsd, Apr. 12, 1938; lowest 15.72 below lsd, May 27, 1941. Records available: 1937-56. Discontinued.
(daily lowest water levels from recorder graph)

1955		June 24	5.71	Dec. 25	2.56	May 25	1.22
Jan. 25	5.20	July 24	5.59	1956		June 25	.76
Feb. 25	5.02	Aug. 24	6.95	Jan. 25	2.59	July 23	.87
Mar. 25	4.56	Sept. 25	6.93	Feb. 25	2.28	Aug. 20	1.58
Apr. 25	4.46	Oct. 25	5.74	Mar. 25	1.67		
May 25	4.97	Nov. 25	3.47	Apr. 25	1.66		

Ma 9. Indianapolis Forwarding Co. 333 W. Ohio St., Indianapolis. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 8 in, depth 225 ft. Lsd, 707.95 ft above msl. MP, top of cap of 1-in hole, 0.50 ft above lsd. Highest water level 35.43 below lsd, Apr. 24, 1950; lowest 62.48 below lsd, Oct. 3, 1942. Records available: 1939-57. Discontinued.

Ma 9--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Sept. 26	46.91	May 28	38.69	Jan. 21	39.40
Jan. 24	44.43	Oct. 24	46.04	June 25	39.80	Feb. 22	38.44
Feb. 28	42.98	Nov. 28	43.70	July 23	40.39	Mar. 22	37.93
Mar. 23	42.48	Dec. 23	41.60	Aug. 27	41.54	Apr. 26	38.87
Apr. 25	42.03	1956		Sept. 24	42.02	May 24	38.72
May 23	42.57	Jan. 23	40.42	Oct. 22	41.58	June 24	40.38
June 24	43.46	Feb. 27	39.22	Nov. 26	40.34	July 26	40.40
July 25	45.18	Mar. 26	38.39	Dec. 28	40.04	Aug. 23	41.23
Aug. 22	46.20	Apr. 23	37.75	1957		Sept. 13	41.46

Ma 10. Federal Building. Meridian and Ohio Sts., Indianapolis. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 8 in, reported depth 304 ft. Lsd, 717.51 ft above msl. MP, top of 3-in airline discharge pipe, 10.00 ft below lsd. Highest water level 38.83 below lsd, Apr. 13, 1959; lowest 70.78 below lsd, Aug. 29, 1941. Records available: 1939-62.

1955		1957		1959		1961	
Jan. 24	50.65	Jan. 25	43.87	Jan. 26	41.27	Jan. 23	41.99
Feb. 28	49.33	Feb. 22	43.51	Feb. 24	41.13	Feb. 27	42.79
Mar. 23	49.38	Mar. 22	43.21	Mar. 23	39.67	Mar. 27	41.74
Apr. 25	49.63	Apr. 26	49.29	Apr. 27	39.22	Apr. 24	41.40
May 23	53.59	May 24	49.94	May 25	44.17	May 22	41.98
June 24	56.52	June 24	51.82	June 22	45.83	June 26	42.61
July 25	59.70	July 26	53.28	July 27	49.61	July 24	45.14
Aug. 22	61.09	Aug. 23	53.98	Aug. 24	51.78	Aug. 28	46.62
Sept. 26	57.50	Sept. 27	53.94	Sept. 28	52.13	Sept. 26	48.22
Oct. 24	54.02	Oct. 25	46.79	Oct. 26	47.32	Oct. 23	44.55
Nov. 28	50.36	Nov. 27	44.24	Nov. 24	44.39	Nov. 27	42.37
Dec. 23	48.16	Dec. 27	43.77	Dec. 28	42.96	Dec. 22	41.89
1956		1958		1960		1962	
Jan. 23	46.20	Jan. 24	42.27	Jan. 25	41.49	Jan. 25	41.00
Feb. 27	44.60	Feb. 28	41.50	Feb. 23	41.04	Feb. 22	40.66
Mar. 26	43.98	Mar. 28	41.14	Mar. 28	40.19	Mar. 22	40.91
Apr. 23	43.53	Apr. 28	42.38	Apr. 25	42.48	Apr. 26	40.91
May 28	45.60	May 26	47.89	May 23	43.24	May 24	45.95
June 25	53.14	June 23	49.63	June 27	46.33	June 25	46.75
July 23	52.97	July 28	51.85	July 25	47.75	July 23	47.71
Aug. 27	54.08	Aug. 27	52.44	Aug. 22	48.26	Aug. 27	48.53
Sept. 24	50.77	Sept. 26	51.46	Sept. 26	48.01	Sept. 28	49.05
Oct. 22	48.17	Oct. 24	46.03	Oct. 24	47.60	Oct. 24	47.00
Nov. 26	45.63	Nov. 26	43.65	Nov. 28	43.58	Nov. 21	45.52
Dec. 28	45.28	Dec. 22	42.07	Dec. 27	42.75	Dec. 27	43.28

Ma 13. City of Indianapolis. Sanitation Plant. Raymond and Harding Sts., Indianapolis. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 15 N., R. 3 E. Bored test water-table well in sand and gravel, diam 8 in, depth 8.5 ft. Lsd, 668.40 ft above msl. MP, top of casing, 5.00 ft above lsd. Highest water level 1.69 above lsd, Jan. 10, 1950; lowest dry, July 16-Oct. 25, 1948, Oct. 16-Dec. 30, 1953, Aug. 30-Dec. 21, 1954, Jan. 31, Mar. 31, 1955. Records available: 1939-55. Discontinued.

1955	Jan. 31	(f)	Feb. 25	5.04	Mar. 31	(f)
------	---------	-----	---------	------	---------	-----

f Dry.

Ma 14. City of Indianapolis. Sanitation Plant. Raymond and Harding Sts., Indianapolis. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 15 N., R. 3 E. Bored test water-table well in sand and gravel, diam 2 in, depth 23 ft. Lsd, 685.68 ft above msl. MP, top of pipe, 0.00 ft lsd. Highest water level 15.50 below lsd, Oct. 10, 1950; lowest dry, Feb. 14, 1945. Records available: 1939-55. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Feb. 25	19.97	Apr. 25	20.03	May 31	19.97
Jan. 31	19.98	Mar. 31	20.00				

Ma 18. Anna M. Stelzner. 4948 W. Vermont St., Indianapolis. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 6, T. 15 N., R. 3 E. Dug unused well in glacial drift, diam 24 in, depth 28 ft, cribbed with brick. Lsd, about 735 ft above msl. MP, top of shelter base, 2.29 ft above lsd. Highest water level 3.55 below lsd, May 8, 1961; lowest 28.45 below lsd, Oct. 8-10, 1954. Records available: 1943-62. (daily lowest water levels from recorder graph, 1955-Feb. 15, 1957; 2 a.m., Feb. 16-Dec. 31, 1957; daily highest, 1958-62)

1955		1957		1959		1961	
Jan. 25	25.90	Jan. 25	23.00	Jan. 25	16.55	Jan. 25	24.95
Feb. 25	25.65	Feb. 25	21.85	Feb. 25	14.70	Feb. 25	24.40
Mar. 25	24.60	Mar. 25	21.15	Mar. 25	14.45	Mar. 25	17.95
Apr. 25	23.95	Apr. 25	14.50	Apr. 25	15.75	Apr. 25	6.75
May 25	24.30	May 25	9.30	May 25	17.15	May 22	14.95
June 25	24.60	June 25	16.90	June 25	19.45	June 25	19.65
July 25	24.80	July 25	18.66	July 25	24.15	July 25	22.10
Aug. 25	26.35	Aug. 25	21.16	Aug. 25	25.50	Aug. 25	24.05
Sept. 25	27.35	Sept. 25	22.50	Sept. 25	26.50	Sept. 24	26.00
Oct. 25	24.45	Oct. 25	23.35	Oct. 24	e25.60	Oct. 25	25.50
Nov. 25	22.70	Nov. 25	21.45	Nov. 24	h24.41	Nov. 25	24.50
Dec. 23	22.80	Dec. 25	15.40	Dec. 25	23.55	Dec. 25	23.60
1956		1958		1960		1962	
Jan. 25	23.00	Jan. 25	18.55	Jan. 25	22.50	Jan. 25	22.65
Feb. 27	15.00	Feb. 25	19.05	Feb. 25	20.85	Feb. 25	21.95
Mar. 25	17.45	Mar. 25	19.30	Mar. 25	20.80	Mar. 25	12.50
Apr. 25	17.75	Apr. 25	18.55	Apr. 25	19.00	Apr. 25	18.25
May 25	19.15	May 25	18.20	May 25	18.10	May 25	17.10
June 25	17.60	June 25	16.95	June 22	19.75	June 25	21.70
July 25	19.60	July 25	14.50	July 25	20.05	July 25	21.55
Aug. 25	22.85	Aug. 25	17.70	Aug. 25	22.90	Aug. 25	24.00
Sept. 25	25.05	Sept. 25	19.60	Sept. 25	24.95	Sept. 25	22.75
Oct. 25	25.85	Oct. 25	20.35	Oct. 25	25.80	Oct. 25	23.00
Nov. 25	25.15	Nov. 25	18.50	Nov. 25	25.35	Nov. 25	22.60
Dec. 9	25.00	Dec. 25	18.95	Dec. 25	25.40	Dec. 25	23.15

Ma 19. New York Central System. 10th and Exeter Sts., Indianapolis. NE $\frac{1}{2}$ NE $\frac{1}{2}$ sec. 5, T. 15 N., R. 3 E. Driven unused well in glacial drift, diam 1 $\frac{1}{2}$ in, depth 24 ft. Lsd, about 720 ft above msl. MP, top of pipe, 1.13 ft above lsd. Highest water level 12.50 below lsd, Feb. 27, 1950; lowest 21.48 below lsd, Feb. 5, 1945. Records available: 1943-62.

1955		May 23	19.55	Oct. 24	19.77	Feb. 27	18.49
Jan. 24	20.33	June 24	19.59	Nov. 28	18.86	Mar. 26	17.49
Feb. 28	20.40	July 25	19.75	Dec. 23	18.65	Apr. 23	16.94
Mar. 23	20.18	Aug. 22	20.04	1956		May 28	17.07
Apr. 25	19.67	Sept. 26	20.42	Jan. 23	19.01	June 25	15.42

Ma 19--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
July 23	15.34	Feb. 28	16.69	Oct. 26	19.07	May 22	14.89
Aug. 27	16.28	Mar. 28	17.26	Nov. 24	19.24	June 26	15.62
Sept. 24	17.01	Apr. 28	17.71	Dec. 28	19.14	July 24	16.58
Oct. 22	17.64	May 26	17.69	1960			
Nov. 26	18.16	June 23	17.28	Jan. 25	19.16	Aug. 28	17.41
Dec. 28	18.15	July 28	15.74	Feb. 23	18.43	Sept. 26	18.03
1957				Mar. 28	18.52	Oct. 23	18.53
Jan. 25	18.36	Aug. 25	14.62	Apr. 25	18.73	Nov. 27	18.78
Feb. 22	18.32	Sept. 26	15.65	May 23	18.77	Dec. 22	19.11
Mar. 22	18.43	Oct. 24	16.45	1962			
Apr. 26	16.41	Nov. 26	16.62	Jan. 25	18.82	Feb. 22	18.28
May 24	15.75	Dec. 22	17.00	Mar. 22	17.77	Mar. 22	17.77
June 24	15.34	1959				Apr. 26	17.27
July 26	14.74	Jan. 26	16.64	May 24	17.17	May 24	17.17
Aug. 23	15.61	Feb. 24	16.44	June 25	17.66	June 25	17.66
Sept. 27	16.55	Mar. 23	16.37	July 23	17.44	July 23	17.44
Oct. 25	17.02	Apr. 24	16.68	Aug. 27	18.01	Aug. 27	18.01
Nov. 27	17.19	May 25	16.70	Sept. 28	18.37	Sept. 28	18.37
Dec. 27	16.00	June 22	17.18	Oct. 24	18.33	Oct. 24	18.33
1958				Nov. 28	18.49	Nov. 28	18.49
Jan. 24	15.89	July 27	17.96	Dec. 26	18.68	Dec. 26	18.68
		Aug. 24	18.45				
		Sept. 28	18.94				

Ma 25. Electric Steel Castings Co. Tenth and Main Sts., Speedway. SW $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 31, T. 16 N., R. 3 E. Drilled unused well in gravel, diam 6 in, depth 118 ft. Lsd, about 725 ft above msl. MP, top edge of concrete collar, 1.70 ft above lsd. Highest water level 17.95 below lsd, Jan. 31, 1949; lowest 52.82 below lsd, Jan. 31, 1947. Records available: 1945-57. Discontinued.

(daily lowest water levels from recorder graph)

1955	Sept. 25	40.3	May 25	40.5	Jan. 25	31.9	
Jan. 25	37.5	Oct. 25	37.4	June 25	40.4	Feb. 25	35.1
Feb. 25	41.6	Nov. 25	40.2	July 25	39.1	Mar. 25	33.4
Mar. 25	43.0	Dec. 25	34.3	Aug. 25	40.0	Apr. 25	e33.8
Apr. 25	35.2	1956				May 25	32.8
May 25	33.1	Jan. 25	38.7	Sept. 25	42.7	June 25	37.8
June 25	38.6	Feb. 25	37.1	Oct. 25	38.7	July 25	37.8
July 26	47.6	Mar. 25	37.5	Nov. 25	31.6	Aug. 25	35.7
Aug. 25	45.1	Apr. 23	32.0	Dec. 25	29.6	Sept. 19	33.1
				1957			

Ma 26. Otto Schakel. Five Points. NW $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 26, T. 15 N., R. 4 E. Dug unused well in gravel, diam 42 in, depth 14 ft, cribbed with brick. Lsd, about 850 ft above msl. MP, top of concrete block on well cover platform, 0.40 ft above lsd. Highest water level 2.15 below lsd, Mar. 22, 1948; lowest 11.74 below lsd, Oct. 4, 1954. Records available: 1947-55. Discontinued.

1955	Jan. 24	7.55	Feb. 21	6.99
------	---------	------	---------	------

Ma 27. Otto Schakel. Five Points. NW $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 26, T. 15 N., R. 4 E. Dug unused well in gravel, diam 36 in, depth 14 ft. Lsd, about 850 ft above msl. MP, crack in pump floor, 0.50 ft above lsd. Highest water level 0.60 below lsd, Dec. 10, 1951; lowest 10.23 below lsd, Sept. 19, 1955. Records available: 1947-56. Discontinued.

Ma 27--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		May 23	7.60	Oct. 24	7.23	Feb. 27	5.32
Jan. 24	2.93	June 27	7.91	Nov. 28	5.79	Mar. 26	4.99
Feb. 21	2.32	July 25	9.15	Dec. 26	7.50	Apr. 23	7.00
Mar. 28	5.87	Aug. 22	8.95	1956		July 1	7.41
Apr. 25	5.90	Sept. 26	8.72	Jan. 23	7.00		

Ma 28. Manuel W. Rabourn. Acton. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 14 N., R. 5 E. Dug unused artesian well in glacial drift, diam 42 in, depth 24 ft, cribbed with brick. Lsd, about 819 ft above msl. MP, top of platform, 2.32 ft above lsd. Highest water level 0.15 below lsd, Apr. 25, May 8, 1961; lowest 17.07 below lsd, Oct. 11, 1954. Records available: 1947-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

1955		1957		1959		1961	
Jan. 25	11.77	Jan. 25	4.97	Jan. 25	2.82	Jan. 25	12.21
Feb. 25	10.95	Feb. 25	5.13	Feb. 25	e3.93	Feb. 25	10.06
Mar. 25	8.01	Mar. 29	5.22	Mar. 25	3.88	Mar. 25	1.68
Apr. 25	7.98	Apr. 25	4.48	Apr. 25	6.42	Apr. 25	.15
May 25	9.41	May 25	1.80	May 25	5.43	May 25	4.94
June 25	9.23	June 25	6.82	June 25	7.83	June 25	8.45
July 25	9.63	July 25	6.61	July 25	9.87	July 25	10.22
Aug. 24	11.09	Aug. 25	9.07	Aug. 25	11.41	Aug. 25	11.04
Sept. 25	12.58	Sept. 25	10.09	Sept. 25	e12.86	Sept. 25	11.98
Oct. 25	10.27	Oct. 25	11.21	Oct. 25	13.92	Oct. 25	12.90
Nov. 25	4.11	Nov. 25	6.28	Nov. 25	14.47	Nov. 25	13.53
Dec. 25	6.86	Dec. 31	2.57	Dec. 25	13.10	Dec. 25	12.65
1956		1958		1960		1962	
Jan. 25	9.34	Jan. 25	5.90	Jan. 25	8.79	Jan. 25	7.74
Feb. 24	6.16	Feb. 25	8.13	Feb. 25	5.40	Feb. 25	7.15
Mar. 25	7.27	Mar. 25	7.46	Mar. 25	6.67	Mar. 25	h2.20
Apr. 25	6.60	Apr. 25	6.94	Apr. 25	7.21	Apr. 25	h6.99
May 25	8.88	May 25	h5.99	May 24	8.01	May 25	8.17
June 25	7.91	June 25	2.05	June 23	e6.40	June 25	9.56
July 25	7.98	July 25	2.23	July 25	6.64	July 25	e10.54
Aug. 25	9.00	Aug. 25	6.22	Aug. 25	9.42	Aug. 25	h11.18
Sept. 25	11.06	Sept. 25	8.53	Sept. 25	10.87	Sept. 25	9.79
Oct. 25	12.57	Oct. 25	9.06	Oct. 25	11.99	Oct. 25	10.67
Nov. 25	13.19	Nov. 24	6.67	Nov. 25	12.93	Nov. 25	11.23
Dec. 27	7.54	Dec. 25	6.79	Dec. 25	12.96	Dec. 25	e11.43

Ma 29. Indiana Amusement Corp. Indiana Theater. 134 W. Washington St., Indianapolis. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 15 N., R. 3 E. Drilled unused well in gravel, diam 12 in, depth 101 ft. Lsd, about 715 ft above msl. MP, edge of casing on east side, 12.50 ft below lsd. Highest water level 37.21 below lsd, Apr. 17, 1950; lowest 53.60 below lsd, Sept. 5, 1948. Records available: 1948-57. Discontinued.

(daily lowest water levels from recorder graph)

1955		June 25	47.05	Dec. 25	42.70	May 25	40.85
Jan. 25	45.04	July 25	49.70	1956		June 25	43.27
Feb. 25	43.88	Aug. 21	51.47	Jan. 25	40.56	July 25	43.76
Mar. 25	43.64	Sept. 25	51.80	Feb. 25	39.37	Aug. 25	45.19
Apr. 25	43.73	Oct. 25	48.30	Mar. 25	38.53	Sept. 25	44.16
May 25	45.65	Nov. 25	45.45	Apr. 25	37.86	Oct. 25	43.27

Ma 29--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Nov. 25	40.75	Jan. 25	38.80	Apr. 26	40.83	July 26	44.63
Dec. 25	39.82	Feb. 25	38.26	May 25	41.48	Aug. 24	45.19
1957		Mar. 25	37.68	June 25	42.12	Sept. 19	44.61

Ma 30. L. S. Ayres and Co. 1 West Washington St., Indianapolis. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 12 in, reported depth 400 ft. Lsd, about 715 ft above msl. MP, top of casing, 29.50 ft below lsd. Highest water level 35.3 below lsd, Apr. 18, 1959; lowest 58.70 below lsd, Sept. 4, 1954. Records available: 1948-62.

(daily lowest water levels from recorder graph, Jan. 1-Feb. 26, 1955; 2 a.m., Feb. 27, 1955-Dec. 31, 1957; daily highest, 1958-62)

1955		1956		1957		1958		1959		1960		1961		1962	
Jan. 25	46.7	Jan. 25	42.1	Jan. 25	40.4	Jan. 25	38.1	Jan. 25	37.7	Jan. 25	38.8	Jan. 25	39.4	Jan. 25	37.8
Feb. 25	45.5	Feb. 25	40.6	Feb. 25	39.4	Feb. 25	37.3	Feb. 25	39.8	Feb. 25	38.0	Feb. 25	37.1	Feb. 25	37.1
Mar. 26	45.2	Mar. 25	40.1	Mar. 25	43.75	Mar. 25	36.9	Mar. 25	40.8	Mar. 25	37.4	Mar. 25	37.0	Mar. 25	37.0
Apr. 25	45.7	Apr. 25	39.4	Apr. 25	44.6	Apr. 25	40.4	Apr. 25	40.8	Apr. 25	39.7	Apr. 25	37.5	Apr. 25	37.5
May 25	48.2	May 25	43.75	May 25	44.6	May 24	h44.25	May 25	44.9	May 25	40.8	May 25	43.1	May 25	43.1
Oct. 26	50.2	June 25	44.6	June 25	46.35	June 25	43.4	June 25	45.1	June 25	44.9	June 25	43.3	June 25	43.3
Nov. 25	47.3	July 25	46.35	July 25	47.35	July 25	46.1	July 25	47.0	July 25	45.1	July 25	45.8	July 25	45.8
Dec. 25	45.0	Aug. 25	47.35	Aug. 25	46.30	Aug. 25	45.8	Aug. 25	46.2	Aug. 25	47.0	Aug. 25	46.9	Aug. 25	46.9
		Sept. 24	46.30	Sept. 24	46.30	Sept. 25	45.3	Sept. 25	43.1	Sept. 25	46.2	Sept. 25	45.0	Sept. 25	45.0
		Oct. 25	44.8	Oct. 25	44.8	Oct. 25	42.7	Oct. 25	41.0	Oct. 25	43.1	Oct. 24	h45.15	Oct. 24	h45.15
		Nov. 25	42.5	Nov. 25	42.5	Nov. 25	40.4	Nov. 25	39.9	Nov. 25	41.0	Nov. 25	39.4	Nov. 25	39.4
		Dec. 25	41.7	Dec. 25	41.7	Dec. 25	38.6	Dec. 25	39.9	Dec. 25	39.9	Dec. 25	39.6	Dec. 25	39.6
		1957		1957		1957		1957		1957		1957		1957	
		Jan. 25	40.4	Jan. 25	40.4	Jan. 25	37.7	Jan. 25	39.4	Jan. 25	39.4	Jan. 25	39.4	Jan. 25	39.4
		Mar. 25	39.8	Mar. 25	39.8	Mar. 25	37.2	Mar. 25	39.1	Mar. 25	39.1	Mar. 25	39.1	Mar. 25	39.1

Ma 31. U. S. Government. Fort Harrison, Indianapolis. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 16 N., R. 5 E. Drilled unused well in limestone, diam 8 in, depth 347 ft. Lsd, about 835 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 95.3 below lsd, Apr. 27, 1961; lowest 104.6 below lsd, Aug. 15, 1959. Records available: 1954-62.

(daily lowest water levels from recorder graph, 1955-57; daily highest 1958-62)

1955		1956		1957		1958		1959		1960		1961		1962	
Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5
Oct. 25	102.3	Oct. 25	102.3	Oct. 25	102.3	Oct. 25	102.3	Oct. 25	102.3	Oct. 25	102.3	Oct. 25	102.3	Oct. 25	102.3
Nov. 25	100.5	Nov. 25	100.5	Nov. 25	100.5	Nov. 25	100.5	Nov. 25	100.5	Nov. 25	100.5	Nov. 25	100.5	Nov. 25	100.5
Dec. 25	101.7	Dec. 25	101.7	Dec. 25	101.7	Dec. 25	101.7	Dec. 25	101.7	Dec. 25	101.7	Dec. 25	101.7	Dec. 25	101.7
Jan. 25	102.3	Jan. 25	102.3	Jan. 25	102.3	Jan. 25	102.3	Jan. 25	102.3	Jan. 25	102.3	Jan. 25	102.3	Jan. 25	102.3
Feb. 25	99.3	Feb. 25	99.3	Feb. 25	99.3	Feb. 25	99.3	Feb. 25	99.3	Feb. 25	99.3	Feb. 25	99.3	Feb. 25	99.3
Mar. 25	100.2	Mar. 25	100.2	Mar. 25	100.2	Mar. 25	100.2	Mar. 25	100.2	Mar. 25	100.2	Mar. 25	100.2	Mar. 25	100.2
Apr. 25	100.7	Apr. 25	100.7	Apr. 25	100.7	Apr. 25	100.7	Apr. 25	100.7	Apr. 25	100.7	Apr. 25	100.7	Apr. 25	100.7
May 25	101.1	May 25	101.1	May 25	101.1	May 25	101.1	May 25	101.1	May 25	101.1	May 25	101.1	May 25	101.1
June 25	100.7	June 25	100.7	June 25	100.7	June 25	100.7	June 25	100.7	June 25	100.7	June 25	100.7	June 25	100.7
July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2
Aug. 25	102.5	Aug. 25	102.5	Aug. 25	102.5	Aug. 25	102.5	Aug. 25	102.5	Aug. 25	102.5	Aug. 25	102.5	Aug. 25	102.5
Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5	Sept. 25	102.5
Oct. 25	102.6	Oct. 25	102.6	Oct. 25	102.6	Oct. 25	102.6	Oct. 25	102.6	Oct. 25	102.6	Oct. 25	102.6	Oct. 25	102.6
Nov. 25	102.1	Nov. 25	102.1	Nov. 25	102.1	Nov. 25	102.1	Nov. 25	102.1	Nov. 25	102.1	Nov. 25	102.1	Nov. 25	102.1
Dec. 25	101.9	Dec. 25	101.9	Dec. 25	101.9	Dec. 25	101.9	Dec. 25	101.9	Dec. 25	101.9	Dec. 25	101.9	Dec. 25	101.9
Jan. 25	100.8	Jan. 25	100.8	Jan. 25	100.8	Jan. 25	100.8	Jan. 25	100.8	Jan. 25	100.8	Jan. 25	100.8	Jan. 25	100.8
Apr. 25	99.9	Apr. 25	99.9	Apr. 25	99.9	Apr. 25	99.9	Apr. 25	99.9	Apr. 25	99.9	Apr. 25	99.9	Apr. 25	99.9
May 25	98.4	May 25	98.4	May 25	98.4	May 25	98.4	May 25	98.4	May 25	98.4	May 25	98.4	May 25	98.4
June 24	h99.14	June 24	h99.14	June 24	h99.14	June 24	h99.14	June 24	h99.14	June 24	h99.14	June 24	h99.14	June 24	h99.14
July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2	July 25	101.2
Aug. 25	101.7	Aug. 25	101.7	Aug. 25	101.7	Aug. 25	101.7	Aug. 25	101.7	Aug. 25	101.7	Aug. 25	101.7	Aug. 25	101.7

Ma 31--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Sept. 25	102.3	Jan. 25	98.2	June 25	100.4	Nov. 25	101.6
Oct. 25	102.7	Feb. 25	98.9	July 25	101.3	Dec. 25	101.5
Nov. 22	h100.98	Mar. 25	99.3	Aug. 25	102.0	1962	
Dec. 25	98.7	Apr. 25	99.9	Sept. 25	102.1	Jan. 25	100.5
1958		May 25	99.7	Oct. 25	102.4	Feb. 25	100.8
Jan. 25	99.5	June 25	101.1	Nov. 25	102.1	Mar. 25	98.8
Feb. 25	100.8	July 25	101.4	Dec. 25	102.9	Apr. 25	101.1
Mar. 22	100.4	Aug. 25	102.1	1961		May 25	101.1
Apr. 25	100.7	Sept. 25	102.1	Jan. 25	102.3	June 25	102.0
May 25	100.0	Oct. 25	101.3	Feb. 25	101.6	July 25	101.4
June 25	98.3	Nov. 25	101.0	Mar. 25	98.5	Aug. 25	102.4
July 25	98.8	Dec. 25	100.5	Apr. 25	96.0	Sept. 25	102.1
Aug. 25	99.9	1960		May 25	99.8	Oct. 25	101.9
Sept. 25	100.7	Jan. 25	99.8	June 26	e101.4	Nov. 25	101.9
Oct. 25	101.0	Feb. 18	101.0	July 25	101.1	Dec. 25	102.2
Nov. 25	100.4	Mar. 25	100.0	Aug. 21	101.8		
Dec. 25	100.9	Apr. 25	100.2	Sept. 25	101.9		
1959		May 25	101.0	Oct. 25	101.7		

Ma 32. Indianapolis Water Co. Indianapolis. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 36, T. 17 N., R. 3 E. Drilled unused well in limestone, diam 10 in, depth 322 ft. Lsd, about 720 ft above msl. MP, 1-in hole in top of recorder platform, 2.10 ft above lsd. Highest water level 5.85 below lsd, June 17, 1958; lowest 14.76 below lsd, Sept. 6, 1961. Records available: 1958-62.

(daily highest water levels from recorder graph)

1958		July 25	11.70	Oct. 25	11.17	1962	
May 26	10.15	Aug. 25	13.07	Nov. 25	11.03	Jan. 25	10.04
June 28	h9.55	Sept. 25	12.50	Dec. 25	11.07	Feb. 25	10.30
July 25	10.55	Oct. 26	e11.55	1961		Mar. 25	9.22
Aug. 25	10.50	Nov. 25	11.24	Jan. 25	11.02	Apr. 30	h10.72
Sept. 27	11.70	Dec. 25	10.86	Feb. 25	10.78	May 25	10.60
Oct. 25	10.60	1960		Mar. 25	8.96	June 26	12.00
Nov. 25	10.29	Jan. 25	10.66	Apr. 25	8.01	July 25	11.40
Dec. 25	10.55	Feb. 25	10.33	May 25	9.89	Aug. 25	11.90
1959		Mar. 25	10.66	June 25	10.40	Sept. 25	10.90
Jan. 25	8.04	Apr. 25	11.06	July 25	11.12	Oct. 25	10.70
Feb. 25	9.58	May 25	10.89	Aug. 25	11.53	Nov. 25	10.80
Mar. 25	9.81	June 25	10.52	Sept. 25	11.11	Dec. 25	10.80
Apr. 25	10.67	July 25	12.90	Oct. 25	10.85		
May 25	10.50	Aug. 25	12.15	Nov. 25	10.56		
June 25	12.60	Sept. 25	e12.01	Dec. 25	10.59		

Marshall County

M1 1. Howard Lemler. Bourbon. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 16, T. 33 N., R. 3 E. Dug unused well in glacial drift, diam 12 in, depth 17 ft, cribbed with tile. Lsd, about 832 ft above msl. MP, top edge of vitrified tile on east side, 0.30 ft above lsd. Highest water level 1.07 below lsd, Apr. 9, 1950; lowest 10.09 below lsd, Oct. 1, 1955. Records available: 1948-62.