ArcelorMittal Burns Harbor Receiving Water Sampling Locations
8/16/2019
Location: 13
Cyanide, Total: 0.0079 mg/l
Free Cyanide: 0.011 mg/l
Location: 12
Cyanide, Total: 0.042 mg/l
Free Cyanide: 0.073 mg/l
Location: 11
Cyanide, Total: 0.044 mg/l
Free Cyanide: 0.080 mg/l
Location: 10
Cyanide, Total: 0.050 mg/l
Free Cyanide: 0.080 mg/l
Location: 9
Cyanide, Total: 0.038 mg/l
Free Cyanide: 0.072 mg/l
Location: 8
Cyanide, Total: 0.035 mg/l
Free Cyanide: 0.061 mg/l
Location: 7
Cyanide, Total: 0.026 mg/l
Free Cyanide: 0.047 mg/l
Location: 6
Cyanide, Total: 0.023 mg/l
Free Cyanide: 0.041 mg/l
Location: 5
Cyanide, Total: 0.018 mg/l
Free Cyanide: 0.033 mg/l
Location: 4
Cyanide, Total: 0.018 mg/l
Free Cyanide: 0.032 mg/l
Location: 3
Cyanide, Total: 0.018 mg/l
Free Cyanide: 0.031 mg/l
Location: 2
Cyanide, Total: 0.016 mg/l
Free Cyanide: 0.028 mg/l
Location: 1
Cyanide, Total: 0.016 mg/l
Free Cyanide: 0.030 mg/l
Location: Outfall 001
Cyanide, Total: 0.019 mg/l
Free Cyanide: 0.036 mg/l
Location: 000
Cyanide, Total: ND
Free Cyanide: ND
13
12
11
10
9
8
7
6
5
4
3
2
1
Outfall 001
000
Dunes Hwy
W Dunes Hwy
Max Mochal Hwy
Crisman Rd
Melton Rd
12
149
249
94
20
Google Earth
Image © 2019 TerraMetrics
© 2018 Google
N
1 mi