Work Order No.: 19H1391



August 28, 2019

Arcelor Mittal USA, Inc. 250 W US Highway 12 Burns Harbor, IN 46304-9745

Re: NPDES Parameters

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 6 sample(s) on 8/22/2019 9:50:00AM for the analyses presented in the following report as Work Order 19H1391.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at ron.misiunas@microbac.com.

Sincerely,

Microbac Laboratories, Inc.

Carry Hadgala

Carey Gadzala Project Manager



WORK ORDER SAMPLE SUMMARY

Date: Wednesday, August 28, 2019

Client: Arcelor Mittal USA, Inc.
Project: NPDES Parameters

Lab Order: 19H1391

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
19H1391-01	011-Composite	011	08/21/2019 00:00	8/22/2019 9:50:00AM
19H1391-02	011-Grab	011	08/22/2019 00:00	8/22/2019 9:50:00AM
19H1391-03	001-Composite	001	08/21/2019 00:00	8/22/2019 9:50:00AM
19H1391-04	001-Grab	001	08/22/2019 00:00	8/22/2019 9:50:00AM
19H1391-05	002-Composite	002	08/21/2019 00:00	8/22/2019 9:50:00AM
19H1391-06	002-Grab	002	08/22/2019 00:00	8/22/2019 9:50:00AM



CASE NARRATIVE Date: Wednesday, August 28, 2019

Client: Arcelor Mittal USA, Inc.
Project: NPDES Parameters

Lab Order: 19H1391

Report has been reissued to include Free Cn results for Outfalls 001 and 011. 8/28/19



Arcelor Mittal USA, Inc. Client: **NPDES Parameters Client Project:**

011-Composite Work Order/ID: 19H1391-01 Client Sample ID: Sample Description: 011 08/21/2019 0:00 Sampled:

Matrix: Aqueous						Rece	ived:	08/22/2019 9:50
Analyses	Certs	AT	Result	MDL	RL	Qual Units	DF	Analyzed
			Method: S	M 4500-CN	C/E-1999		Ar	nalyst: ABG
Total Cyanide							Prep Date	Time: 08/22/2019 10:45
Cyanide, Total	eij	Α	0.0054	0.0020	0.0050	mg/L	1	08/22/2019 14:54
			Method: S	W-846 9014			Ar	nalyst: AJR
Free Cyanide							Prep Date	Time: 08/27/2019 12:44
Free Cyanide		Α	0.0065		0.0062	mg/L	1	08/27/2019 13:21
			Method: E	PA 350.1 Re	v 2.0		Ar	nalyst: ABG
Nitrogen, Ammonia as N							Prep Date	Time: 08/22/2019 13:55
Nitrogen, Ammonia (As N)	ei	Α	0.47	0.054	0.10	mg/L	1	08/22/2019 14:30
			Method: E	PA 420.4 Re	v 1.0		Ar	nalyst: ABG
Total Phenolics							Prep Date	Time: 08/22/2019 10:40
Phenolics, Total Recoverable	eij	Α	0.0099	0.0060	0.010	mg/L	1	08/22/2019 17:02
			Method: S	M 2540 D-19	997		Ar	nalyst: KMT
Total Suspended Solids							Prep Date	Time: 08/22/2019 10:49
Total Suspended Solids	eij	Α	1.5	1.0	1.0	mg/L	1	08/22/2019 12:30



Client: Arcelor Mittal USA, Inc.
Client Project: NPDES Parameters

 Client Sample ID:
 011-Grab
 Work Order/ID:
 19H1391-02

 Sample Description:
 011
 Sampled:
 08/22/2019
 0:00

 Matrix:
 Aqueous
 Received:
 08/22/2019
 9:50

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
			Method: E	PA 1664B				Ana	lyst: KMT
Oil & Grease (HEM) by SPE								Prep Date/Ti	ime:08/22/2019 07:35
Oil & Grease (HEM)	eij	Α	ND	1.4	5.0	U	mg/L	1	08/22/2019 14:12



Analytical Results Wednesday, August 28, 2019 Date:

Arcelor Mittal USA, Inc. Client: **NPDES Parameters Client Project:**

001-Composite 19H1391-03 Client Sample ID: Work Order/ID: 001 08/21/2019 0:00 Sample Description: Sampled:

Δαιιροιις Pacaiyad: 08/22/2019 0:50

Matrix: Aqueous						Rece	ived:	08/22/2019 9:50
Analyses	Certs	AT	Result	MDL	RL	Qual Units	DF	Analyzed
			Method: S	M 4500-CN	C/E-1999		Ar	nalyst: ABG
Total Cyanide							Prep Date	Time: 08/22/2019 10:45
Cyanide, Total	eij	Α	0.0045	0.0020	0.0050	mg/L	1	08/22/2019 14:56
			Method: S	W-846 9014			Ar	nalyst: AJR
Free Cyanide							Prep Date	Time: 08/27/2019 12:44
Free Cyanide		Α	ND		0.0062	mg/L	1	08/27/2019 13:23
			Method: E	PA 350.1 Re	v 2.0		Ar	nalyst: ABG
Nitrogen, Ammonia as N							Prep Date	Time: 08/22/2019 13:55
Nitrogen, Ammonia (As N)	ei	Α	0.33	0.054	0.10	mg/L	1	08/22/2019 14:32
			Method: E	PA 420.4 Re	v 1.0		Ar	nalyst: ABG
Total Phenolics							Prep Date	Time: 08/22/2019 10:40
Phenolics, Total Recoverable	eij	Α	0.014	0.0060	0.010	mg/L	1	08/22/2019 17:04
			Method: S	M 2540 D-19	997		Ar	nalyst: KMT
Total Suspended Solids							Prep Date	/Time:08/22/2019 10:49
Total Suspended Solids	eii	Α	2.2	1.0	1.0	mg/L	1	08/22/2019 12:30



Client: Arcelor Mittal USA, Inc.
Client Project: NPDES Parameters

 Client Sample ID:
 001-Grab
 Work Order/ID:
 19H1391-04

 Sample Description:
 001
 Sampled:
 08/22/2019
 0:00

 Matrix:
 Aqueous
 Received:
 08/22/2019
 9:50

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
			Method: E	PA 1664B				Ana	alyst: KMT
Oil & Grease (HEM) by SPE								Prep Date/T	ime: 08/22/2019 07:35
Oil & Grease (HEM)	eij	А	ND	1.4	5.0	U	mg/L	1	08/22/2019 14:12



Client: Arcelor Mittal USA, Inc.
Client Project: NPDES Parameters

 Client Sample ID:
 002-Composite
 Work Order/ID:
 19H1391-05

 Sample Description:
 002
 Sampled:
 08/21/2019
 0:00

 Matrix:
 Aqueous
 Received:
 08/22/2019
 9:50

ΑT MDL Units DF **Analyses** Certs Result RLQual Analyzed Method: SM 4500-CN C/E-1999 Analyst: ABG **Total Cyanide** Prep Date/Time: 08/22/2019 10:45 Α 0.0020 0.0050 mg/L 08/22/2019 15:01 Cyanide, Total eij ND U



Client: Arcelor Mittal USA, Inc.
Client Project: NPDES Parameters

 Client Sample ID:
 002-Grab
 Work Order/ID:
 19H1391-06

 Sample Description:
 002
 Sampled:
 08/22/2019
 0:00

 Matrix:
 Aqueous
 Received:
 08/22/2019
 9:50

Analyses	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
			Method: E	PA 1664B				Ana	lyst: KMT
Oil & Grease (HEM) by SPE								Prep Date/Ti	ime:08/22/2019 07:35
Oil & Grease (HEM)	eij	Α	ND	1.4	5.0	U	mg/L	1	08/22/2019 14:12

ANALYTE TYPES: (AT)

A,B = Target Analyte
I = Internal Standard

I – IIILEIIIAI SLAIIUAIU M – Cummatian Analyta

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



Revised 8/28/2019

QC SAMPLE IDENTIFICATIONS

BLK = Method Blank
DUP = Method Duplicate
BS = Method Blank Spike
MS = Matrix Spike
ICB = Initial Calibration Blank
CCB = Continuing Calibration Blank
CRL = Client Required Reporting Limit
PDS = Post Digestion Spike

ICSA = Interference Check Standard "A"
ICSAB = Interference Check Standard "AB"
BSD = Method Blank Spike Duplicate
MSD = Matrix Spike Duplicate
ICV = Initial Calibration Verification
CCV = Continuing Calibration Verification
OPR = Ongoing Precision and Recovery Standard
SD = Serial Dilution

QCS = Quality Control Standard CERTIFICATIONS (Certs)

Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.

- d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)
- i Kansas Dept Health & Env. NELAP (#E-10397)
- J Kentucky Wastewater Laboratory Certification Program (#108202)

FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)

MDL: Minimum Detection Limit

RL: Reporting Limit

RPD: Relative Percent Difference

U: The analyte was analyzed for but was not detected above the reported quantitation limit. The quantitation limit has

been adjusted for any dilution or concentration of the sample.

Cooler Receipt Log

Cooler ID: Default Cooler

Comments

No times



Revised 8/28/2019

Cooler Inspection Checklist

Yes
Yes
No
Yes



∅ MICROBAC™

CHAIN OF CUSTODY RECORD

Number 152313

Instructions on back

Lab Report Address	Address	Invoice Address		Turnaround Time	Time	TO BE COMPLETED BY MICROBAC	
Client Name	Client Name: Arcelor 1- i Hal	Client Name:		☐ Routine ☐ RUSH* (r	☐ Routine (5 to 7 business days) ☐ RUSH* (notify lab)	Temperature Upon Receipt (°C) 7 C	2
Address:		Address:				Holding Time	4
City, State, Zip:)	City, State, Zip:		(needed by)		Samples Received on Ice? Exres \(\Boxed{\text{NO}} \) NO \(\Boxed{\text{N/A}} \)	X
Contact:	Jein, 1/2 1/10	Contact:		Report Type		Custody Seals Intact? ☐ Yes ☐ No DN/A	
Telephone No.:		Telephone No.:		Results Only	Inly Level 1 Level 2	☐ Level 3 ☐ Level 4 ☐ EDD	
Send Report via:	via:		Send Invoice via:	oice via:	Fax		
Project:	,	Location:		PO No.:	Compliance Monitoring?	oring? ☐ Yes ☐ No m	
Sampled by	Sampled by (PRINT): Walle Howell	Sampler Signature:		Sampler Phone No.:	1		
**	* Matrix Types: Soil/Soild (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)		idwater (GW), Surface	Water (SW), Waste V	Vater (WW), Other (specify		
1	1000 variety 1) 1000, (1) 11001, (2) 11001, (3) 1100		(b) Medianol, (r) sod	ildiri bisullate, (o) so	Zino Accate, (b) Methalib, (7) Sodiuli Bisuliate, (b) Sodiuli Hilosuliate, (b) Hexane, (b) Unpreserved REQUESTED ANALYSIS	e, (U) Unpreserved	
9H1391 ArcelorM IPDES Pa 18/22/201		siners	d	ימות	. de	341 v	
Carey ittal - Bur arameters	Date Client Sample ID Collected	Olling Time of Cont	Com Preservative Tybes **	551	1000 VZ	19H139	
ns H				× ×	XXX	10	
ala arbor.	011	3	th		*	8	
, IN	10/x	<u> </u>	7	×	X	200	
	1/22/1	3	9		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	600	
	502	(6)	U		*	9	
	1/22/8	5	B		7	00	
Possible Haz	Possible Hazard Identification Hazardous Non-H	Non-Hazardous Radioactive	SS	Sample Disposition			
Comments		Relinquished By (signature)	Date/Time	/18	18 (Signature)	Date/Time / 9 0940	0
		Relinquished By (signature)	Date/Time	0560 61/2	Received By (signature)	Date/Time	-
		Relinquished By (signature)) Date/Time	Je.	Received By (signature)	Date/Time	10
rev.12/26/2017	017					000000000000000000000000000000000000000	۲,