

September 10, 2019

Arcelor Mittal USA, Inc. 250 W US Highway 12 Burns Harbor, IN 46304-9745

Work Order No.: 19I0482

Re: NPDES Parameters

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 6 sample(s) on 9/10/2019 10:30:00AM for the analyses presented in the following report as Work Order 19/0482.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at ron.misiunas@microbac.com.

Sincerely, Microbac Laboratories, Inc.

Carup Macizala

Carey Gadzala Project Manager

Microbac Laboratories, Inc.



WORK ORDER SAMPLE SUMMARY

Arcelor Mittal USA, Inc.

Client:

ient Sample ID	Te o Normala e a		
	Tag Number	Collection Date	Date Received
1-Composite	001	09/09/2019 00:00	9/10/2019 10:30:00AM
1-Grab	001	09/09/2019 00:00	9/10/2019 10:30:00AM
1-Composite	011	09/09/2019 00:00	9/10/2019 10:30:00AM
1-Grab	011	09/09/2019 00:00	9/10/2019 10:30:00AM
2-Composite	002	09/09/2019 00:00	9/10/2019 10:30:00AM
2-Grab	002	09/09/2019 00:00	9/10/2019 10:30:00AM
	1-Grab 1-Composite 1-Grab 2-Composite	1-Grab0011-Composite0111-Grab0112-Composite002	1-Grab00109/09/2019 00:001-Composite01109/09/2019 00:001-Grab01109/09/2019 00:002-Composite00209/09/2019 00:00



Field Results		Date: Tuesday, S	September 10, 2019
Client: Client Project:	Arcelor Mittal USA, Inc. NPDES Parameters	Work Order:	1910482
Client Sample ID:	001-Grab	Work Order/ID:	1910482-02
Sample Description:	001	Sampled:	09/09/2019 00:00
Matrix:	Aqueous	Received:	09/10/2019 10:30
Analyses FLD_CL_TITR		Result 0.00	Units mg/L
Client Sample ID:	011-Grab	Work Order/ID:	1910482-04
Sample Description:	011	Sampled:	09/09/2019 00:00
Matrix:	Aqueous	Received:	09/10/2019 10:30
Analyses		Result	Units
FLD_CL_TITR		0.00	mg/L



CASE NARRATIVE

Date: Tuesday, September 10, 2019

Client:	Arcelor Mittal USA, Inc.
Project:	NPDES Parameters
Lab Order:	1910482

The Matrix Spike and Matrix Spike Duplicate performed on the following sample failed the accuracy criteria for free cyanide with a low bias. The precision criteria were met. This data is indicative of a bias related to sample matrix.

Laboratory ID Sample Name 1910482-01 001-Composite

B - the Method Blank contained zinc at a level above the reporting limit. This does not impact the data, as the concentrations in the samples were below the reporting limit. This nonconformance is associated with the following samples:

Laboratory IDSample Name1910482-01001-Composite1910482-03011-Composite

Analytical Results

Date: Tuesday, September 10, 2019

Client: Client Project:	Arcelor Mittal US	, -								
Client Sample ID: Sample Description: Matrix:	001-Composite 001 Aqueous							Work O Sample Receive		1910482-0 ⁻ 09/09/2019 0:00 09/10/2019 10:30
Analyses	•	Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: El	PA 200.7 Re	v 4.4				alyst: RPL
Total Recoverable Me	tals by ICP								Prep Date/	Time:09/10/2019 11:13
Copper		eij	Α	ND	0.0013	0.010		mg/L	1	09/10/2019 13:50
Lead		eij	Α	ND	0.0033	0.0075	U	mg/L	1	09/10/2019 13:50
Zinc		eij	Α	ND	0.0073	0.020	В	mg/L	1	09/10/2019 13:50
Total Cyanide					M 4500-CN					alyst: ABG Time: 09/10/2019 11:32
Cyanide, Total		eij	A	ND	0.0020	0.0050	U	mg/L	1	09/10/2019 13:48
Free Cyanide				Method: S	W-846 9014					alyst: ABG Time: 09/10/2019 12:13
Free Cyanide			Α	ND		0.0062		mg/L	1	09/10/2019 13:10
				Method: El	PA 350.1 Re	v 2.0				alyst: ABG
Nitrogen, Ammonia as										Time:09/10/2019 11:30
Nitrogen, Ammonia (A	s N)	ei	A	0.29	0.054	0.10		mg/L	1	09/10/2019 12:52
				Method: SI	W 2540 D-19	97			An	alyst: KMT
Total Suspended Soli	ds								Prep Date/	Time:09/10/2019 11:19
Total Suspended Solid	ds	eij	Α	3.4	1.0	1.0		mg/L	1	09/10/2019 12:48

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Analytical Results

Oil & Grease (HEM) by Oil & Grease (HEM)	y SPE	eij	A	ND	1.4	5.0	U	mg/L	Prep Date/	Time: 09/10/2019 07:37 09/10/2019 14:32
				Method: E	PA 1664B					alyst: KMT
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Matrix:	Aqueous							Receiv	/ed:	09/10/2019 10:30
Sample Description:	001							Sampl	ed:	09/09/2019 0:00
Client Sample ID:	001-Grab							Work	Order/ID:	1910482-02
Client: Client Project:	Arcelor Mittal USA	,								

Analytical Results

Date: Tuesday, September 10, 2019

_										
Client: Client Project:	Arcelor Mittal USA	,								
Client Sample ID:	011-Composite							Work	Order/ID:	1910482-03
Sample Description:	011							Sampl	ed:	09/09/2019 0:00
Matrix:	Aqueous							Receiv	ved:	09/10/2019 10:30
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: EF	PA 200.7 Re	v 4.4			Ana	alyst: RPL
Total Recoverable Met	tals by ICP								Prep Date/	Time:09/10/2019 11:13
Lead		eij	Α	ND	0.0033	0.0075	U	mg/L	1	09/10/2019 13:55
Zinc		eij	Α	0.019	0.0073	0.020	В	mg/L	1	09/10/2019 13:55
				Method: SI	4500-CN	C/E-1999			Ana	alyst: ABG
Total Cyanide									Prep Date/	Time:09/10/2019 11:32
Cyanide, Total		eij	Α	ND	0.0020	0.0050	U	mg/L	1	09/10/2019 13:49
				Method: SI	N-846 9014				Ana	alyst: ABG
Free Cyanide									Prep Date/	Time:09/10/2019 12:13
Free Cyanide			Α	ND		0.0062		mg/L	1	09/10/2019 13:44
				Method: EF	PA 350.1 Re	v 2.0			Ana	alyst: ABG
Nitrogen, Ammonia as	s N									Time:09/10/2019 11:30
Nitrogen, Ammonia (A		ei	Α	0.18	0.054	0.10		mg/L	1	09/10/2019 12:54
				Method: SI	M 2540 D-19	97			Ana	alvst: KMT
Total Suspended Solid	ds									Time:09/10/2019 11:19
Total Suspended Solid		eii	Α	3.7	1.0	1.0		mg/L	1	09/10/2019 12:48

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Analytical Results

Client: Client Project:	Arcelor Mittal USA	,								
Client Sample ID:	011-Grab								Order/ID:	1910482-04
Sample Description:	011							Sampl		09/09/2019 0:00
Matrix:	Aqueous							Receiv	/ea:	09/10/2019 10:30
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: E	PA 1664B				Ana	alyst: KMT
Oil & Grease (HEM) by	/ SPE								Prep Date/	Time:09/10/2019 07:37
Oil & Grease (HEM)		eij	A	ND	1.4	5.0	U	mg/L	1	09/10/2019 14:32

Analytical Results

Client: Client Project:	Arcelor Mittal US NPDES Paramet									
Client Sample ID:	002-Composite							Work	Order/ID:	1910482-05
Sample Description:	002							Sampl	ed:	09/09/2019 0:00
Matrix:	Aqueous							Receiv	/ed:	09/10/2019 10:30
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
				Method: SI	M 4500-CN	C/E-1999			Ana	alyst: ABG
Total Cyanide									Prep Date/1	ïme:09/10/2019 11:32
Cyanide, Total		eij	Α	ND	0.0020	0.0050	U	mg/L	1	09/10/2019 13:51

Analytical Results

Oil & Grease (HEM) by Oil & Grease (HEM)	y SPE	eij	A	ND	1.4	5.0	U	mg/L	Prep Date/	Time: 09/10/2019 07:37 09/10/2019 14:32
				Method: E	PA 1664B					alyst: KMT
Analyses		Certs	AT	Result	MDL	RL	Qual	Units	DF	Analyzed
Matrix:	Aqueous							Receiv	/ed:	09/10/2019 10:30
Sample Description:	002							Sampl	ed:	09/09/2019 0:00
Client Sample ID:	002-Grab							Work	Order/ID:	1910482-06
Client: Client Project:	Arcelor Mittal USA	,								

A,B = Target Analyte

- I = Internal Standard M = Summation Analyte
- S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)

QC SAMPLE IDENTIFICATIONS

BLK = Method Blank DUP = Method Duplicate BS = Method Blank Spike MS = Matrix Spike ICB = Initial Calibration Blank CCB = Continuing Calibration Blank CRL = Client Required Reporting Limit PDS = Post Digestion Spike QCS = Quality Control Standard ICSA = Interference Check Standard "A" ICSAB = Interference Check Standard "AB" BSD = Method Blank Spike Duplicate MSD = Matrix Spike Duplicate ICV = Initial Calibration Verification CCV = Continuing Calibration Verification OPR = Ongoing Precision and Recovery Standard SD = Serial Dilution

🔊 MICROBAC®

CERTIFICATIONS (Certs)

Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.

- d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)
- ⁱ Kansas Dept Health & Env. NELAP (#E-10397)
- j Kentucky Wastewater Laboratory Certification Program (#108202)

FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)

В:	The target analyte was detected in the method blank at or above the reported quantitation limit.
MDL:	Minimum Detection Limit
RL:	Reporting Limit
RPD:	Relative Percent Difference
U:	The analyte was analyzed for but was not detected above the reported quantitation limit. The quantitation limit has been adjusted for any dilution or concentration of the sample.

Cooler Receipt Log

Cooler ID: Default Cooler

Comments

No time



Cooler Inspection Checklist

Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	Yes
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	No
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

Ģ												HAIN OF	CHAIN OF CUSTODY RECORD	RECORD
3	W MICKOBAC										7	Number 15 Instructions on back	152262 back	2
Lab Re	Lab Report Address	L	Invoice Address	10			-	Turnaround Time	I Time			O BE COMPLE	TO BE COMPLETED BY MICROBAC	BAC II
Client	Client Name: Arce (ar - i Har)	U	Client Name:					□ Routine (5 to 7 business days) □ RUSH* (notify lab)	(5 to 7 h notify lab))		Temperature L Therm ID	Temperature Upon Receipt (°C) Therm ID	22
Address:	SS:	A	Address:									Holding Time		20
City, S	City, State, Zip:	0	City, State, Zip:				0	(needed by)	~		0,	amples Recei	/ed on Ice?	Samples Received on Ice? X Yes 🗆 No 🗂 N/A
Contact:	日 しょう ガリー	Ó	Contact:				Ľ	Report Type	Q		0	ustody Seals	Intact? T Yes	Custody Seals Intact? 🗌 Yes 🗌 No 🕅 N/A
. Telepł	Telephone No.:	Ţ	Telephone No.:					Results Only		C Level 1	Level 2	C Level 3		EDD
Send	Send Report via: 🛛 Mail 🗌 Fax 🗍 e-mail (address)	ress)				Send Inv	Send Invoice via:	🗌 Mail 🔄 Fax		□ e-mail (address)	dress)			
Project:	ţţ	N Loc	Location:				PO No.:			Compliar Agen	Compliance Monitoring?	ng? 🗌 Yes	°N □	
Sampl	Sampled by (PRINT): Warren Hore	S	Sampler Signature:	ure:				Sampler Phone No.:	none No.:					
	* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify) ** Preservative Types: (1) HN03. (2) H2504. (3) HCI (4) NaOH. (5) Time Anathered (5) Methodal. (7) Sodium Biouletto, (8) Sodium Time Types. (8) H2504. (3) H2504. (3) H2504. (3) H2504. (3) H2504. (3) H2504. (4) NaOH. (5) Time Anathered (5) Methodal. (7) Sodium Biouletto, (8) Sodium Time Types. (8) H2504. (3) H2504. (3) H2504. (3) H2504. (3) H2504. (4) NaOH. (5) Time Anathered (5) Methodal. (7) Sodium Biouletto, (8) Sodium Time Types. (1) H2504. (3) H2504. (3) H2504. (3) H2504. (4) NaOH. (5) Time Anathered (5) Methodal. (7) Sodium Biouletto, (8) Sodium Time Types.	, Oil, Wipe, Dri	nking Water (I	DW), Grou	indwater	(DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify) in Acetate (S) Methanol (7) Scalime Biolifecto (8) Scalime 2011	Water (SV	V), Waste	Water (W	W), Othe	r (specify)	11 (11)		
		11/ 1011/0/ 11	14011, (2) 41	ור ארבומנ	21 (D) INC	urariui, (1) 30		ale, (0) 30	REQUES	REQUESTED ANALYSIS	у) нехапе, LYSIS	(u) unpreser	/ed	
NPD	1910	a.		Containers	ძლიე		Jaima-	5	100		Six	רך. חכנד	b	ы ы
ES Par 0/2019	Client Sample ID	Date Collected	Time Collected		Matrix Grab / (Preservative Types **	\ \	551	UT my	NO	1600	21/5	19 12	GTO 482 Additional Notes
	6) 70 Ca	1919		a na	J		Z	X	X X	K N	6	X	0	
ters		19119	,	3	V		2					X	2	2
	1 Q Gadz	9/9/19			J		X	X	KK	V V	r v		63	
	1 ala	7/9/19	1	3	U							K K	04	4
	200	6116		-	ν					\times			05	(0
	202	9/9/19		d	Q							\times	9	4
	Lagon Hit Church 9	10 19		-	J					×			/	
	South hageon In Et 91	(10/1		_	0					8			1	
	011 11	10 (9		-	D					×			¥,	
		Non-Haz	rdous L Kad	Kadioactive	ų	S	Sample Disposition	osition	Dispose as appropriate	e as appr	_	Return A	Archive	
		<u>x</u>	Relinquished By (signature)	(signatur	e l	Date/Time	ne ([7	0500		Received By (signature)	gnature)	h	Date/Time	0020 2
		ž `	Relinquished By	(signature)	ω.V	Date/Time	e de	1030	Receiv	Received By (signature)	gnature)		Dáte/Time	
		1 2 2	Relinquished By	(signature)	()	Date/Time	ле		Receiv	Received By (signature)	gnature)	9/10	/ Date/Time	030
rev.12	rev.12/26/2017	-									0		ge	Page 13 of 13