FLOYD COUNTY HEALTH DEPARTMENT



1917 Bono Road New Albany, Indiana 47150-4607 Telephone (812) 948-4726 Fax (812) 948-2208 www.floydcountyhealth.org

PROCEDURE TO OBTAIN A RETAIL OR MOBILE FOOD PERMIT

OBTAIN AND COMPLETE THE PLAN REVIEW

The plan review packet can be printed from our website (www.floydcountyhealth.org) or picked up at our office. The fee for the plan review packet and pre-operational inspection are \$100. The packet must be submitted to FCHD at least 30 days prior to opening.

OBTAIN AND REVIEW APPLICABLE SANITARY REGULATIONS

- Retail Food Establishment Sanitation Requirements Title 410 IAC 7-24
- Sanitation Requirements for Food Establishments IC 16-42-5
- Food Handlers IC 16-42-5.2
- Certification of Food Handler Requirements Title 410 IAC 7-22
- Bed and Breakfast Establishment Title 410 IAC 7-15.5

CALL AND REQUEST A PRE-OPERATIONAL INSPECTION

- After FCHD has approved you plan review packet you may request a pre-operational inspection. Pre-operational inspection must be requested 48 hours in advance.
- > It is to your advantage for us to inspect your facility a few days prior to opening, so that any minor violations can be corrected prior to opening.

PAY FOR AND OBTAIN YOUR PERMIT

- You will need to fill out the Application for a New Food Establishment in order to obtain your permit.
- > The fees depend upon the type of permit you are applying for; please call for more information.

NOTE:

- Permits must be posted in a conspicuous place in the establishment.
- Permits shall not be sold, assigned, loaned or transferred.
- Permits may be revoked at any time by the Floyd County Health Officer.
- The following questionnaire is not designed as a complete list of requirements and should be used as a guideline only.
- The sanitation requirements noted in this document are specified under the Retail Food Establishment Sanitation Requirements Title 410 IAC 7-24; please use this rule as it pertains to section numbers referenced at the end of each question in the plan review questionnaire.