Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BELLA ROMA - LA BROCCA LLC Address 134 E. MARKET STREET, NEW ALBANY IN 47150	Telephone Number Est 812-725-9495 Own 718-541-9408	Date of Inspection 06/15/2023	ID#
Owner MICHEL NASSEEM	Purpose X Routine	Follow Up 07/06/2023	Released 06/15/2023
Owner's Address 230 PEARL STREET NEW ALBANY, IN 47150-	Follow-up Complaint		
Person in Charge MICHEL NASSEEM	Pre-Operational		
Responsible Person's Email MICHELLENASSEEM65@YAHOO.COM	Temporary HACCP	Menu Type 1 2 3 4 _X 5	
Certified Food Handler MICHEL NASSEEM	Other (list)		

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C	NC	R Narrative	To Be Corrected
191	Х		Observed no date marks on cooked foods in walk-in cooler.	1 day
449	X		Observed 2 live and 1 dead mice in the basement. Observed mice dropping on kitchen floor near the dish machine and on a shelf with cooking pots. Establishment must take immediate action to get rid of mice, seal up any exterior openings and clean and sanitize floors and equipment in kitchen. If issue cannot be resolved quickly a certified pest control company must be	1 day
			hired.	
192	Х		Observed a bag of grain in the basement that may be attracting rodents. Discard.	today
256		X	Observed servers cooler to not have a thermometer.	1 day
297		Χ	Observed the bottom of the standing cooler containing pasta to be in need of cleaning.	2 days
324		Х	Observed a water leak dripping into the basement below the drink machine in kitchen's server area.	3 weeks
399		Х	Observed the kitchen flooring to have gaps in several areas exposing the subfloor beneath. The subfloor appears to be wet and soft from exposure to moisture. The floors should be completely dried and any gaps sealed.	3 weeks
430		Χ	Observed floors around ice machine in basement to be wet and the wall behind ice machine to have mold on it. Clean areas.	3 days
431	Х		Observed the ceiling of NW corner of the server area to be water damaged, and an area of drywall to be sagging and breaking apart.	3 weeks

VIOLATIONS MUST BE CORRECTED BY FOLLOW-UP DATE. IF ANY VIOLATION IS NOT CORRECTED BY FOLLOW-UP DATE THERE WILL BE A FEE FOR A SECOND FOLLOW-UP INSPECTION. FCHD CAN BE CONTACTED FOR AN EARLIER INSPECTION. IF ADDITIONAL TIME IS NEED TO CORRECT A VIOLATION FCHD MUST BE CONTACTED AND AN EXTENSION REQUESTED.

Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BELLA ROMA - LA BROCCA LLC Address 134 E. MARKET STREET, NEW ALBANY IN 47150 Owner		Telephone Number Est 812-725-9495 Own 718-541-9408 Purpose	Date of Inspection 06/15/2023 Follow Up	ID#
MICHEL NASSEEM Owner's Address 230 PEARL STREET NEW ALBANY, IN 47150- Person in Charge MICHEL NASSEEM Responsible Person's Email MICHELLENASSEEM65@YAHOO.COM Certified Food Handler MICHEL NASSEEM		X RoutineFollow-upComplaintPre-OperationalTemporaryHACCPOther (list)	07/06/2023	
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SU Section # C NC R Narrative		HE NARRAIVE COLUMN MARKED AS "R"	То Ве С	orrected
	<u>5</u> R <u>2</u>	I	9	
Received by (name and title printed): MICHEL NASSEEM	Inspected by (name and title printed): Thomas Snider CFS			
Received by (signature):		Inspected by (signature):		Par
cc:	cc:		cc:	