Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BOOMTOWN Address 114 E. MAIN ST, NEW ALBANY IN 47150	Telephone Number Est 812- 590-1314 Own 812-786-9430	Date of Inspection 06/28/2023	ID#	
Owner MICHELLE COLLINS	Purpose Routine	Follow Up 07/07/2023	Released 06/28/2023	
Owner's Address 112 ALTRA DR CLARKSVILLE, IN 47129	X Follow-up Complaint			
Person in Charge JORDAN	Pre-Operational			
Responsible Person's Email BOOMTOWNNEWALBANY@GMAIL.COM	Temporary HACCP	Menu Type 1 2 3 X 4 5		
Certified Food Handler ANDREW COLLINS	Other (list)			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	С	NC	R	Narrative	To Be Corrected
218		Х		The walk-in cooler cannot be used for PHF including but not limited to; Meats, cheeses, cooked foods or made-in-house sauces until approved by	6-7-23
				FCHD The walk-in cooler's temperature is controled by a "coolbot"	
				control system that is connected to a window air conditioner. This set-up	
				doesn't appear to be able to keep foods at 41F or below The walk-in	
				cooler's square footage may be too large for this method of refrigeration.	
295	Х		Х	Observed dried food deposits on slicer and can opener. Food contact equipment should be cleaned after each use.	today
138		Х	Х	Observed employee and Person-in-Charge preparing food without a hair restraint.	today
431		х	Х	Observed the floors in need of additional cleaning in the following areas; under the drying racks in the ware wash area, in hallway by stairwell	7-6-23
				between kitchen and creamery. Dried debris and grease may need to be	
				scraped if it cannot be removed by mopping. Previous cleaning in the	
				basement was unable to be checked.	
192	Х		Х	Observed containers of cooked corn and beans in walk-in cooler dated 6/17. 5 days expired.	discarded
433		х	Х	Observed mop left in mop bucket of dirty water and not hung to dry. Mop water should be dumped after it's used.	today
426		х		Observed a wheelbarrel under the back porch collecting water. Stagnant water will breed mosquitos.	today
187	Х		Х	In the walk-in cooler temperatures of 2 sauces, a jar of pickles and cup of water used to track internal tempertures were between 44-45F. Walk-in	7-6-23
				must be able to maintain internal temperatures of food at 41F or	
				belowThe establishment was not maintaining a temperature log as	
				instructed and moved potentaily hazardous foods back into the walkin	
				before it was maintaining a proper temperature. All potentially hazardous	
				foods (PHF) were moved to a different cooler below 41F.	

THE FOLLOW-UP INVOICE HAS NOT BEEN PAID AS OF 6/29/23.. FCHD RECOMMENDS ADDITIONAL STAFF BECOME "CERTIFIED FOOD HANDLER" CERTIFIED.

Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BOOMTOWN	Telephone NumberEst812- 590-1314	Date of Inspection	ID#
Address 114 E. MAIN ST, NEW ALBANY IN 47150	Own 812-786-9430	06/28/2023	
Owner MICHELLE COLLINS	Purpose Routine	Follow Up 07/07/2023	Released 06/28/2023
Owner's Address 112 ALTRA DR CLARKSVILLE, IN 47129	X Follow-up Complaint		
Person in Charge JORDAN	Pre-Operational		
Responsible Person's Email BOOMTOWNNEWALBANY@GMAIL.COM	Temporary HACCP	Menu Type 1 _ 2 _ 3 <u>X</u>	4_5_
Certified Food Handler ANDREW COLLINS	Other (list)		
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF	/IOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"		
Section # C NC R Narrative		To Be C	orrected
Summary of Violations C <u>3</u> NC <u>5</u>	R <u>6</u>	8	
Received by (name and title printed): MICHELL COLLINS	Inspected by (name and title Thomas Snider CFS	printed):	
Received by (signature):	Inspected by (signature):	-	Pa
cc: cc:		сс:	