Telephone (812) 948-4726

Establishment Name LA CATRINA MEXICAN KITCHEN						Telephone Number	Date of Inspection	ID#	
						^{Est} 757-287-2510	-		
Address 202 E ELM ST, NEW ALBANY IN 47150						Dwn 757-287-2510	06/16/2023		
Owner						Purpose	Follow Up	Released	
SENOR IGUANA'S NEW ALBANY/JUAN SEGOVIANO						X Routine		06/16/2023	
Owner's Address 3612 KERRY ANN WAY JEFFERSONVILLE, IN 47130-						Follow-up			
Person in Charge						Complaint			
MAX SEGOVIANO						Pre-Operational			
Responsible Person's Email						Temporary	Menu Type		
IGUANAS.ERNESTO@GMAIL.COM						НАССР	1 - 2 - 3 - 3	4 <u>X</u> 5	
Certified Food Handler ERNESTO CHAVES						Other (list)			
ERNESTO CHAVES									
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"									
Section #	С	NC	R	Narrative			To Be C	orrected	
449	X Observed pest control strip containing DICHLORVOS near prep sink. This discarded							d	
				product is not approved for restauran					
324	instructions of any pesticides before they are used. X Observed the water line to steamer dripping from a hose fitting. Observed 1 week								
the sprayer at 3 cOmpartment sink to b						leaking.			
291		Х	Х	1 1 5					
310 352		X X		Observed the exhaust fan in men's res Observed no self-closer on men's rest	2 days 2 weeks				
	Fchd recommends replacing light bulb in men's restroom with a brighter bulb.								
Summary of Violations C <u>1</u> NC <u>4</u> R <u>1</u>						5			
Received by (name	and ti	tle prir	nted):			Inspected by (name and title printed):			
ERNESTO SEGOVIANO						Thomas Snider CFS			
Received by (signature):						Inspected by (signature):			
						Tan	- China	la	
cc:				cc:			cc:		
							•		