

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name PENN STATION EAST COAST SUBS	Telephone Number Est 812-944-9310 Own	Date of Inspection 02/03/2023	ID#
Address 4317 CHARLESTOWN RD, NEW ALBANY IN 47150	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 02/23/2023	Released
Owner PENN IN LLC		Menu Type 1 __ 2 __ 3 <input checked="" type="checkbox"/> 4 __ 5 __	
Owner's Address PO BOX 70313 LOUISVILLE, KY 40270			
Person in Charge JEANETTE HOPKINS			
Responsible Person's Email PATRICK@TITANSCHIEESESTEAK.COM			
Certified Food Handler JEANNETTE HOPKINS			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
438	X			Observed unlabeled spray bottle.	corrected
136	X			Observed an uncovered employee drink.	corrected/retrain staff
415	X			Observed gnats in back-of-house (BOH) and around prep sink floor drain.	3 days
344	X			Observed sani bucket stored in BOH hand sink. Sink cannot be blocked.	corrected/ retrain staff
324		X		Observed no handsoap at BOH hand sink.	1 day
218		X		Observed left door of prep cooler under slicer to have piece of bent metal that catches the door when opened.	1 week
138		X		Observed a cook without a hair restraint. Hair was only partially pulled back and secured.	1 day
256		X	X	Observed no thermometer in display cooler or in 2 prep coolers.	4 days
297		X		Observed pepsi machine in need of cleaning behind nozzles. Observed cabinet under pepsi machine to be in need of cleaning.	1 day
295	X			Observed dried food debris on slicer.(clean today) Observed buildup of food debris on flat grill and on panel behind it.	today/3 days
304		X		Observed containers being stacked wet and not allowed to air dry.	today
324		X		Observed drain under 3-comp sink to be leaking. Observed hot water faucet unable to be shut off.	1 week
347		X		Observed no handtowels in the woman's restroom.	today
392		X	X	Observed shared dumpster left open.	today
430		X		Observed damaged flooring around prep sink floor drain. Area is holding water and should be filled in an sopped to drain. Observed water damaged ceiling tiles in corner above front door and around track lighting in back dining area.	3 weeks
431		X	X	Observed food debris behind display case, and in display case mechanical panel. Observed food debris under ice machine.	4 days

NOTE: THERMOMETERS SHOULD BE PROMINENTLY DISPLAYED IN COOLERS.

