Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

									-	
Establishment Name V.F.W. NO. 3281						Es	Telephone Number 812-945-6685	Date of Inspection	ID#	
Address 232 E. FIFTH STREET, NEW ALBANY IN 47150							vn 812-945-6685	06/28/2023		
Owner V.F.W. POST 3281							Purpose X Routine	Follow Up	Released 06/29/2023	
Owner's Address 232 EAST FIFTH STREET NEW ALBANY, IN 47150-							Follow-up			
Person in Charge JOANN FULKERSON							ComplaintPre-Operational			
Responsible Person's Email VFWFLOYD@MW.TWCBC.COM							Temporary			
Certified Food Handler KATHY KELLAMS							Other (list)			
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"										
Section # C NC R Narrative							To Be Corrected			
256		X			ermometer in reach-	3 days				
404 295		X X		Observed coving tiles were falling off wall near 3-compartment sink. Observed a biofilm along edge of metal plate in ice machine.				2 weeks		
293 291		X	Х					1 day		
291		^	^	Observed no quaternary ammonia (Quat) test strips to check sanitizer 3 days solution.						
410		Χ	Χ	Observed no light shield over 3-compartment sink. A shield or protective 1 week tubes can be used.						
309	X X Observed the exhaust fan in woman re building to not be running. If it is too o installed and discharge into attic if nec							3 weeks		
Summary of Violations C 0 NC 6 R 3						_		6		
Received by (name and title printed):							Inspected by (name and title printed): Thomas Snider CFS			
Received by (signature):							Inspected by (signature):			
cc:					cc:		,	cc:		