

# Retail Food Inspection Report

Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> WENDY'S OF NEW ALBANY #303	<b>Telephone Number</b> Est 812-948-2332 Own 270-782-6124	<b>Date of Inspection</b> 03/07/2023	<b>ID#</b>
<b>Address</b> 3720 CHARLESTOWN ROAD, NEW ALBANY IN 47150	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 03/07/2023
<b>Owner</b> WENDY'S OF BOWLING GREEN, INC		<b>Menu Type</b> 1 __ 2 __ 3 <input checked="" type="checkbox"/> 4 __ 5 __	
<b>Owner's Address</b> 2501 CROSSING BLVD, STE. 300 BOWLING GREEN, KY 42104-			
<b>Person in Charge</b> CHRISTINA DEATON			
<b>Responsible Person's Email</b> DMASON@WENBG.COM			
<b>Certified Food Handler</b> CHRISTINA DEATON			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
375	X			Observed meat, solid grease, and soapy water spilled on the drive-thru. This grease was being carried to the dumpster in a bucket by an employee to be dumped into the dumpster. CORRECTION: Spill was cleaned up and staff will be retrained.	CORRECTED
426		X		Observed unnecessary items from the remodel stored in the employee area and blocking access to a utility closet. CORRECTION: The premises shall be items that are unnecessary to the operation or maintenance of the establishment, such as equipment that is nonfunctional or no longer used.	1 DAY
431		X		Observed food debris on the walk-in cooler freezer/floor and food debris on the floor of prep areas. CORRECTION: The physical facilities shall be cleaned as often as necessary to keep them clean.	1 DAY
422		X		Observed personal items stored on boxes in food storage areas. CORRECTION: Employee personal items were moved to an area designated for employees.	CORRECTED
433		X		Observed a wet mop in a mop bucket, not hung to dry CORRECTION: Mop was hung up to dry.	CORRECTED
				OBSERVED THE MOP SINK FAUCET TO HAVE A HOSE HOOKED UP TO A CHEMICAL DISPENSER WITH THE FAUCETS LEFT ON. THE ATMOSPHERIC VACUUM BREAKER ON THE FAUCET IS NOT DESIGNED FOR CONSTANT PRESSURE. FCHD RECOMMENDS INSTALLING A BLEEDER VALVE TO THE FAUCET OR CONNECTING THE DISPENSER TO AN INDEPENDENT WATER LINE. HOSES MAY ALSO BE DISCONNECTED BETWEEN USES.	

