## **Retail Food Inspection Report**

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BOOMTOWN  Address 114 E. MAIN ST, NEW ALBANY IN 47150	Telephone Number  Est 812- 590-1314  Own 812-786-9430	Date of Inspection 01/16/2024	ID#	
Owner MICHELLE COLLINS	Purpose X Routine	Follow Up 01/23/2024	Released 01/23/2024	
Owner's Address 112 ALTRA DR CLARKSVILLE, IN 47129	Follow-up Complaint			
Person in Charge ANDREW COLLINS	Pre-Operational			
Responsible Person's Email BOOMTOWNNEWALBANY@GMAIL.COM	Temporary			
Certified Food Handler  ANDREW COLLINS	Other (list)			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
295		Х		Observed dried food debris on can opener and slicer.	today
433		Χ		Observed a mop left in the service sink and not hung to dry.	corrected
438	Χ			Observed no label on a purple spray bottle.	today
218		Х		Observed the fumehood missing at least 2 fliters/grates. PIC stated they were removed for cleaning. Missing filters increase the risk of grease buildup and fire.	2 days
191	Х			Observed cooked jalapenos in the walkin cooler dated 10-24. Person in charge (PIC) stated that it was an incorrect and old label. Observed missing dates on cooked onions in standing prep cooler in kitchen.	today
256		Χ		Observed no thermometer in the standing prep cooler in kitchen.	1 day
254		Х		Observed a thermometer in the walkin cooler reading 10F. Food was measured at 33F.	discarded
297		X		Observed the lowboy prep cooler in need of cleaning. Observed food splatter in both of the kitchen microwaves. Observed melted ice cream in creamery ice cream cooler (REPEAT).	2 days
431		X	Х	Observed the floors in need of cleaning in front of the walk-in cooler, behind slicer, and under drying line in warewashing area. Observed the window sill in creamery to have dust and debris.	4 days
294	Х		X	Observed no chlorine sanitizer in the sanitizer bucket for the dish machine. Bleach can be added manually until bucket can be replaced.	today
352		Х		Observed the door of the woman's restroom to not be self closing. The spring hinge has worn out.	1 week

ESTABLISHMENT IS NOW USING THE UPSTAIRS WALKIN COOLER.

## **Retail Food Inspection Report**

Floyd County Health Department Telephone (812) 948-4726

Establishment Name BOOMTOWN  Address 114 E. MAIN ST, NEW ALBANY IN 47150  Owner	Telephone Number  Est 812- 590-1314  Own 812-786-9430  Purpose	Date of ID# Inspection 01/16/2024  Follow Up Released		
MICHELLE COLLINS  Owner's Address  112 ALTRA DR CLARKSVILLE, IN 47129  Person in Charge ANDREW COLLINS  Responsible Person's Email BOOMTOWNNEWALBANY@GMAIL.COM  Certified Food Handler  ANDREW COLLINS	X Routine Follow-upComplaintPre-OperationalTemporaryHACCPOther (list)	Menu Type  1 _ 2 _ 3 _X 4 _ 5 _		
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF V  Section # C NC R Narrative	//IOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"	To Be Corrected		
	R _2	11		
Received by (name and title printed): MICHELLE COLLINS		Inspected by (name and title printed): Thomas Snider CHIEF FOOD SPECIALIST		
Received by (signature):	Inspected by (signature):	Lila		
сс: сс:	•	cc:		