Establishment Name PUERTO VALLARTA #8						Est	Telephone Number (812) 945-3588	Date of Inspection	ID#	
Address 4214 CHARLESTOWN ROAD, NEW ALBANY IN 47150							270-991-6853	04/15/2024		
Owner MARTIN BERNAL							Purpose X Routine	Follow Up	Released 04/15/2024	
Owner's Address 1504 GREAT HOUSE RD. BOWLING GREEN, KY 42103							Follow-up Complaint		•	
Person in Charge JESUS LOPEZ							Pre-Operational			
Responsible Person's Email JUANCL1300@GMAIL.COM							Temporary HACCP	Menu Type 1 _ 2 _ 3 _	4 <u>X</u> 5	
Certified Food Handler JUAN BERNAL							Other (list)			
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"										
Section #	С	NC	R	Narrative		To Be Corrected				
295	 89 X X Measured the temperature of several items in the walk-in cooler. Observed 1 week Rice water at 42.3F. Observed Enchilada sauce from 4/13/24 at 42.3F. Observed chorizo at 41.7F. Observed at gallons of milk at 41.8F. Observed rice from 4/14/24 at 66.1F. Correction: Food should be at 41F or below. Consider cooling food in shorter containers and arranging containers in such a way as to allow for proper circulation of air. Also consider using an ice paddle or an ice bath to cool the food before placing them in refrigeration. 95 X X Observed biofilm or mold on upper inside of ice machine. Correction: 2 weeks Clean inside of ice machine. Increase frequency of cleaning to prevent build-up of biofilm or mold. 									
Summary of Violations C <u>1</u> NC <u>1</u> R <u>2</u>								2		
Received by (name and title printed):							Inspected by (name and title printed): Carrie Fischer EHS			
Received by (signature):							Inspected by (signature):			
cc:					cc:			cc:		