Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name SIGS SPORTSPLEX Address 4343 SECURITY PARKWAY, NEW ALBANY IN 47150							Telephone Number 812-949-7447 812-949-7447	Date of Inspection 04/04/2024	ID#	
Owner BRITTANY ALEXANDER							Purpose X Routine	Follow Up	Released	
Owner's Address 4343 SECURITY PARKWAY NEW ALBANY, IN 47150							Follow-up Complaint			
Person in Charge BREAH TRUEBLOOD							Pre-Operational			
Responsible Person's Email OFFICE@SIGSGYM.COM							Temporary HACCP	Menu Type 1 X 2 3 4 5		
Certified Food Handler N/A							Other (list)			
				AND NARRATIVE COLUMN		ND IN THE NA	ARRAIVE COLUMN MARKED AS "R"			
Section #	C	NC	R	Narrative		To Be Corrected				
291 443 438 355	X X	×		When speaking with the person working in the kitchen it was discovered dishes were not being sanitized in the 3 compartment sink. The yellow sanitizer (Quat) should be used and measured with test strips to determine the correct concentratition is met. The Quat test strip were unable to be located. Observed the concetration in the "yellow sanitizer" to be high when 3 days measured with test strips. Dilute. Observed a spray bottle with a purple liquid without a chemical name. Observed the "Yellow Sanitizer" spray bottle missing the chemical name. It was identified as Quaternary ammonia (Quat). When speaking to the employee in the kitchen it was discovered mop water was being discarded in the 3 comaprtment sink. Mop water should be discarded in the utility sink down the hallway since it is available.						
Summary of V				3 NC	2 R 0	T.	amostod by (mamo and titla	5		
Received by (name and title printed): SARAH WHITE							Inspected by (name and title printed): Thomas Snider CFS			
Received by (signature):						Ir	Inspected by (signature):			
cc:					cc:			cc:		