

# Retail Food Inspection Report

Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> BEARNO'S NEW ALBANY	<b>Telephone Number</b> Est 812-949-7914 Own 812-989-4469	<b>Date of Inspection</b> 03/27/2025	<b>ID#</b>
<b>Address</b> 3002 CHARLESTOWN CROSSING WAY, NEW ALBANY	<b>Purpose</b> <input checked="" type="checkbox"/> <b>Routine</b> <input type="checkbox"/> <b>Follow-up</b> <input type="checkbox"/> <b>Complaint</b> <input type="checkbox"/> <b>Pre-Operational</b> <input type="checkbox"/> <b>Temporary</b> <input type="checkbox"/> <b>HACCP</b> <input type="checkbox"/> <b>Other (list)</b>	<b>Follow Up</b> 04/10/2025	<b>Released</b> 03/28/2025
<b>Owner</b> KIRK JOHNSON		<b>Menu Type</b> 1 _ 2 <u>X</u> 3 _ 4 _ 5 _	
<b>Owner's Address</b> 2006 COTE DE CHAMBORD FLOYDS KNOBS, IN 47119-			
<b>Person in Charge</b> MAGGIE LENZ			
<b>Responsible Person's Email</b> KIRKJOHNSON@TWC.COM			
<b>Certified Food Handler</b> ERIC SCHULTZ			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
245		X		Observed a wet sanitizer cloth not stored in a sanitizer bucket.	corrected
431		X		Observed unclean floors and dropped food items in the kitchen.	3 days
324		X		Observed the chemical dispenser above the 3-compartment with a buildup of biofilm which indicates a leak. Clean and repair.	3 days
295		X		Observed the following equipment in need of cleaning; 2 prep coolers, storage rack over pizza prep cooler, pan in walk-in cooler containing ham, wire storage racks in walkin cooler, mounted can opener, storage shelves under prep tables, cooking rack of pizza oven. Surfaces throughout the kitchen should be clean to sight and touch.	4-10-25
218		X		Observed the surfaces of the wire racks in the walk-in cooler damaged and flaking. Racks should be cleaned and resurfaced to prevent chipping and rust. Observed the can opener blade dull and producing metal shavings.	4-10-25
291		X		Observed no chlorine test strips to check the dish machine's sanitizer level. Observed the Quat test strips, which are needed for surface sanitizer, water damaged.	3 days
438	X			Observed an unlabeled spray bottle.	corrected
415	X			Observed an unapproved pesticide, dichlorvos strip, under the kitchen's ice machine.	1 day
430		X		Observed mold on drywall near the mixer. Drywall should be removed and surface replaced.	4-10-25
392		X		Observed the side door of the dumpster open.	today

