



**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**

State Form 48669 (R2/2-05)
SDH Form 51-0001

**GRANT COUNTY HEALTH DEPT.
FOOD DIVISION
401 SOUTH ADAMS STREET
MARION, IN 46953**

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <i>McDonald's # 38231</i>	Telephone Number (705) Establishment <i>(705) 6971</i>	Date of Inspection (mm/dd/yr) <i>2-2-23</i>	ID # <i>27</i>
Establishment Address (number and street, city, state, ZIP code) <i>1040 E Main St Gosport</i>	Owner <i>(705) 6971</i>	Follow-up <i>No</i>	Release Date <i>10 days</i>
Owner <i>Nicholas Terhune</i>	Purpose: <input checked="" type="radio"/> 1. Routine <input type="radio"/> 2. Follow-up <input type="radio"/> 3. Complaint <input type="radio"/> 4. Pre-Operational <input type="radio"/> 5. Temporary <input type="radio"/> 6. HACCP <input type="radio"/> 7. Other (list)	Summary of Violations: <i>C 1 NC 3 R 1</i>	
Owner's Address <i>4707 W Whaling Ave Monroe</i>	Person in Charge <i>Brittany</i>	Menu Type (See back of page) <i>1 2 3 X 4 5</i>	
Responsible Person's E-mail	Certified Food Handler <i>Brittany Hagerman exp 6/2025</i>		

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
431	NC		Flores in throughout kitchen & under equipment Soiled w/ food debris & OR grease <i>ALSO in CREAM AREA</i> Also in dining room under benches & tables	<i>Terhune</i>
295	NC		The following "Non Food" Contact items is soiled w/ dried food, liquid etc. * 1) Top & side of fryers 2) Outside of trash cans 3) Top & underneath of counter prep AREA 4) Top of dish washer 5) Counter AT fountain machine (dining room) 6) Metal rack holding condiments @ drive thru.	
295	C		AT Soda fountain machine out front (dining) has splash/pop on new lids.	
310	NC		Vents in both restrooms has dust on them.	

Received by (name and title printed): <i>Brittany Hagerman</i>	Inspected by (name and title printed): <i>Drew Small PJB</i>
Received by (signature): <i>Brittany Hagerman</i>	Inspected by (signature): <i>Drew Small PJB</i>
cc:	cc: