

Sec 1. S 11 R 5 Recorded p. 2.

N. Maple 10 N 42 W 18 - So 12 S 30 W 10 (Nichols)
 W. Hickory 16 N 83 W 39 - W. Beech 5 N 89 E 16
 O. Beech 16 N 74 E 46 - Sugar 12 N 34 W 39
 P. Hickory 18 S 34 E 17 - So 20 N 42 W 27
 R. Beech 24 N 72 W 28 - So 11 N 57 E 27
 O W 40 A. of North end - Hickory 18 N 32 E 27
 Gum 24 S 60 W 9
 X W N 35 A of South end - Red Bud 5 N 42 W 7
 Plum 2 N 34 E 46
 W W M So So Peach 2 N 60 E 41
 W. Sycamore 50 S 70 W 33 - Hickory 20 S 40 E 44
 Y. W. Oak 8 South 23 - B. Ham 2 S 31 W 10
 E. Hickory 10 S 28 W 21 - Elm 5 N 38 W 35
 C. Beech 10 N 85 E 6 - So 10 N 10 W 19

June 5th
 Survey for Heirs of Robins May 3^d 1846 - Rock
 B. Long Line Stone set by old White & R. & E. Side
 B. Beech 24 S 29 W 32 - W. Oak 36 S 71 W 32 - N. Ball gone
 M. Maple 13 N 83 W 17 - So 10 N 46 W 10
 C. Beech 18 S 60 W 8

T a Stone corner = U. Oak 6 S 9 E 16 = W. 18 S 27 W 41 = Virginia map

Survey for Heirs of Pile W. of N. W. 4

D. Elm 36 S 24 E 46 - Ash 14 S 75 E 64
 27. D. W. 5 N 10 W 24 - Oak 4 N 40 E 24
 34. D. Above. Hick 8 N 83 W 36 - Maple 20 S 41 W 42
 35. D. " S. Wood 5 N 78 W 30 - Oak 36 N 57 W 49
 33. D. " Maple 20 N 36 W 34 -
 24. R. East of D. Beech 16 N 15 E 12 - Oak 6 S 83 W 15
 16. R. North of D. Ash 4 S 70 E 8 - Elm 36 North 2
 3. R. North of Above. Beech 16 S 38 W 12 - Hick 24 S 3 E 11
 7. R. " Elm 18 N 58 W 7 - Ash 10 N 13 E 11
 Survey 20. 1850 J. M. Clement Surveyor

See Corner Report
 on Pile 20.

Sec. 1. Tow. 11. R. 5

- ✓ N Boulders no witnesses available
 ✓ H Boulders " "
 ✓ I " Bch 10 N 76 W 13.
 ✓ P Boulders by former Survey set by original wit.
 Stone X to N 35 acres off South end of road half N. E. gr.
 Stone W " M " " " "
 ✓ O to P 48 acres Boulders
 ✓ D to E " " " "
 Jan 24th 1868 " W. H. Miller Surveyor

Recorded on Page 4 Record No. 1.
C. F. Webster

Sec 2 T 11 R 5

- ✓ C. Hickory 16 West 19 - Log wood 8 N 34 E 2 Nickels
 ✓ D. W Oak 24 S 75 E 16 - W. Beech 3 S 3 E 17
 ✓ M. Log wood 6 N 70 W 11 Hickory 24 S 28 E 31
 ✓ E. Hickory 10 S 28 W 21 - Elm 5 N 38 W 25 stone set. ^{location} 28° not
 ✓ E. Hickory 16 S 28 W 21 - Elm 5 N 38 W 25 stone set and witnesses marked

Survey for heirs of Pice N E gr

- 35.7 R. West of L. Bch 30 N 16 E 26 - Oak 4 N 86 E 18 ✓
 40. R. West of Above. Hick 18 N 14 W 9 - S. Wood 5 S 72 W 11 ✓
 28.6 R. " " Hick 6 S 36 E 3 - Sugar 6 S 60 W 17 ✓
 28.6 R. " " W. Bch 5 N 12 E 3 ✓
 74.8 R. South of A. Sugar 8 N 46 W 25 - Oak 20 S 88 E 31 ✓
 62.4 R. " B. Oak 36 S 15 W 39 ✓

- ✓ N Boulders by Nichols witnesses ✓
 ✓ T Boulders ✓
 ✓ U " " ✓
 ✓ V " " ✓
 ✓ X " " ✓
 ✓ L " " ✓
 ✓ O " " ✓
 ✓ P Boulders by measurement in village of Joliet ✓
 ✓ D Boulders ✓

Jan 24th 1868. W. H. Miller Surveyor

Recorded on Page 4 and 6 Record No. 1.
C. F. Webster

Sec 11.

- ✓ N. Hickory 20 1/2 12 1/2 22 - Oak 4 1/2 64 8 68 Boulders
- ✓ C. Elm 18 1/2 5 1/2 29 - Hickory 3 1/2 6 1/2 29 Boulders
- ✓ H. Oak 22 1/2 3 1/2 11 - Oak 30 1/2 28 42 Boulders
- ✓ H. Hickory 24 1/2 18 1/2 36 - Log wood 3 1/2 69 1/2 12 Boulders

- ✓ L Boulders. Sit by Original Witness to wit: Poplar.
- ✓ N Large Boulders. no witnesses available.
- ✓ P Boulders. by old survey 2 laps of time and acquiescence
- ✓ XX " sit by Original witness to wit W. Oak
- ✓ V Large Boulders no witnesses available.
- ✓ Jan 26th 1868 W. H. Miller Surveyor
- ✓ 124³/₁₀ rods East and 70⁵/₁₀ rods South of E Boulders
- ✓ 70⁵/₁₀ rods South of E Boulders
- ✓ Survey Oct 13th 1868 W. H. Miller Surveyor

Recorded in Record No. 1, Page 6,

L. E. Webster

- 21 Rods East of H Astone no wit available
- 21 Rods East of N Astone no wit available
- 5³/₄ chains East of O Astone no wit available
- 25³/₁₀₀ chains North & 58¹/₁₀₀ East of C Astone no wit available
- Jan 21st 1874 J. Dugan S. S. County

See Dargins
Notes p 1

12
Town 11 R 5 ~~Sec 7~~ Sec 12 Town 11 R 3.
~~Q1, 18. Oak 18 S 18 E 12 - Oak 14 S 8 E 40~~
C, A Stone corner - Perpetuated
H, A Stone corner = ~~Q~~ mistake ^{see in} Johnson's
mel

- ✓ C Boulder set by Original wit to wit Elm. 7th
- ✓ E Huge Boulder
- ✓ N Boulder Sec 36 S 3 E 27. Elm 6 S. 23. m edge of line
- ✓ P " Set by Original wit's to wit Poplar.
- ✓ 5 rods west of O Boulder.
- ✓ 5 " " Y "
- ✓ Z Boulder Y "
- ✓ X " "

Jan 26th 1868 Wm H Miller Surveyor S. County.

Sept 1st 1868

- ✓ A Sandstone marked A. 12.
- ✓ 43 rods west of A Sec 60 S 20 W 39. Sandstone
- ✓ L Sandstone piece of the old state found when 18 N 21 W 25-
- ✓ 56 2/5 rods north of L and 45 rods west of the same A Sandstone
- ✓ M Red Bud 12 N 85 W 24 Red Bud 12 N 83 W 24 1/2 Sandstone
- ✓ 56 2/5 rods north of M Walnut 12 N 42 W 9. Sandstone
- ✓ 56 2/5 " " N Mulbey 12 S 73 E 13. Elm 30 S 12 W 23
- ✓ Sandstone
- ✓ V Red 24 S 80 W 18 Sandstone

W. H. Miller Surveyor

Recorded in Record Ch. 1. Page 6.

C. F. Webster

13
13
Sec 13. T41 R 5-

- ✓ N. Am 18 872 1/2 31 - Beech 10 N 18 1/2 10
- ✓ Y. Aug 10 84 8 11 - 20 14 N 11 1/2 30 Nickel
- ✓ X, Sugar 14 N 50 8 82 - Do. 8 S 57 8 91. Perpetuated
- ✓ N, Beech 20 N 45 8 54 - Hickory 24 S 52 8 94, Perpetuated
Ed Winchel S. C. Ind

X, a stone corner, perpetuated, by Ed. Winchel.

N, a stone corner established by dividing the distance from L to P, C being lost.

- ✓ N. A huge boulder marked N 13 - Beech 10 N 18 W 10 1/2
- ✓ Established by Nickel's witness
- ✓ 40 rods East of N a limestone marked 40
- ✓ 65 rods South of N " " " 65
- ✓ April 1st 1864 - R. Norris

Recorded on Page 8 Record Mt.

C. F. Webster

161
Sec 14. - 11-5

- ✓ B. Hickory 6 N 46 W 33 - To 8 S 24 W 44
- ✓ C. Hickory 11 S 16 E 32 -
- ✓ D. Log Wood 4 N 39 E 15
- ✓ M. B Oak 24 S 83 W 12 - to Berr 8 N 91 E 43
- ✓ N. Hickory 12 N 65 W 37 - To 24 S 12 E 41
- ✓ O. W Oak 10 N 17 E 14 - Hickory 5 S 70 E 17 -
- ✓ N. Boulder by Nichols witnesses.
- ✓ A Boulder
- ✓ C " Original witnesses to wit - W. Oak.
- ✓ E Boulder on Johnson Co. line.
- ✓ Jan 26th 1868. W. H. Miller Surveyor

Recorded on 8 and 10th Pages Record Ch. 1.

L. P. Webster

Sec 23. T11. R5.

- ✓ 10 B. Elm 18 N 68 W 62 - Walnut - 41 N 31 E 11
- ✓ C. Hickory 5 S 14 E 211
- ✓ N. to Oak 24 N 28 E 281 - to 18 S 15 W 10
- ✓ V. Sugar 10 N 31 E 34
- ✓ W. Sugar 14 West - 121 - to 10 N 14 W 29 boulder
- ✓ X. Hackberry 12 N 1 E 99 -

- ✓ 3.19 chains East of X a boulder marked 3.19
 - ✓ 6.38 " " " Y " " " 6.38
- March 31st 1864, R. Norris

- ✓ O stake on bank of Bayou, stone liable to be washed out
- Ash 10 N 51 E 34 - Elm 20 N 61 W 58 - Sycamore 30 S 3 E 26
- ✓ August 1st 1864, R. Norris

Recorded on Page 10 Record No. 1.
C. F. Webster

See 24 IIR 5

✓ B, Z, L & P. Stone corners - See Dargins notes 26

✓ A. A large wide boulder, said to have been set and marked by Dargin from the original witnesses. examined and found correct. The notes of both the original witnesses found by digging to wit: Beech 9 N 2 E 12 - Beech 7 S 17 W 13. Said stone is undoubtedly in the right place.

September 28th 1866 - John Hoop, County Surveyor
By Richard Norris Deputy.

Recorded on Page 10 Record A. A.

C. F. Webster

Sec 25. T11 R 5

- ✓ 10 C. Run 16 N 15 E 32 -
 ✓ 11 M. Hark. 18 N 76 W 21 - 20 8 - 40 E 16
 ✓ 12 N. Run 12 S 75 E 18 - Run 18 - - W 15
 ✓ X. Ash 18 North 22 - Run 24 S 25 W 41

- ✓ IP. a boulder marked IP 25
 ✓ 13.82 chains East of IP a boulder marked 1/3
 ✓ 13.88 chains East of IP a boulder marked 1/3
 ✓ Chain Carriers - Levi Rounshe and Adam Rinehart
 Oct. 8th 1863. J. Morris

- ✓ IL. A long boulder marked IL 25 on west side
 Established by the original witness found, to wit:
 Beech 20 S 66 W 35 see Field Notes.
 ✓ 88^r West of IL a large boulder marked 88.
 ✓ 60^r South of A a boulder marked 60.
 ✓ 4^r West of B a huge boulder in the road marked 4.
 ✓ 4^r West of B; thence South 60^r, a sandstone
 boulder marked 60.
 ✓ Chain Carriers - Adam Rinehart and Jacob Muck
 Flag Bearers - J. H. Logate and Clinton Rinehart
 February 12th 1864. Richard Morris.

- ✓ C Boulder set by the above witness
 ✓ N " " " " " "
 ✓ 44. B. 44 rods west of B Boulder
 ✓ 128 rods west of L Boulder. Bch 36 N. E. 6
 ✓ Survey Oct 10th 1868 W. H. Miller Surveyor.

Recorded on Page 10 and 12. Record of M. A.
 L. P. Webster,

Section 25 Town 11 Range 5
M Stone Mt Beech 33 313 & 43

March 11th 1878 Amy Oregon 880

26
Sec 26 T11 R 5

- 12 N. Walnut 5-0 N 41 W 45 - Mulberry 14 8 5 6 3 6 [perpetuated]
X. Mulberry Post corner perpetuated
S. Oak 10 22 5 W 99 1 - Sugar 12 N 7 1 W 64, Perpetuated
Q. Walnut 32 10 1 E 31 - Sugar 3 N 5 8 E 31 S
P. Cherry 7 8 2 W 53 - Hickory 9 N 7 4 E 66
L. B. Gum 24 West 22

Surveyed for Cuttenger & Johns party lot
✓ NW 1/4 - Established corners at
✓ F & Q - Line Stones

May 14. 1852. W. Mc Elliott Surveyor

- ✓ D. A boulder marked D 26 A, E, K
✓ C. A boulder marked C 26 ancient boulders
✓ B. A boulder marked B 26 established by old surveys
✓ H. A boulder marked H 26 lapse of time, and general
✓ N. A boulder marked N 26 acquiescence.

Chain Carriers - John Cuttenger and Reuben
Flag Bearers - Samuel Cuttenger & Joshua Shipp
March 31st 1864, R. Norris.

Recorded on Page 12 Record Ch. 1.

C. E. Webster

35-
Sec 35 T11 R 5

14 M. Burn 15 N48E 23 - S 10 176 W 12
P. Sugar 16 N14E 35 -
Q. Sugar 24 S45E 23 - S 14 S26W 15
U. W Oak 24 N60 - 25 - Burn 12 N60W 22
Z. W Oak 30 S88W 25 - Cherry 22 S60E 25

Recorded on Page 14 Record No. 1.
C. F. Webster

Sec 36

- 14. N. Bush 21 S 52 W 21 - to 18 N 81 E 22
- 15. D. Bush 12 N 40 W 52 E - to 7 N 18 E 48
- 16. P. Bush 10 S 65 W 20
- 17. X. Bush 20 N 4 E 45
- 18. Y. Bush 16 N 19 W 41 - to 18 S 21 W 17

19. L., A, B, M, Stone corners See Dargins notes 25

Recorded in Record No. 1.
June 13th & 14th 1870. C. Webster
Surveyor