

Sec 2. T14 R 5

Survey for Plummer Parish & others
lines connecting the following corners

- A. An. 20 W. 17 - to 22 N. 85° 57'
- B. Sugar 9 S. 30 E. 53 -
- C. An. 18 S. 40 W. 45 - Oak 30 S. 81 E. 39
- E. An. 18 S. 67 E. 11 - Beh 20 S. 81 W. 14
- L. Beh. 16 N. 88 E. 39 - Elm 4 S. 55 E. 45
- MM. Beh. 24 N. 8 E. 21 - to 16 N. 87 E. 20
- N. Beh. 28 S. 28 E. 25 - to 18 N. 68 E. 42
- O. Beh. 24 N. 6 W. 94 - to 8 N. 35 E. 14
- P. Oak 16 N. 69 W. 30 -
- Q. Beh. 29 S. 49 W. 55 - to 30 N. 30 W. 22
- R. Beh. 8 South 7 - to 10 N. 50 E. 26
- V. Beh. 18 N. 30 E. 2 - Hick 24 S. 37 E. 23

Sept. 21. 1850

J. M. Elliott Surveyor

Surveyed for Means West W. 3 E. 1/2 Sec 2
of S. 20
T. Hickory 30 S. 62 E. 7 - Oak 24 S. 44 E. 3 Pine 20
Oak 10 S. 52 E. 2

J. M. Elliott

W. Boulders
V. Boulders Box Oak 36 N. 38 E. 40
Surveyed Sept 5th 1867 Wm. H. Miller

Recorded on Pages 44 and 46 Record Ch. 1.
C. F. Webster

Dec 11. T 14 R 5

46 N. 10 S 40 W 13 - Bch. 10 S 15 E 23

II, M. J. Stone corners
H. L. K. a Stone corner

Surveyed Sept 4th 1867

✓ A flinty boulder B Oak 10 N 47 E 52

✓ L Sandstone Bch 15 S 72 W 55

✓ C Boulders no witnesses available

✓ 80 rods west of A Stone corner

✓ 52 rods South of last named corner a huge boulder

✓ 80 rods South of A Flinty Boulders

Wm. H. Miller

Recorded on Page 46 Record of Asst.
C. F. Webster

Dec 12. L14 R5

46 N. Poplar 6 S 60 E 11 - R Oak 24 N 43 E 35 - Sugar in

Surveyed for Comrs the Estate of Joyce (Rock)

✓ 63 R. S. of C. W Oak 14 N 82 E 26 1/2 - Sugar 10 N 70 E 25

✓ 100 R. S. - C. R Oak 14 N 73 E 22 - B Oak 24 N - 24

✓ 100 R. S. - E. Beh. 12 N 70 W 23 - So 14 S - 8

✓ 100 R. S. - D. Beh 4 N 52 E 31 -

✓ 63 R. S. - D. J. Wood 6 N - 15 1/2 - W Oak 36 E - 14

✓ 49 R. S. - D. Hick. 25 N 37 W 13 1/2 - Beh. 6 N 42 E 12

✓ D. W Beh 5 N 60 E 6 - Hick 13 S 18 E 14

✓ 30 R. S. - Q. Beh 18 E - 12 - Cherry 5 S 81 E 17

* 30 R. S. - P. W Oak N 33 E 6 - Beh 10 E - 26

5-6 R. S. - Q. Beh 8 N - 32 - So 8 S 20 1/2 E 5 1/2

Q. Beh 12 S - 7 1/2 - Sugar 14 N - 24

East of Q in the Creek Ash 20 S 45 W 25 - R. Bud 3 W - 35

See Comrs report to Probate Court

48 Survey for Boyzen an equal division of Oak Trees than
of Joyce's Est. W 84 W 7° - N 8 S 44 1/2

✓ W. end of line. Beh 6. S 80 E 8 - Sugar 16 N 19 W 16

✓ East of the above. Beh 30 W 17 - So 10 N 2 E 22

✓ East end of East division. Ash 12 N 88 W 39 - R. Bud 6 N 32 W 41

✓ W. end of the above. Hick 30 N 29 E 26 - Beh 30 S 58 W 27

April 11. 1850

J. M. Elliott Surveyor

Recorded on Pages 46 & 48 See next Page
Record dr. to C. F. Webster

Sec 12 continued

48 Surveyed for B.T. South Stage of S.E. gr

S. Boulder Stone

T. Bouleau. Beh. 15-45-4½ to 56

WV. Ark 8 S25-E35-Bch 16 S5-6 1/2 W 47

Mar 22. 1851

J M Elliott Surgeon

✓ L. N. C. S. A., Stone corner By Dargin - old note col'd 13.18
Oct 23rd 1862 Morris

✓ Q. a large boulder marked Q 12

March 30th 1868

✓ D. Behl 25281027. Linn 20548828. Roulde

✓ 100 rods South of C Boulder by new measurement

[illegible]

✓ 100 " " of E Boulder

✓ 63 " " Vol III

W. H. Miller, Surgeon

Recorded on Page 48 Record N. 1.

L. E. Mahler

Dec 13. T14 R5-

Nichols

AM. Beh, 20 Jan-19 - S. Wood² Nov. 12

AN. Bet 20 N 54 W 19 - to 14 South 29

①. Aug 16 A60817 - Behr 2 A304 18, a Stone corner
to Minchel

10. W. Oak 30 Nov 68 - Hick. 27 Dec 68

II. Aug 20 1904-32 - Bet 20 15-4-39

44. BCN 14 210 C 27 - Am 3 west-15-

NAV. Buckeye 12 West-25 - Elm 12 N 25 W 25 -

L. Boreo. 18869 - Stone at corner Rock

III, P. IV, Stones

T , Δ ϕ true $16 \times 70 \times 2 =$

W. Ac Stone set N 25° E 50

O, a stone corner established by Windel ⁵⁰
1694 West.

Recorded on Page 50 Record No. 1.

C. F. Webster

- ✓ 150 D. Bear 24 S 22 E 1/4 - So - N 75 W 25
 ✓ N. Bear 12 N 40 W 8 - Am 24 S 68 W 12
 ✓ O. Bear 20 N 20 - B. Oak 6 S 77 E 28

- ✓ A. Z. X. Stone corners (Perpetuated)
 ✓ V. L. P. Stone corners (Relocated)
 ✓ N. Q. R. O. 1/2 R to O, 1/2 of Q to P - Stone corners (Established)

30. R. A. O. S.

March 7th 1860. Ed Winchel S. S. C. Ind
 Oct 22nd & 23rd 1862. Morris

- ✓ 32 A. Roots of both original witness trees found by digging.
 Dargins stone proved right, and Winchels wrong.
 ✓ N. Tested - Winchels stone found right, and Dargins wrong.
 Corners established to all the shares in the Means Estate.
 Stones marked, and located, at, all the corners needed.
 See Commissioners Report to Circuit Court Oct 1862.

Recorded on Page 30 and 32, Record A.
 C. F. Webster

Sec 23. T14 R5

23

Rock

152

- ✓ C. Hick 20 S 40 W 24 1/2 - Beh 18 Carr 12 1/2
- ✓ H. Beh 8 N 18 E 20 - Sugar - N 73 W 16 1/2
- ✓ F. Beh 20 South 35 - Hick 11 N E 7
- ✓ W. Buck 10 S 11 E 9 - Haw N 58 1/2 W 8
- ✓ A. Asp 5 S 21 W 43 -
- ✓ S. Beh 22 N 72 1/2 W 5 - So 10 S 80 E 24
- ✓ O. Elm 19 N 2 E 5 - W Beh 5 S 45 E 11
- ✓ W. Pop. 6 N W 10 - Beh 10 S 28 1/2 W 10
- ✓ T. Hick 16 S E 23 - Beh 12 S 33 1/2 W 15
- ✓ R. Beh 10 N 11 E 10 - Beh 18 N 61 W 22
- ✓ M. Beh 12 N 78 E 15 - Beh 4 N 22 W 9

-
- ✓ P. A Stone corner (Perpetuated)
 - ✓ O. N. M. H. D. G. R. T. S. Stone corners Established
 - ✓ C. E. V. L. S. Z. Stone corners (Perpetuated)

Recorded in Book No. 1 p 52.
 March 15th 1860. Ed Winchel
 G. F. Webster, Surveyor, S. C. Indiana

24
Dec 24. T14 R 5

Nichols

154

✓ D. Beach 12 N 54 W 19-20 - N 23 E 8

✓ O. Beach 12 N 6 E 34 - Sugar 16 S 50 E 23

N 6 X 40 a p. N. end, Sugar 18 S 46 E 24 - Beach 14 N 40 E 49

✓ W. Beach 6 N 8 W 10 - Beach 3 S 25 W 11

Surveyed Walden & other North line of E & N Co.

B. Hickory 5 S 22 W 4 - Ash 9 N 74 W 15

Apr. 24. 1851

J. M. Elliott Surveyor By J. M. Elliott, Sep

See Dargins
holes

C, O, V. Stone corners N Beach 20 N 85 E 80 links

P, a Stone corner

R, a Stone S 13 E 19

Q Beach 16 S 11 W 9 - Ash 4 S 35 E 26 -

Recorded in Book No. 1. Page 54
C. P. Webster

Sec. 25 T14 R5

corners in London.

A limestone corner planted for the Town of London on the South side of the Cin. & Ind. R.R. and 50 feet South of the middle line of said R.R. - said stone is marked "50" and is near the corner of Lot N^o now belonging to Marcus Case.

April 21st 1862. D. Norris

At the East end of the 30 feet road in London, running parallel with the Ind. & Cin. R.R. and lying between outlots N^o 2 and N^o 3, a limestone corner established marked "5.99 R.R." said stone is 5.99 chains South of the middle line of the said Rail Road.

Also 9.32 chains West of said corner last mentioned, a bluish boulder marked "5.99 R.R." said stone is 5.99 chains South of the middle line of the R.R.

May 7th 1862. D. Norris

46¹¹/₂₅ links South of the middle line of the Ind. & Cin. R.R. running through London and on the left or West side of the street marked as street in the Town Plot, a limestone corner established marked "46¹¹/₂₅" on the top.

February 25th 1863. D. Norris

Recorded in Book No. 1. Page 57.
C. F. Webster

June 17th 1871

Sec 25. T14 R5

25

56. Nichols
M, Hask. 30 S W 10 - B. Ass. 4 East - 10
N, Buckeye 20 West - 18 - Sugar 14 - 1700 25

56- Survey of Town for widow of John House
J. C. L. & J. E. G.

✓ T. Wood 3 N 75 E 6 - Bch 11 N 8 W 19
✓ V. Bch 10 S 61 W 24 - Sv 12 N 13 E 20
✓ W. Oak 4 N 17 W 37 - Bch 3 N 41 E 13

Oct 18th 1849
J. M. Elliott Surveyor

L, X, N, O, Stone corners
D, Bch 4 S 31 E 9 = a Stone 18 10 links
M, Ash 4 S 17 E 6 = Sugar 24 S 17 E 30
B, B. Walnut 10 S 86 E 16 = L. 4 S 86 E 12
O, a stone S 80 W 27 - a stone N 85 W 34

April 21st A.D. 1862 - Dick Norris

A limestone corner planted for the Town of London on the South Side of the Cin. & Ind. R.R. near the corner of Marcus Cases lot, marked "50" feet

May 7th 1862 D. Norris

At the East end of the 30 feet road in London running parallel with the Ind. & Cin. R.R. and lying between outlots N^o 2 and N^o 3, a limestone corner established marked "5.99 R.R."

Also 14.50 chains West of said corner a bluish boulder marked "5.99 R.R." that is to say 5.99 chains from the Rail Road. 14.50 - 4.18 = 9.32 chains west

See Pages 50 & 51

Page 38, 39, 40

See 26 Town 14 Range 5 East

W. a Stone corner

N. Beh 20 S 14 T 21 =

O. Beh 20 S 49 T 12 = 20 12 S 8 E 15

V. a Stone T 10 =

M. Ash 12 S 82 E 13 = Elm 10 S 53 T 19 =

W. Beh 10 S 22 E 8 = Ds 10 S 22 T 14

B. Lynn 24 S 5 E 8 = " a Stone corner

E. a Stone 18 11, Stone corner

P. Beh 6 S 65 T 14 = Elm 10 S 41 E 27

Recorded in Book No. 1, Page 56.

C. F. Webster

See Diggins
Notes 45

35
Le 35 Iron 14 Range 5 East

H, O, Stone corners

N, a stone witness S 21 W 14 = a Stone corner

M, a Stone witness East 10 = a Stone corner

X, V, W, Y, R, Q Stone corners

V a stone set marked N 50 links N of the corner

W a stone witness stone N 10 links --- R a stone N 10 links

Record on page 26, Book No. 1.

C. F. Webster

Sec 36, T14 R5

58 Survey of Dower for Widow of John Howe
 Part of lot of S.E. q^r - 76.44 acres
 West line from N. N4°52'E 142.2 R. var 5° E. to north line
 ✓ M. Bch 24 N32 E 7 - to 15 N15 W 30
 N. Bch 36 S17 E 7 - to 12 N34 E 8
 ✓ 69½ Rods West of B. Walnut 14 N43 W 79 - Sugar 24 N48 79
 Oct 18th 1849
 J. M. Elliott Surveyor

58 A. A limestone marked A 36 & V 25 - Established from the original witnesses. The stump of a Bch 13 N44 W 29 - Bch 14 N44 E 13
 ✓ B. A Limestone marked B 36.
 ✓ L. A Limestone marked L 36. Established from both of the original wit Bch 14 N25 W 38 - ^{Correct} Oct 18 1849
 ✓ M. A Limestone marked M 36
 Established from Elliott's witnesses
 Bch 24 N32 E 4 - Bch 16 S 13 E 30
 Chain carriers, Joel Crum and William Fausler
 Flag Bearers Lewis J. Reeves and John Howe
 April 19th & 20th 1866. John Hoops 286

✓ D. Sycamore 24 N69 W 25. Locust 12 N83 E 143
 Aug 7th 1867
 W. H. Miller Surveyor

Recorded on page 38, Book No. 1.
 in June 13th 1870 - C. F. Webster