

2022 Fine Particles (PM_{2.5}) Data Summary Report



Indiana Department of Environmental Management (IDEM)
Office of Air Quality

June 2023
Revised: March 2026

This page intentionally left blank.

Table of Contents

About This Report	1
What Is Particulate Matter (PM)?	1
National Ambient Air Quality Standards (NAAQS) for PM _{2.5}	2
Attaining the PM _{2.5} Standards	3
2022 PM _{2.5} Monitoring Network.....	4
2022 PM _{2.5} Monitoring Data Summary	7
PM _{2.5} Air Quality Trends	12
Status of PM _{2.5} Designations.....	17
Additional Information.....	20
Contact IDEM's Office of Air Quality.....	20

Charts

Chart 1: PM _{2.5} Primary Annual Mean Trends for 2011-2022	14
Chart 2: PM _{2.5} Primary Annual Design Value Trends for 2011-2013 through.....	15
2020-2022	15
Chart 3: PM _{2.5} 24-Hour Standard 98 th Percentile Value Trends for 2011-2022	16
Chart 4: PM _{2.5} 24-Hour Design Value Trends for 2011-2013 through 2020-2022	17

Figures

Figure 1: Illustration of Fine Particles	1
Figure 2: History of the PM _{2.5} NAAQS	3
Figure 3: Annual PM _{2.5} Monitoring Network for 2022	5
Figure 4: 24-Hour PM _{2.5} Monitoring Network for 2022.....	6
Figure 5: 2022 Annual Mean Concentrations	8
Figure 6: Annual PM _{2.5} Design Values for 2020-2022	9
Figure 7: PM _{2.5} 98 th Percentile Monitoring Data for 2022.....	10

Figure 8: 24-Hour PM_{2.5} Design Values for 2020-2022 11

Figure 9: Indiana Regions 13

Tables

Table 1: Designations Under the 1997 Primary Annual PM_{2.5} NAAQS 18

Table 2: Designations Under the 2012 Primary Annual PM_{2.5} NAAQS 19

Table 3: Designations Under the 24-Hour PM_{2.5} NAAQS 20

About This Report


The Indiana Department of Environmental Management (IDEM) collects and analyzes air samples for regulated pollutants, including fine particles, which are referred to as PM_{2.5}. IDEM monitors for PM_{2.5} year-round as mandated by United States Environmental Protection Agency (U.S. EPA), and the data is reported to U.S. EPA's Air Quality System (AQS). This **2022 Fine Particles (PM_{2.5}) Data Summary Report** provides an overview of PM_{2.5} and its impacts, national air health standards, Indiana's PM_{2.5} monitoring network, a summary of 2022 PM_{2.5} monitoring data, air quality trends over the last 10 years, and the status of PM_{2.5} designations in Indiana.

What Is Particulate Matter (PM)?

Particulate matter (PM) is a complex mixture of small particles found in the air, including dust, dirt, smoke, and liquid droplets. PM₁₀ refers to extremely small particles that are 10 micrometers, or microns, in diameter or smaller. PM_{2.5} refers to microscopic particles that are 2.5 microns in diameter or smaller.

Exposure to PM poses significant health concerns. As shown in Figure 1, PM₁₀ is many times smaller than a fine grain of sand or a human hair. PM_{2.5} is much smaller still. Because of their extremely small size, both PM₁₀ and PM_{2.5} can be inhaled deeply into the lungs and are very difficult to exhale.

Figure 1: Illustration of Fine Particles



PM also causes adverse environmental impacts. Airborne particles can settle on any surface, and depending on their composition, may adversely affect lakes, streams and soil, sensitive forests, crops, and ecosystems, and damage or stain buildings and monuments. PM_{2.5} particles in the air cause haze and reduce visibility.

Where does PM come from? PM is generated by all types of combustion activities. Common sources include emissions from coal-fired power plants and industrial boilers, smoke from open burning activities, and motor exhaust. PM also includes dust from unpaved roads, fields, and construction sites.

What are the health effects of exposure to PM? PM is linked to adverse effects on the lungs and heart:

- Increased respiratory symptoms:
 - Irritation of the airways.
 - Coughing or difficulty breathing.
 - Decreased lung function.
 - Aggravated asthma.
 - Development of chronic bronchitis.
- Irregular heartbeats.
- Nonfatal heart attacks.
- Premature death in people with heart or lung disease.


National Ambient Air Quality Standards (NAAQS) for PM_{2.5}

The federal Clean Air Act (CAA) requires U.S. EPA to establish National Ambient Air Quality Standards (NAAQS) for common outdoor air pollutants, including PM_{2.5}. NAAQS, which are also known as air health standards, include:

- Primary standards for public health, which set pollutant limits to protect the most vulnerable groups such as young children, the elderly, and individuals with respiratory illnesses.
- Secondary standards for public welfare, which set limits to protect visibility and prevent damage to animals, crops, vegetation, and buildings.

Primary and secondary NAAQS established in 1971 set the first limits for total suspended particles (TSP). Reviews and revisions have occurred over the years. Standards for PM₁₀ were first established in 1987. Standards for PM_{2.5} were first established in 1997. Figure 2 notes milestones in the history of the PM_{2.5} NAAQS.

Figure 2: History of the PM_{2.5} NAAQS



Attaining the PM_{2.5} Standards

Air quality must meet both the annual and the 24-hour, or daily, standards for PM_{2.5}. Three complete, consecutive years of monitoring data is used to make a determination about a given area. For example, an evaluation in 2024 will be based on data from 2021 to 2023.

How does an area attain the current annual PM_{2.5} NAAQS? For the annual standards, measured concentrations are averaged on an annual rolling basis. Air quality meets the primary annual standard when the annual arithmetic mean of the daily values averaged over three years does not exceed 12 micrograms per cubic meter (µg/m³). The secondary annual standard is achieved when the annual arithmetic mean averaged over three years does not exceed 15 µg/m³. The data from each monitor is evaluated.

How does an area attain the current 24-hour PM_{2.5} NAAQS? For the daily standards, measured concentrations are averaged on a 24-hour rolling basis. Air quality meets the primary and secondary daily standards, which are set at the same level, when the three-year average of the 98th percentile of measured concentrations does not exceed 35 µg/m³. The data from each monitor is evaluated.

What is a design value? The three-year average is referred to as the **design value**. The annual design value is the three-year average of the weighted annual mean PM_{2.5} concentrations. The 24-hour design value is the three-year average of the 98th percentile of 24-hour concentrations.

Monitor design values are calculated at the end of the year once all the data has been quality assured. Where two or more monitors are located within the same area, the monitor with the highest design value is used for the air quality designation.

What is the difference between an exceedance and a violation? When a monitor records a concentration above the limit established by the NAAQS, it is referred to as an **exceedance**. A monitor can have an exceedance without being in **violation** of the standard. If a monitor's three-year design value exceeds the NAAQS, the monitor is in violation.


2022 PM_{2.5} Monitoring Network

PM_{2.5} monitors are placed in locations across Indiana according to U.S. EPA guidance on factors including population and manufacturing levels. The annual and 24-hour PM_{2.5} monitoring network consists of 33 monitoring sites in 21 counties (three locations reflect air quality in a relatively small area, are directly influenced by a specific source, and are intended to be used for determining attainment status under the 24-hour standard only).

IDEM conducts annual reviews of the monitoring network, which are published each year in the *Indiana Annual Ambient Air Monitoring Network Plan* and can be viewed on Indiana's Ambient Air Monitoring Network web page at: <https://www.in.gov/idem/airmonitoring/indianas-ambient-air-monitoring-network/>.

Figure 3 shows annual PM_{2.5} monitor locations and Figure 4 shows 24-hour PM_{2.5} monitor locations for 2022.

Figure 3: Annual PM_{2.5} Monitoring Network for 2022




Notes:

- Map excludes monitors that are inactive, discontinued, or pending installation.

● PM_{2.5} Annual Air Monitor

Mapped By: C. Mitchell, OAQ **Date:** 02/10/2026 **Source:** IDEM Air Monitoring **Map Projection:** UTM Zone 16 N **Map Datum:** NAD83

Figure 4: 24-Hour PM_{2.5} Monitoring Network for 2022



Notes:

- Map excludes monitors that are inactive, discontinued, or pending installation.

● PM_{2.5} 24-Hour Air Monitor


Mapped By: C. Mitchell, OAQ **Date:** 02/10/2026 **Source:** IDEM Air Monitoring **Map Projection:** UTM Zone 16 N **Map Datum:** NAD83

2022 PM_{2.5} Monitoring Data Summary

PM_{2.5} monitoring data has been quality assured for 2022.

Annual mean concentrations: In 2022, Indiana did not have any annual mean PM_{2.5} concentrations above the 2012 primary annual standard of 12 µg/m³. However, during 2022 there were 12 days that were affected by smoke from wildfire events and from July 4th festivities. Figure 5 is a map of reported annual mean concentrations. Figure 6 shows the reported annual 2020-2022 design values.

Figure 5: 2022 Annual Mean Concentrations



Notes:


- Map excludes monitors with an invalid annual mean value.
- Posted data are in units of micrograms per cubic meter (µg/m³).

● PM_{2.5} Air Monitor with a 2022 Annual Mean Equal to or Less Than the Standard of 12 µg/m³

Mapped By: C. Mitchell, OAQ **Date:** 02/10/2026 **Source:** IDEM, Air Monitoring **Map Projection:** UTM Zone 16 N **Map Datum:** NAD83


Annual Design Value Data: All annual monitor design values were equal to or less than the primary annual standard of $12 \mu\text{g}/\text{m}^3$ for 2020-2022, as shown in Figure 6.

Figure 6: Annual PM_{2.5} Design Values for 2020-2022




98th Percentile Monitoring Data: There was not any monitor with a 98th percentile 24-hour PM_{2.5} concentration above the primary 24-hour standard of 35 µg/m³ in 2022, as shown in Figure 7.

Figure 7: PM_{2.5} 98th Percentile Monitoring Data for 2022



24-Hour PM_{2.5} Monitoring Design Value: All 24-hour monitor design values were less than the primary 24-hour standard of 35 µg/m³ for 2020-2022, as shown in Figure 8.

Figure 8: 24-Hour PM_{2.5} Design Values for 2020-2022




Exceedances: Exceedances of the 24-hour PM_{2.5} standards were recorded on seven days in 2022.

Air Quality Action Days: IDEM works to analyze continuous monitoring data and issue year-round air quality forecasts in coordination with local, state, and regional partners. Public alerts called **Air Quality Action Days** (AQADs) are issued when unhealthy air pollution is predicted. Three AQADs were issued for PM_{2.5} in 2022. The public can find daily air quality forecasts and sign up to receive email or text alerts on IDEM's SmogWatch website at: <https://www.in.gov/ide/airmonitoring/smogwatch/>.

PM_{2.5} Air Quality Trends

PM_{2.5} monitoring data in Charts 1 through 6 below are divided into regions as shown in Figure 9.

Figure 9: Indiana Regions



Annual PM_{2.5} Trends: Annual PM_{2.5} trends are shown in Charts 1 and 2. Chart 1 plots the highest annual arithmetic means concentration in each region for 2011-2022 and Chart 2 plots highest annual design values for 2011-2013 through 2020-2022.

Chart 1: PM_{2.5} Primary Annual Mean Trends for 2011-2022





Chart 2: PM_{2.5} Primary Annual Design Value Trends for 2011-2013 through 2020-2022



24-Hour PM_{2.5} Trends: Daily, or 24-hour, trends are shown in Charts 3 and 4. Chart 3 plots the highest 24-hour 98th percentile in each region for 2011-2022. Chart 4 plots the highest 24-hour design values for 2011-2013 through 2020-2022. Both charts include the 2006 24-hour PM_{2.5} standards (35 µg/m³) for comparison.

Chart 3: PM_{2.5} 24-Hour Standard 98th Percentile Value Trends for 2011-2022





Chart 4: PM_{2.5} 24-Hour Design Value Trends for 2011-2013 through 2020-2022



Status of PM_{2.5} Designations

When a NAAQS is issued, the implementation process begins. The first step is for U.S. EPA to designate air quality for all areas of the country. Areas that are not attaining the new standard, and areas that are contributing to areas that are not attaining the standard, are designated as nonattainment. When a nonattainment area attains the standard, IDEM submits a request to U.S. EPA for the area’s redesignation to attainment status. This formal action ensures the area is recognized for its compliance.

No areas of Indiana are designated as nonattainment under any of the PM_{2.5} standards. Following are details concerning designations under each PM_{2.5} NAAQS.

1997 Primary Annual PM_{2.5} Standard: On July 18, 1997, U.S. EPA established health-based (primary) annual standards for PM_{2.5} (62 FR 38652). Following the resolution of legal challenges to the new standards, designations were completed several years later, on January 5, and April 14, 2005, effective April 5, 2005 (70 FR 944 and 70 FR 19844).¹ Although most areas of the state were meeting the standard, 12 Indiana counties and five townships were initially designated nonattainment. All of these areas were later redesignated to attainment based on subsequent monitoring data showing compliance, as shown in Table 1.

¹ Federal Register (FR) notices (cited by volume and page number) can be viewed at [Federal Register :: Home -](#)

Table 1: Designations Under the 1997 Primary Annual PM_{2.5} NAAQS

Area	County / Township(s)	Status
Chicago-Gary-Lake County, IL-IN	Lake (All)	Attainment, effective February 6, 2012 (76 FR 76302)
	Porter County (All)	
Cincinnati-Hamilton, OH-KY-IN	Dearborn County, Lawrenceburg Township	Attainment, effective September 1, 2017 (82 FR 41527)
Evansville, IN	Dubois County (All)	Attainment, effective October 27, 2011 (76 FR 59527)
	Gibson County, Montgomery Township	
	Pike County, Washington Township	
	Spencer County, Ohio Township	
	Vanderburgh County (All)	
	Warrick County (All)	
Indianapolis, IN	Hamilton County (All)	Attainment, effective July 11, 2013 (78 FR 41698)
	Hendricks County (All)	
	Johnson County (All)	
	Marion County (All)	
	Morgan County (All)	
Louisville, KY-IN	Clark County (All)	Attainment, effective September 9, 2016 (81 FR 62390)
	Floyd County (All)	
	Jefferson County, Madison Township	
All Other Counties		Unclassifiable/Attainment, effective April 5, 2005 (70 FR 944 and 70 FR 19844)

The 1997 primary annual standard was retained following a review in 2006 and later revoked when the 2012 primary annual standard was implemented.

2012 Primary Annual PM_{2.5} Standard: U.S. EPA's most recent revision to the primary annual PM_{2.5} NAAQS occurred on January 15, 2013, following the completion of a review in 2012. In that action, the standard was strengthened from 15 µg/m³ to 12 µg/m³ (78 FR 3085). Following a review in 2019, U.S. EPA retained the 2012 primary annual standard on December 18, 2020 (85 FR 82684).

All Indiana counties are designated as unclassifiable/attainment under the 2012 primary annual PM_{2.5} standard. Most areas received the designation on January 15, 2015, effective April 15, 2015 (80 FR 2205). However, Clark, Floyd, Lake, and Porter counties required additional review prior to their unclassifiable/attainment designation on December 27, 2018, effective January 28, 2019 (83 FR 66631). Following are details:

- Clark and Floyd counties – These counties were designated on January 15, 2015, as part of the Louisville, KY-IN nonattainment area based on 2011-2013 data showing that one monitor in the area was slightly above the standard. U.S.

EPA changed the designation to unclassifiable on April 7, 2015, based on quality assured, certified 2012-2014 data submitted by Indiana showing Clark and Floyd counties to be in attainment (80 FR 18535). However, a determination could not be made at that time due to invalid data from other monitors in the area. The December 27, 2018, unclassifiable/attainment designation was issued based on complete, quality-assured 2015-2017 data showing all area monitors to be in attainment.

- Lake and Porter counties – These counties were initially designated as part of the Chicago, IL-IN unclassifiable area on January 15, 2015. Although monitoring data for Lake and Porter counties did not indicate a violation, a determination could not be made at that time due to invalid monitoring data from other monitors in the area. The December 27, 2018, unclassifiable/attainment designation was issued based on complete, quality-assured 2015-2017 data showing all area monitors to be in attainment.

Table 2 provides a summary of designations under the 2012 primary annual PM_{2.5} NAAQS.

Table 2: Designations Under the 2012 Primary Annual PM_{2.5} NAAQS

Area	County / Township(s)	Status
Chicago, IL-IN	Lake (All)	Unclassifiable/Attainment, effective January 28, 2019 (83 FR 66631)
	Porter County (All)	
Louisville, KY-IN	Clark County (All)	Unclassifiable/Attainment, effective January 28, 2019 (83 FR 66631)
	Floyd County (All)	
All Other Counties		Unclassifiable/Attainment, effective April 15, 2015 (80 FR 2205)

24-Hour PM_{2.5} Standards: U.S. EPA established primary and secondary 24-hour standards at a level of 65 µg/m³ on July 18, 1997 (62 FR 38652). The standards were revised to a more protective level of 35 µg/m³ on October 17, 2006 (71 FR 61144). U.S. EPA retained the 2006 24-hour standards following reviews in 2012 (78 FR 3085, January 15, 2013) and 2019 (85 FR 82684, December 18, 2020).

U.S. EPA issued designations for the 2006 24-hour PM_{2.5} standards on November 13, 2009, effective December 14, 2009 (74 FR 58688). Indiana has never had any nonattainment areas for the 24-hour PM_{2.5} standards, as shown in Table 3.

Table 3: Designations Under the 24-Hour PM_{2.5} NAAQS

Area/County	Current Status
All Areas/Counties	Unclassifiable/Attainment, effective December 14, 2009 (74 FR 58688)

Additional Information

- For near real-time continuous monitoring data, data summaries, and air quality reports, visit IDEM’s Air Quality Data Web page at: <https://www.in.gov/idem/airmonitoring/air-quality-data/>.
- For air quality designations, attainment demonstrations, requests for redesignation and maintenance plans, visit IDEM’s State Implementations Plan website at: <https://www.in.gov/idem/sips/>.
- To learn about voluntary projects for the advancement of cleaner fuels, technology, and reduced idling, visit the DieselWise Indiana website at: <https://www.in.gov/idem/airquality/dieselwise/>.
- For information about PM_{2.5} and NAAQS implementation, visit U.S. EPA’s NAAQS website at: <https://www.epa.gov/naaqs>.
- Learn about U.S. EPA’s Air Quality System (AQS) at: <https://www.epa.gov/aqs>.

Contact IDEM's Office of Air Quality

Please feel free to direct questions or comments to Michele Boner, environmental manager with IDEM’s Office of Air Quality, at (800) 451-6027 Option 4 (*toll free*), (317) 233-6844 (*direct*), or mboner@idem.in.gov (*email*).