

Contents

Overview of Special Use Commercial Properties.....3

Understanding Fast Food Restaurants.....3

Understanding Gasoline Service Stations4

Understanding Self-Service Cashier Booths5

Understanding Public Restrooms.....5

Understanding Detached Canopies6

Pricing Special Use Properties7

Calculating the Remainder Value.....10

Calculating the True Tax Value10

Calculating the Total True Tax Improvement Value.....10

Tables

Table 8-1. Cashier Booth Quality Ratings5

Table 8-2. Detached Canopies Quality Ratings6

Figures

Figure 8-1. Special Use Property—Example 18

Figure 8-2. Special Use Property—Example 2.....9

This chapter describes the process used for valuing special use commercial properties. This chapter first presents an overview of the special use commercial properties. The rest of this chapter provides step-by-step instructions for calculating and entering information about special use commercial properties in the “Summary of Improvements” section of the property record card. The necessary cost schedules are provided in Appendix G and depreciation tables in Appendix F.

Special use commercial properties include:

- fast food restaurants
- gasoline service stations, with and without service bays
- self-service cashier booths
- public restroom buildings
- detached canopies.

Note: For paving, use the “Paving” schedule in Appendix G

Overview of Special Use Commercial Properties

The pricing schedules for special use commercial properties consist of square foot unit values based on C quality grade construction. Data collection for special use commercial properties consists of identifying the square foot area of the structure, the use, the grade, and the year of construction.

Both the fast food restaurant model and the gasoline service station model have a basic layout or floor plan.

The basic layout for a fast food restaurant may include, but is not limited to, the following:

- a small office
- two restrooms
- areas for the following:
 - employee dressing
 - storage
 - food preparation
 - serving
 - dining.

The basic layout for a gasoline service station may include, but is not limited to, the following:

- a sales and office area
- a utility area
- two restrooms
- one or more service bays.

Understanding Fast Food Restaurants

The term fast food restaurant does not always describe the amount of time a customer waits for food. Fast food restaurants are pre-designed and normally are built with different variations of the same plans, with periodic updates of design to characterize changing patterns within the industry.

Example: Solariums are a popular building feature that have been added throughout the past few years. The solarium is included in the square footage calculation of the structure and is *not* valued as an exterior feature. Fast food restaurant services may vary from counter-style serving to sit-down dining.

The general construction features for all grades of fast food restaurants include the following:

- foundation grade walls on spread footings
- reinforced concrete floor slab
- exterior wall and roof construction as specified
- entrance doors and plate glass sales front

- frame partitions
- interior finish as specified
- utility service
- fluorescent lighting
- heating
- bibs and drains
- plumbing fixtures.

Understanding Gasoline Service Stations

Some gasoline service stations have converted the original mechanic service bays into mini-grocery stores. The assessor must determine whether these converted structures more resemble the service station without bay model or the convenience market model.

The general construction features for all grades of gasoline service stations include the following:

- foundation grade walls on spread footings
- reinforced concrete floor slab
- exterior wall and roof construction as specified
- entrance doors and plate glass sales front
- masonry partitions
- interior finish as specified
- utility service
- fluorescent lighting
- heating
- bibs and drains
- plumbing fixtures.

Specially designed self-service stations generally feature a cashier's booth and multiple pumps covered with a large canopy. If there is a canopy, select the type of construction and value it on a square footage basis as a separate line entry in the "Summary of Improvements" section. There is a +25% cost adjustment factor if the canopy is round in design.

If the station has an unfinished basement, refer to the "Add for Unfinished Basements" table in the schedule in Appendix G and value the basement as part of the primary structure.

Understanding Self-Service Cashier Booths

A cashier's booth may or may not include restroom facilities. Often, there is a separate structure housing public restroom facilities and a storage area. The replacement cost schedules for a cashier booth include the following:

- unit heaters
- reinforced concrete floor slab
- exterior walls of various materials measuring 7 to 8 feet in height
- flat, built-up roof
- finished interior walls and ceiling.

Cashier booths are divided into three quality ratings, described in Table 8-1.

Table 8-1. Cashier Booth Quality Ratings

This rating	Indicates
Low cost	Open style with minimum electricity and no plumbing.
Average	Steel construction with good electrical service but no plumbing. Adjust the square foot cost by +25% for bullet-proof glass. Also, <i>if the facility has plumbing</i> , add the whole dollar amount identified on the schedule for each plumbing fixture.
Good	Steel construction with good security (bullet-proof glass), and two plumbing fixtures. Adjust the cost by adding a whole dollar amount for each additional plumbing fixture and deducting if there are fewer than two plumbing fixtures. Also, <i>if the facility has an intercom system</i> , adjust the value using a whole dollar amount.

Understanding Public Restrooms

Public restroom buildings are rated by the area in square feet. The replacement cost schedules for public restroom buildings include the following:

- four plumbing fixtures
- electric or unit heaters
- foundation grade walls on spread footers
- reinforced concrete floor slab
- exterior walls of various materials measuring 8 to 9 feet in height
- flat built-up roof
- masonry partitions
- painted interior walls and a painted drywall ceiling.

Understanding Detached Canopies

The replacement cost schedules for detached canopies include the following:

- lighting
- soffits
- supports

Detached canopies are rated on quality, and square footage. Table 8-2 lists the quality ratings.

Table 8-2. Detached Canopies Quality Ratings

Self-Service Stations and Detached Canopies		
This rating	Indicates	
Low cost	Steel	Corrugated metal with light metal supports, minimal lighting and soffit.
	Frame	Composition wood decking on light wood framing supports, minimal lighting and soffit.
Average Cost	Steel	Corrugated metal or steel decking with light metal supports, average quality lighting and average finished soffit.
	Frame	Composition wood decking on light wood framing supports, average quality lighting and average finished soffit.
Good	Steel	Corrugated metal or steel decking steel supports, good quality lighting and finished soffit.
	Frame	Composition wood decking on wood or steel framing supports, good quality lighting and finished soffit.
High	Steel	Steel decking or an elaborate metal finish on steel supports, high quality lighting and finished soffit, elaborate installation.
	Frame	Composition wood decking on wood or steel framing supports, high quality lighting and finished soffit, elaborate finish and decor.

Note: If the canopy is round, add 25% to the base rate.

Fast Food Detached Canopies	
Low cost	Corrugated metal or composition wood decking with supports, minimal lighting, and no soffit.
Average cost	Corrugated metal or steel decking with supports, average quality lighting, and unfinished soffit.
Good	Corrugated metal or steel decking with supports, good quality lighting, and finished soffit.
High	Corrugated metal or steel decking with supports, high quality lighting, and finished soffit, as well as elaborate finish and decor.

NOTE: Quality grade factors are not applied to the canopies listed above due to the fact that they are priced according to quality from the pricing schedules.

Pricing Special Use Properties

The special use commercial property cost schedules are based on a square foot unit value applicable to certain types of designed structures. Each schedule represents the typical size variations of the structure and the appropriate base price. To determine the replacement cost of a special use commercial property and record this cost on a commercial and industrial property record card, perform these steps:

Step 1 Calculate the area of the structure and insert the square foot amount near the top of the pricing ladder. If the area of the basement is more or less than the area of the first floor, price the basement area in the "1" column and the first floor area in the "2" column.

Step 2 Find the area on the schedule that approximates the area of the structure. There is no need to interpolate the base rates when the structure square footage falls within the ranges of the pricing schedule.

Step 3 Calculate the subtotal by multiplying the base rate by the area.

$$\text{Subtotal} = \text{Base rate} \times \text{Area}$$

Step 4 Calculate the adjustment for any special features and exterior features and add the value to the subtotal.

Step 5 The total base equals the subtotal plus any adjustments for special features and exterior features.

$$\text{Total base} = \text{Subtotal} + \text{Adjustment for special features and exterior features}$$

Step 6 In the "Location Multiplier" cell, enter the location cost multiplier found in Table G-1 in Appendix G.

Step 7 In the "Grade Factor" cell, enter the grade multiplier, which is applied to the total base value to account for variations in quality grade and design. Instructions for determining grade are provided in Appendix E.

Step 8 Calculate the replacement cost by multiplying the total base value obtained in Step 5 by the grade and location multipliers.

$$\text{Replacement cost} = \text{Total base value} \times \text{Grade multiplier} \times \text{Location multiplier}$$

Round the replacement cost to the nearest \$10 and enter it in the "Replacement Cost" cell.

Step 9 In the "Replacement Cost" column in the "Summary of Improvements" section of the property record card, enter the replacement cost calculated in Step 8.

Figures 8-1 and 8-2 show examples of the pricing procedures for special use commercial properties.

IMPROVEMENT DATA AND COMPUTATIONS

Circle One →	1 or A	2 or B	3 or C	4 or D	5 or E
Circle One	F	A			
Circle Two	3	139			
Circle Three					
Circle Four					
Circle Five					
Circle Six					
Circle Seven					
Circle Eight					
Circle Nine					
Circle Ten					
Circle Eleven					
Circle Twelve					
Circle Thirteen					
Circle Fourteen					
Circle Fifteen					
Circle Sixteen					
Circle Seventeen					
Circle Eighteen					
Circle Nineteen					
Circle Twenty					
Circle Twenty One					
Circle Twenty Two					
Circle Twenty Three					
Circle Twenty Four					
Circle Twenty Five					
Circle Twenty Six					
Circle Twenty Seven					
Circle Twenty Eight					
Circle Twenty Nine					
Circle Thirty					
Circle Thirty One					
Circle Thirty Two					
Circle Thirty Three					
Circle Thirty Four					
Circle Thirty Five					
Circle Thirty Six					
Circle Thirty Seven					
Circle Thirty Eight					
Circle Thirty Nine					
Circle Forty					
Circle Forty One					
Circle Forty Two					
Circle Forty Three					
Circle Forty Four					
Circle Forty Five					
Circle Forty Six					
Circle Forty Seven					
Circle Forty Eight					
Circle Forty Nine					
Circle Fifty					
Circle Fifty One					
Circle Fifty Two					
Circle Fifty Three					
Circle Fifty Four					
Circle Fifty Five					
Circle Fifty Six					
Circle Fifty Seven					
Circle Fifty Eight					
Circle Fifty Nine					
Circle Sixty					
Circle Sixty One					
Circle Sixty Two					
Circle Sixty Three					
Circle Sixty Four					
Circle Sixty Five					
Circle Sixty Six					
Circle Sixty Seven					
Circle Sixty Eight					
Circle Sixty Nine					
Circle Seventy					
Circle Seventy One					
Circle Seventy Two					
Circle Seventy Three					
Circle Seventy Four					
Circle Seventy Five					
Circle Seventy Six					
Circle Seventy Seven					
Circle Seventy Eight					
Circle Seventy Nine					
Circle Eighty					
Circle Eighty One					
Circle Eighty Two					
Circle Eighty Three					
Circle Eighty Four					
Circle Eighty Five					
Circle Eighty Six					
Circle Eighty Seven					
Circle Eighty Eight					
Circle Eighty Nine					
Circle Ninety					
Circle Ninety One					
Circle Ninety Two					
Circle Ninety Three					
Circle Ninety Four					
Circle Ninety Five					
Circle Ninety Six					
Circle Ninety Seven					
Circle Ninety Eight					
Circle Ninety Nine					
Circle One Hundred					

Circle One	Circle Two	Circle Three	Circle Four	Circle Five	Circle Six	Circle Seven	Circle Eight	Circle Nine	Circle Ten	Circle Eleven	Circle Twelve	Circle Thirteen	Circle Fourteen	Circle Fifteen	Circle Sixteen	Circle Seventeen	Circle Eighteen	Circle Nineteen	Circle Twenty	Circle Twenty One	Circle Twenty Two	Circle Twenty Three	Circle Twenty Four	Circle Twenty Five	Circle Twenty Six	Circle Twenty Seven	Circle Twenty Eight	Circle Twenty Nine	Circle Thirty	Circle Thirty One	Circle Thirty Two	Circle Thirty Three	Circle Thirty Four	Circle Thirty Five	Circle Thirty Six	Circle Thirty Seven	Circle Thirty Eight	Circle Thirty Nine	Circle Forty	Circle Forty One	Circle Forty Two	Circle Forty Three	Circle Forty Four	Circle Forty Five	Circle Forty Six	Circle Forty Seven	Circle Forty Eight	Circle Forty Nine	Circle Fifty	Circle Fifty One	Circle Fifty Two	Circle Fifty Three	Circle Fifty Four	Circle Fifty Five	Circle Fifty Six	Circle Fifty Seven	Circle Fifty Eight	Circle Fifty Nine	Circle Sixty	Circle Sixty One	Circle Sixty Two	Circle Sixty Three	Circle Sixty Four	Circle Sixty Five	Circle Sixty Six	Circle Sixty Seven	Circle Sixty Eight	Circle Sixty Nine	Circle Seventy	Circle Seventy One	Circle Seventy Two	Circle Seventy Three	Circle Seventy Four	Circle Seventy Five	Circle Seventy Six	Circle Seventy Seven	Circle Seventy Eight	Circle Seventy Nine	Circle Eighty	Circle Eighty One	Circle Eighty Two	Circle Eighty Three	Circle Eighty Four	Circle Eighty Five	Circle Eighty Six	Circle Eighty Seven	Circle Eighty Eight	Circle Eighty Nine	Circle Ninety	Circle Ninety One	Circle Ninety Two	Circle Ninety Three	Circle Ninety Four	Circle Ninety Five	Circle Ninety Six	Circle Ninety Seven	Circle Ninety Eight	Circle Ninety Nine	Circle One Hundred
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

Figure 8-1. Special Use Property—Example 1

Calculating the Remainder Value

The structure's remainder value is its replacement cost adjusted for total depreciation.

To calculate the remainder value of a special use structure, perform these steps:

Step 1 Subtract the percentage determined for total depreciation (entered in the "Normal Depr." column) from 100%.

Step 2 Divide the result obtained in Step 1 by 100 to arrive at a multiplier.

Step 3 Calculate the remainder value by multiplying the replacement cost of the structure (entered in the "Replacement Cost" column) by the multiplier obtained in Step 2.

Remainder cost = Replacement cost x Multiplier obtained in Step 2

Round the remainder value to the nearest \$10. Enter the remainder value in the "Remainder Value" column.

Example: The replacement cost of a structure is \$120,000. The total depreciation percentage for the structure is 30%. The remainder value is:
 $100\% - 30\% = 70\% \div 100 = .70 \times \$120,000 = \$84,000$.

Calculating the True Tax Value

To calculate the true tax value of the structure, round the remainder value to the nearest \$100 and enter the amount in the "True Tax Value" column of the property record card.

Example: If the remainder value of a structure is \$83,960. The true tax value is \$84,000.

Calculating the Total True Tax Improvement Value

Calculate the true tax value for each special use structure by performing the necessary steps described in this chapter. If you run out of rows in the "Summary of Improvements" section of the property record card, use an additional card (or cards).

To calculate the total true tax value for the property, perform these steps:

Step 1 *If you used **only one** property record card to complete the "Summary of Improvements" for the property, sum the entries in the "True Tax Value" column, and enter the total in the "Total True Tax Improvement Value" cell.*

*If you used **more than one** property record card to complete the "Summary of Improvements" for the property, on each card except Card 001, sum the entries in the "True Tax Value" column and enter the total for each card in the card's "Total True Tax Improvement Value" cell.*

- Step 2 Sum the entries in the “Total True Tax Improvement Value” cell of all of the property record cards except Card 001.
- Step 3 On Card 001, sum the entries in the “True Tax Value” column of Card 001 and add the result to the “Total True Tax Improvement Values” calculated in Step 2. Enter the grand total in the “Total True Tax Improvement Value” cell on Card 001.

THIS PAGE INTENTIONALLY LEFT BLANK.

