

SCHEDULE B

Row Type Adjustment

		Total Number of Units						
		2	3	4	6	8	10	Over
Frame or equal wall types	(1-5)	0.95	0.93	0.90	0.86	0.84	0.82	0.81
Brick or equal wall types	(6-8)	0.92	0.89	0.86	0.82	0.79	0.77	0.76

For masonry increments of 3 or less, use frame factor.
 For masonry increments of 4 or more, use brick factor.

SCHEDULE C

Base Price Components and Adjustments (in hundreds of dollars)

Area	Deduct (-) Unfinished Int		Deduct (-) No Central Heating				Deduct (-) No Electricity			Add (+) Central Air Conditioning			Add (+) Basement Recreation Room				Add (+) For Loft
	Half Story	Full Story	First Floor	Half Upper	Full Upper	Attic	First Floor	Upper Floor	First Floor	Half Upper/Loft	Full Upper	Attic	Rec 1	Rec 2	Rec 3	Rec 4	
	100	25	36	5	1	2	1	29	5	18	1	2	1	8	15	28	38
200	38	54	9	2	4	2	32	9	21	2	4	2	12	22	38	52	83
300	50	71	13	3	5	2	35	13	23	3	5	2	16	28	47	65	108
400	63	89	17	4	7	3	38	17	26	4	7	3	20	35	57	79	133
500	76	107	21	5	9	4	41	21	29	5	9	4	24	42	67	93	158
600	91	126	25	6	10	4	45	25	31	6	10	4	28	47	77	106	183
700	104	145	29	7	11	5	48	29	34	7	11	5	33	54	86	119	197
800	117	164	32	7	12	5	51	32	37	7	12	5	37	60	94	132	210
900	124	182	44	8	14	6	55	36	32	8	14	6	41	66	103	143	225
1000	131	200	55	9	15	6	58	39	27	9	15	6	45	72	112	153	240
1100	139	217	56	10	17	7	61	43	29	10	17	7	49	78	121	162	255
1200	147	233	57	11	18	7	64	46	30	10	18	7	53	84	130	170	270
1300	157	252	58	12	20	8	68	50	31	11	19	8	57	90	139	178	289
1400	167	267	60	13	22	9	71	53	32	12	20	8	60	95	147	186	305
1500	176	281	61	14	23	9	74	56	34	13	22	9	64	101	155	194	319
1600	185	298	63	15	25	10	77	60	35	14	23	9	68	106	164	203	338
1700	196	313	64	16	27	11	78	63	37	15	25	10	72	112	173	214	354
1800	206	328	65	17	28	11	88	66	38	15	26	10	76	118	182	224	369
1900	215	345	67	18	30	12	92	70	40	16	27	11	80	124	191	234	385
2000	224	362	69	19	32	13	95	74	41	17	29	11	84	130	200	244	401
2100	233	379	71	20	34	14	99	78	43	18	30	12	89	136	209	254	417
2200	242	396	72	21	35	14	103	81	44	18	31	13	93	142	217	264	432
2300	251	413	74	22	37	15	106	85	46	19	33	13	97	148	226	274	448
2400	260	430	76	23	39	16	110	89	47	20	34	14	101	154	235	284	464
2500	270	447	82	24	41	17	114	93	50	21	35	15	105	160	245	294	482
2600	280	463	89	25	43	17	119	96	53	22	37	15	110	167	254	304	
2700	290	480	95	26	44	18	123	100	55	23	38	16	114	173	264	314	
2800	300	497	102	27	46	19	127	104	58	24	40	16	118	180	273	324	
2900	310	513	108	28	48	19	131	107	61	24	41	17	122	186	283	334	
3000	320	530	114	29	50	20	136	111	64	25	42	17	127	192	292	344	
3100	330	546	121	30	51	20	140	114	66	26	44	18	131	199	302	354	
3200	340	563	127	31	53	21	144	118	69	27	45	18	135	205	311	364	
3300	350	581	129	32	55	22	148	122	71	28	47	19	139	211	320	374	
3400	361	599	131	33	57	23	153	126	72	29	48	19	143	218	330	384	
3500	371	616	132	34	58	23	157	129	74	29	50	20	147	224	339	394	
3600	382	634	134	35	60	24	161	133	75	30	51	21	152	230	349	404	
3700	392	652	136	36	62	25	165	137	77	31	53	21	156	236	358	413	
3800	402	670	138	37	64	26	170	141	78	32	54	22	160	243	367	423	
3900	413	687	139	38	65	26	174	144	80	32	56	22	164	249	377	433	
4000	423	705	141	39	67	27	178	148	81	33	57	23	168	255	386	443	
4100	433	723	143	40	69	28	182	152	83	34	58	24	172	261	395	453	
4200	443	741	145	41	70	28	186	155	84	35	60	24	176	267	404	462	
4300	454	759	146	42	72	29	190	159	86	36	61	25	181	274	414	472	
4400	464	777	148	43	74	30	194	162	87	37	63	25	185	280	423	481	
4500	474	795	150	45	76	31	199	166	89	38	64	26	189	286	432	491	
4600	484	813	152	46	77	31	203	170	91	38	65	26	193	292	441	500	
4700	494	831	154	47	79	32	207	173	92	39	67	27	197	298	450	510	
4800	505	849	155	48	81	33	211	177	94	40	68	27	202	305	460	519	
4900	515	867	157	49	82	33	215	180	95	41	70	28	206	311	469	529	
5000	525	885	159	50	84	34	219	184	97	42	71	28	210	317	478	538	

Note: For areas above 5,000 square feet extrapolation procedures are applicable in 1000 square foot increments for all columns other than "Loft"

SCHEDULE G.1 (continued)
Residential Yard Improvements

Geothermal Heating and Cooling System Base Rates

HORIZONTAL CLOSED LOOP SYSTEMS

System Tonnage	HCLSWD	HCLSWOD
	w/distribution	w/o distribution
2 Ton	10700	9400
2.5 Ton	13700	11500
3 Ton	16800	14000
3.5 Ton	19600	16400
4 Ton	22600	18600
5 Ton	28000	23200
6 Ton	33300	27800

VERTICAL CLOSED LOOP SYSTEMS

System Tonnage	VCLSWD	VCLSWOD
	w/distribution	w/o distribution
2 Ton	12800	11200
2.5 Ton	16100	14100
3 Ton	21000	18100
3.5 Ton	23200	19600
4 Ton	27800	24300
5 Ton	33100	28200
6 Ton	39500	33900

OPEN DISCHARGE OPEN LOOP SYSTEMS

System Tonnage	ODOLSWD	ODOLSWOD
	w/distribution	w/o distribution
2 Ton	9200	7800
2.5 Ton	11600	9600
3 Ton	14200	11400
3.5 Ton	16800	13200
4 Ton	19200	15000
5 Ton	23500	18700
6 Ton	27800	22400

RETURN WELL OPEN LOOP SYSTEMS

System Tonnage	RWOLSWD	RWOLSWOD
	w/distribution	w/o distribution
2 Ton	10000	8800
2.5 Ton	12500	10600
3 Ton	15100	12400
3.5 Ton	17500	14100
4 Ton	20200	15900
5 Ton	24400	19500
6 Ton	28700	23200

SCHEDULE G.2

Farm Buildings and Structures

Barns and Sheds

Per square foot, average quality, based either on 14' or 16' eaves heights, depending on type.

Type-1 Special purpose dairy and horse barns, 2-story with masonry stable walls and wood or metal sided loft walls, concrete ground floor, lighting, ventilation bibs, and drains, stalls and stanchions.

Type-2 General purpose conventional framed barns, 1-story flat or 2-story bank type with masonry foundation or lower level walls, wood or metal sided upper walls, concrete ground floor, plumbing, lighting and stalls.

Size	Area	Height 16'	+/-2'	(2) Bank & Flat		
				2- Story	1 - Story	+/- 2'
24 x 24	576	77.96	2.27	69.42	40.88	1.11
24 x 30	720	73.06	2.26	65.82	39.30	1.11
24 x 40	960	64.16	2.13	58.41	35.55	1.04
24 x 60	1440	55.33	1.97	51.37	31.53	0.97
24 x 80	1920	50.84	1.88	47.67	29.62	0.92
24 x 100	2400	48.52	1.84	45.57	28.36	0.90
30 x 40	1200	58.50	2.08	54.27	33.17	1.02
30 x 50	1500	52.50	1.41	49.23	30.40	0.95
30 x 60	1800	49.20	1.36	46.50	28.78	0.92
30 x 80	2400	45.83	1.32	43.53	27.25	0.89
30 x 100	3000	42.49	1.25	40.53	25.61	0.85
36 x 50	1800	48.32	1.36	45.80	28.58	0.65
36 x 60	2160	45.35	1.32	43.46	27.07	0.63
36 x 70	2520	42.59	1.27	40.97	25.88	0.61
36 x 80	2880	40.98	1.24	39.58	24.98	0.59
36 x 100	3600	38.35	1.20	37.38	23.58	0.57
40 x 60	2400	44.03	1.24	42.35	26.76	0.63
40 x 80	3200	39.87	1.17	38.87	24.52	0.59
40 x 100	4000	37.44	1.13	36.75	23.42	0.57
40 x 120	4800	35.90	1.10	35.41	22.59	0.56
40 x 140	5600	33.98	1.06	33.75	21.61	0.54
50 x 60	3000	40.01	1.18	38.95	24.75	0.60
50 x 80	4000	36.56	1.13	36.18	23.11	0.57
50 x 100	5000	34.39	1.10	34.22	22.10	0.55
50 x 120	6000	32.80	1.06	32.66	21.08	0.54
50 x 140	7000	31.09	1.02	31.25	20.23	0.52
60 x 80	4800	38.33	1.23	38.31	24.80	0.62
60 x 100	6000	35.83	1.19	36.19	23.43	0.60
60 x 120	7200	34.29	1.16	34.72	22.73	0.58
60 x 140	8400	33.30	1.13	33.85	22.09	0.57
60 x 160	9600	32.38	1.11	32.88	21.52	0.56
60 x 180	10800	31.53	1.09	31.99	21.01	0.55
60 x 200	12000	30.88	1.08	31.53	20.66	0.55

Included for (deduct if not present):

Stalls and Other Features	4.19	3.53	3.48
Loft Floor	6.54	--	--
Plumbing	1.44	0.56	0.41
Lighting	1.44	1.34	0.75
Concrete Floor	3.57	3.57	3.57
Roof Insulation	--	--	--

Add for wood loft floors (included in Type -1) 5.88
 Add per square foot (bin area) for wood bins 11.83
 Add for stable stall walls 3.53
 Deduct for earth floor 3.57
 Adjust for quality grade from Schedule F.

Type 3

General purpose pole-framed barns and machine sheds, 1-story, trussed roof, wood or metal siding, concrete floor and lighting. Alternative prices are given for insulated and partially open buildings.

(3)-Pole Framed General Purpose Buildings										
		All Walls		All Walls Insulated		1 Side Open		No Walls		
Size	Area	14'	+/-2'	14'	+/-2'	14'	+/-2'	14'	+/-2'	
20 x 20	400	24.72	0.90	29.14	1.53	19.98	0.68	14.32	0.31	
20 x 30	600	21.17	0.72	24.89	1.25	16.97	0.50	12.61	0.24	
20 x 40	800	18.89	0.63	22.25	1.11	15.42	0.42	11.70	0.21	
20 x 60	1200	17.03	0.54	20.01	0.96	14.11	0.34	11.03	0.21	
20 x 80	1600	15.64	0.49	18.42	0.89	13.13	0.29	10.38	0.18	
20 x 100	2000	14.86	0.46	17.51	0.84	12.50	0.27	9.95	0.17	
24 x 20	480	22.17	0.81	26.24	1.39	18.25	0.63	13.10	0.25	
24 x 30	720	20.12	0.64	23.52	1.12	16.66	0.46	12.75	0.28	
24 x 40	960	17.79	0.55	20.85	0.99	14.93	0.38	11.63	0.23	
24 x 60	1440	15.53	0.46	18.23	0.85	13.12	0.30	10.43	0.19	
24 x 80	1920	14.34	0.42	16.84	0.77	12.15	0.26	9.78	0.16	
24 x 100	2400	13.58	0.39	15.96	0.73	11.54	0.23	9.36	0.15	
24 x 120	2880	12.86	0.37	15.14	0.70	10.98	0.22	8.93	0.13	
30 x 20	600	20.93	0.72	24.65	1.25	17.23	0.58	12.58	0.24	
30 x 50	1500	14.85	0.42	17.38	0.78	12.71	0.29	10.18	0.18	
30 x 60	1800	14.04	0.39	16.44	0.73	12.01	0.26	9.71	0.16	
30 x 80	2400	13.07	0.35	15.29	0.66	11.25	0.22	9.24	0.15	
30 x 100	3000	12.15	0.32	14.25	0.62	10.51	0.20	8.69	0.12	
30 x 120	3600	11.61	0.30	13.63	0.59	10.11	0.18	8.40	0.12	
30 x 140	4200	11.12	0.29	13.08	0.57	9.71	0.17	8.09	0.10	
30 x 160	4800	10.86	0.28	12.76	0.55	9.48	0.16	7.93	0.10	
36 x 20	720	20.17	0.66	23.65	1.16	17.11	0.54	12.80	0.28	
36 x 40	1440	14.95	0.42	17.48	0.78	12.92	0.31	10.32	0.19	
36 x 80	2880	12.03	0.30	14.05	0.59	10.50	0.20	8.74	0.13	
36 x 100	3600	11.28	0.27	13.20	0.55	9.92	0.17	8.33	0.12	
36 x 120	4320	10.69	0.26	12.53	0.52	9.43	0.16	7.95	0.10	
36 x 140	5040	10.35	0.24	12.13	0.50	9.13	0.15	7.74	0.09	
36 x 160	5760	9.94	0.23	11.67	0.48	8.78	0.14	7.45	0.08	
36 x 180	6480	9.66	0.23	11.36	0.47	8.56	0.13	7.27	0.07	
40 x 20	800	18.57	0.63	21.93	1.11	15.83	0.53	11.69	0.21	
40 x 60	2400	13.03	0.31	15.13	0.61	11.42	0.22	9.51	0.15	
40 x 80	3200	11.76	0.27	13.69	0.55	10.39	0.18	8.75	0.12	
40 x 100	4000	11.14	0.25	12.97	0.51	9.91	0.16	8.44	0.11	
40 x 120	4800	10.68	0.23	12.43	0.48	9.50	0.15	8.14	0.10	
40 x 140	5600	10.17	0.22	11.86	0.46	9.07	0.14	7.79	0.08	
40 x 160	6400	9.84	0.21	11.49	0.45	8.80	0.13	7.57	0.08	
40 x 180	7200	9.69	0.21	11.30	0.44	8.57	0.12	7.40	0.07	
40 x 200	8000	9.50	0.20	11.08	0.43	8.43	0.12	7.29	0.07	
50 x 40	2000	13.80	0.35	16.03	0.66	12.23	0.27	10.02	0.17	
50 x 50	2500	12.70	0.30	14.75	0.59	11.26	0.22	9.36	0.14	
50 x 60	3000	11.89	0.27	13.81	0.54	10.59	0.20	8.91	0.12	
50 x 80	4000	10.93	0.23	12.69	0.48	9.82	0.16	8.40	0.11	
50 x 100	5000	10.29	0.21	11.95	0.45	9.26	0.14	7.99	0.09	
50 x 120	6000	9.76	0.19	11.35	0.42	8.81	0.13	7.65	0.08	
50 x 140	7000	9.37	0.18	10.90	0.40	8.48	0.12	7.39	0.07	
50 x 160	8000	9.17	0.18	10.66	0.39	8.22	0.11	7.19	0.07	
50 x 180	9000	8.95	0.17	10.41	0.38	8.05	0.10	7.06	0.06	
50 x 200	10000	8.74	0.16	10.16	0.37	7.87	0.10	6.92	0.06	
60 x 40	2400	14.36	0.31	16.46	0.61	12.97	0.25	10.93	0.15	
60 x 60	3600	12.52	0.24	14.32	0.50	11.44	0.18	9.91	0.12	
60 x 80	4800	11.59	0.21	13.23	0.44	10.62	0.15	9.34	0.10	

SCHEDULE G.2 (continued)

Farm Buildings and Structures

Barns and Sheds (continued)

(3)-Pole Framed General Purpose Buildings

Size	Area	All Walls		All Walls Insulated		1 Side Open		No Walls	
		14'	+/-2'	14'	+/-2'	14'	+/-2'	14'	+/-2'
60 x 100	6000	10.85	0.18	12.40	0.40	9.98	0.13	8.85	0.08
60 x 120	7200	10.46	0.17	11.94	0.38	9.54	0.11	8.51	0.07
60 x 140	8400	10.10	0.16	11.53	0.36	9.25	0.10	8.29	0.06
60 x 160	9600	9.82	0.15	11.20	0.35	9.02	0.10	8.11	0.06
60 x 180	10800	9.59	0.14	10.94	0.34	8.83	0.09	7.97	0.06
60 x 200	12000	9.39	0.14	10.71	0.33	8.64	0.09	7.82	0.05
60 x 250	15000	9.03	0.13	10.30	0.31	8.34	0.08	7.58	0.05
60 x 300	18000	8.74	0.12	9.98	0.30	8.10	0.07	7.38	0.04
80 x 40	3200	12.93	0.27	14.87	0.55	11.88	0.23	10.06	0.12
80 x 60	4800	11.49	0.21	13.13	0.44	10.62	0.16	9.28	0.10
80 x 80	6400	10.47	0.17	11.97	0.38	9.73	0.13	8.63	0.08
80 x 100	8000	9.99	0.15	11.39	0.35	9.21	0.11	8.25	0.07
80 x 120	9600	9.58	0.14	10.92	0.33	8.87	0.10	8.01	0.06
80 x 140	11200	9.27	0.13	10.55	0.31	8.59	0.09	7.80	0.05
80 x 160	12800	9.03	0.12	10.28	0.30	8.40	0.08	7.65	0.05
80 x 180	14400	8.82	0.11	10.03	0.29	8.21	0.07	7.51	0.05
80 x 200	16000	8.64	0.11	9.83	0.28	8.06	0.07	7.38	0.05
80 x 250	20000	8.31	0.10	9.45	0.26	7.78	0.06	7.16	0.04
80 x 300	24000	8.10	0.09	9.21	0.25	7.57	0.06	6.99	0.04
80 x 350	28000	7.89	0.09	8.97	0.24	7.38	0.05	6.83	0.04
80 x 400	32000	7.72	0.09	8.78	0.24	7.23	0.05	6.71	0.03
100 x 40	4000	12.25	0.25	14.07	0.51	11.39	0.21	9.70	0.11
100 x 60	6000	10.71	0.18	12.25	0.40	10.00	0.15	8.78	0.08
100 x 80	8000	9.94	0.15	11.34	0.35	9.22	0.12	8.23	0.07
100 x 100	10000	9.39	0.13	10.70	0.32	8.75	0.10	7.90	0.06
100 x 120	12000	9.00	0.12	10.25	0.30	8.40	0.09	7.64	0.05
100 x 140	14000	8.74	0.11	9.94	0.28	8.18	0.08	7.48	0.05
100 x 160	16000	8.51	0.10	9.67	0.27	7.98	0.07	7.33	0.05
100 x 180	18000	8.32	0.10	9.46	0.26	7.82	0.06	7.21	0.04
100 x 200	20000	8.17	0.09	9.28	0.25	7.68	0.06	7.10	0.04
100 x 250	25000	7.89	0.08	8.95	0.24	7.41	0.05	6.88	0.04
100 x 300	30000	7.65	0.08	8.68	0.23	7.19	0.05	6.70	0.04
100 x 350	35000	7.47	0.07	8.47	0.22	7.03	0.05	6.56	0.03
100 x 400	40000	7.32	0.07	8.31	0.21	6.88	0.04	6.44	0.03

Included for (deduct if not present):

Stalls & other features	--	--	--	--
Loft floor	--	--	--	--
Plumbing	--	--	--	--
Lighting	0.24	0.24	0.14	0.10
Concrete Floor	3.57	3.57	3.57	3.57
Roof Insulation	--	0.99	--	--

Add for interior Finish - shop type (interior liner, heat, insulation, & up-graded lighting)	7.90
Add for interior finish office area (wall and ceiling finish, minimal ptns and floor covering)	21.12
Add for milk parlor & milk houses - Type - 3	11.26
Add for wood loft floors	5.88
Add per square foot (of bin area) for wood bins	11.83
Add for stable stall walls	3.53
Deduct for Earth floor	3.57

Adjust for quality grade from Schedule F.

Barns and Sheds

Sound Value Guidelines

Type -1	\$800	to	\$9,200
Type -2	\$600	to	\$8,300
Type -3	\$200	to	\$8,700

Interpolation Procedures – Type 3 Barns

1. Select the model width and length closest to the subject.
2. Select (or calculate) the square foot rate applicable to each of the two (2) areas immediately smaller than and larger than the subject.
3. Calculate the difference in the whole dollar value applicable to each of the areas selected in step #2.
4. Divide the result from step #3 by the difference in the areas used in step #2.
5. Apply the rate arrived at in step #4 to the difference in the area of the subject and the smaller area of the two (2) used in step #2.
6. Add the result from step #5 to the whole dollar value calculated for the smaller area in step #3 and round the result to the nearest ten dollars (\$10.00).

Note: For areas larger than those included in the table, calculate the additive value by following the same procedure (steps #1 to #6) for the two (2) largest representative areas provided.

Chicken, Duck, and Turkey Barns

(Typically associated with floor type operations.)

Per square foot, average quality, 12' eaves height

Area	Rate	+/-2	Area	Rate	+/-2
2000	14.45	0.80	7000	10.15	0.54
2400	13.65	0.80	8000	9.70	0.54
2800	13.03	0.62	9000	9.43	0.37
3200	12.48	0.62	10000	9.16	0.37
3600	12.12	0.62	12000	8.99	0.37
4000	11.68	0.62	14000	8.71	0.37
4400	11.40	0.54	16000	8.45	0.37
4800	11.13	0.54	18000	8.17	0.37
5200	10.96	0.54	20000	7.98	0.37
5600	10.69	0.54	22000	7.91	0.37
6000	10.52	0.54	24000	7.74	0.27

Prices are for metal clad, wood, or light metal framed buildings with earth floor, minimal lighting, and mechanically operated ventilator upper side walls.

Included for lighting	0.23
Add for plumbing	0.41
Add for concrete floor	3.57
Add for roof insulation	0.99
Add for loft floor	5.88

Adjust for quality grade from Schedule F
Use the twenty (20) year depreciation schedule.

Farm Buildings and Structures

Frame Corn Cribs

Per square foot

FREE-STANDING TYPE

Size	Area	Wood Slat	Weld Wire
6 x 24	144	22.20	19.06
6 x 38	228	21.45	18.55
6 x 52	312	21.20	18.48
6 x 66	396	21.13	18.30
6 x 80	480	20.88	18.22

DRIVE-THRU TYPE

Size	Area	Wood Slat	Weld Wire
24 x 30	720	18.06	17.56
28 x 30	840	17.97	17.32
28 x 34	952	17.81	17.22
30 x 36	1080	17.56	17.07
30 x 40	1200	17.48	16.98

Add for storage bins over crib

Wood slat	5.22
Weld wire	3.14
Add for lighting	1.09
Sound value range	\$100 - 1100

Wire Corn Cribs

Per item

Cylindrical wire mesh cribs with concrete base, steel frame and conical steel roof.

Per bushel (1 cubic foot = .80 bushels, or

1 bushel = 1.25 cubic feet) 1.66

Included for (deduct if not present)

Concrete floor slab per sf.	3.57
Roof	326

Add per square foot of surface for metal skin 2.83

Sound value range \$100 to \$900

See the formula located under the grain bin schedule to calculate the number of bushels.

Trench & Bunker Silos

Per linear foot

Primarily used for corn & grass silage, the trench type below grade and the bunker type above grade, open ends, concrete and plank floor and side walls. (Both side walls are included in the linear foot rate).

	Depth or Height					
	10'	12'	16'	20'	25'	30'
Trench						
Earth 30' Wide	167	183	209	231	263	296
Plank 30' Wide	251	283	349	409	492	569
+/- 1" Wide	5.47	6.06	6.80	7.62	8.70	9.95
Bunker						
Plank 30' Wide	209	235	308	361	483	559
+/- 1" Wide	3.32	3.32	3.32	3.32	3.32	3.32

Use the twenty (20) year depreciation schedule.

Feed Lots

Per square foot

Canopies	4.37
Concrete flat work	3.57

Slurry Tanks

IN - GROUND

Round tanks	2.38	to	3.00	cu ft
Rectangular	2.60	to	3.61	cu ft
Plank cover, deduct			4.15	per SF
No cover, deduct			7.69	per SF

ABOVE GROUND

42 x 14	40000
42 x 19	47000
42 x 23	57000
62 x 14	57000
62 x 19	72000
62 x 23	90000
81 x 14	90000
81 x 19	110000
81 x 23	138000
101 x 14	113000
101 x 19	143000
101 x 23	158000

Use the twenty (20) year depreciation schedule.

Poultry Houses

Average quality, nonconfinement type

Area	Frame	C. B.
240	25.09	30.57
360	22.28	26.83
480	20.71	24.51
600	19.63	23.03
800	18.48	21.37
1000	17.56	20.21
1200	16.98	19.37
1400	16.49	18.80
1600	16.15	18.20
1800	15.90	17.81
2000	15.67	17.48
2200	15.41	17.22
2400	15.24	16.98
2600	15.08	16.74
2800	14.90	16.49
3000	14.83	16.40

Adjust for quality grade from Schedule F.

Sound value range \$100 to \$2,700

Butler Low-Moisture Silos

Per item

24' x 58'	74000
27' x 59'	88000
36' x 69'	143000

Granaries

Per square foot, average quality

Size	Area	1 Story
		& Loft
24 X 36	864	18.64
26 X 36	936	18.22
28 X 36	1008	17.64
28 X 40	1120	17.32
30 X 40	1200	17.07
36 X 40	1440	16.56

Add for storage bins 3.14

Adjust for quality grade from Schedule F.

Sound value range \$100 to \$1,400